

June 2, 2016

Ms. Courtney Avery, Administrator  
Illinois Health Facilities and Services Review Board  
525 West Jefferson, Second Floor  
Springfield, IL 62761

**RECEIVED**

JUN 03 2016

HEALTH FACILITIES &  
SERVICES REVIEW BOARD

**Re: Notice of Proposed Work to Sterile Core**  
**Project Number: 10-090 Centegra Hospital - Huntley**  
**Permit Amount: \$233,160,352**

Dear Ms. Avery,


As a follow up to my earlier telephone conversation with Mr. Mike Constantino, this letter is to provide notice of the applicants' proposed work in the sterile core of the surgery suite area which was approved, and will be used, for equipment storage when the hospital opens. Specifically, the plan is to install mechanical, electrical and structural elements to reduce impact on patient care areas during any future construction needed in this area, consisting of:

- Install additional floor support (structural beam to provide flexibility for future equipment and eliminate disruption of service to the imaging area directly below this space.
- Provide medical gas, HVAC ductwork, low voltage cabling and electrical conduit extensions to the area for future tie-ins without crossing sensitive areas.
- Install a window frame in the existing cath lab control room to avoid construction in a sensitive patient care area.

The total cost for this is \$377,810 and will be covered by the construction contingency for the project. The total approved project costs of \$233,160,352 remain unchanged and as approved in the CON permit.

If you have any questions, please feel free to contact me at (815)788-5858.

Sincerely,



Hadley Streng  
VP, Strategy and Development