2010 McHenry County Healthy Community Study



COMMUNITY ANALYSIS

Prepared by
Kristen Harrison, M.P.H.
Epidemiologist
McHenry County Department of Health
2200 N Seminary Avenue
Woodstock, IL 60098



Table of Contents

| | <u>Page</u> |
|---|-------------|
| Table of Contents | 2 |
| Chapter 1: Introduction | 11 |
| Chapter 2: Population | 12 |
| Table 2.1: McHenry County Population: 1900-2009 | 13 |
| Figure 2.1: McHenry County, Population: 1900-2009 | 13 |
| Figure 2.2: McHenry County, Population Change: 1910-2009 | 14 |
| Table 2.2: McHenry County Communities, Population: 1990, 2000 & 2009 | 15 |
| Figure 2.3: McHenry County, Communities With Population of 5,000 or More: 2009 | 16 |
| Figure 2.4: McHenry County Communities with Population of 5,000 or More, Percent Population Change: 2000-2009 | 16 |
| Table 2.3: McHenry County Townships, Populations: 1990, 2000 & 2009 | 17 |
| Table 2.4: McHenry County, Components of Population Change: 1990-1999 & 2000-2009 | 17 |
| Table 2.5: McHenry County, Migration: 2007-2008 | 18 |
| Chapter 3: Race, Ethnicity & Age | 19 |
| Table 3.1: McHenry County, People by Race & Hispanic Origin: 2000 & 2009 | 22 |
| Figure 3.1: McHenry County, People by Race: 2009 | 22 |
| Table 3.2: McHenry County, People by Race/Ethnicity: 2000 & 2009 | 23 |
| Figure 3.2: McHenry County, Percent of People by Race/Ethnicity: 2009 | 23 |
| Figure 3.3: McHenry County, Percent Change of People by Race/Ethnicity: 2000-2009 | 24 |
| Table 3.3: McHenry County, Illinois and U.S., People by Race/Ethnicity: 2009 | 25 |
| Figure 3.4: McHenry County, Illinois and U.S., Race/Ethnicity Distribution: 2009 | 25 |
| Table 3.4: McHenry County, Race of Hispanic Population: 2000 & 2009 | 26 |
| Table 3.5: McHenry County, Illinois and U.S., Selected Age Groups: 2009 | 27 |
| Figure 3.5: McHenry County, Population by Age Group: 2009 | 27 |
| Table 3.6: McHenry County & U.S., Median Age: 1990, 2000 & 2009 | 28 |
| Figure 3.6: McHenry County & U.S., Median Age: 1990, 2000 & 2009 | 28 |
| Table 3.7: McHenry County People by Selected Age Groups: 1990, 2000 & 2009 | 29 |
| Figure 3.7: McHenry County, Percent Change Among Selected Age Groups: 2000-2009 | 29 |
| Table 3.8: McHenry County, Median Age by Race and Gender: 1990, 2000 & 2009 | 30 |
| Table 3.9: McHenry County, Gender Ratio by Age Group: 1990, 2000 & 2009 | 30 |
| Figure 3.8: McHenry County, Age Distribution by Gender: 2009 | 31 |
| Table 3.10: McHenry County, Gender Ratio by Race/Ethnicity: 2009 | 31 |

| Table 3.11: McHenry County, Race/Ethnicity by Age Group: 2009 | 32 |
|---|----|
| Figure 3.9: McHenry County, Percent of Race/Ethnic Population by Selected Age Groups: 2009 | 33 |
| Figure 3.10: McHenry County, Age Distribution by Race/Ethnicity: 2009 | 34 |
| Table 3.12: McHenry County, Illinois & U.S., Leading Ancestries Reported: 2005-2009 | 35 |
| Table 3.13: McHenry County, Illinois, & U.S., Nativity and Citizenship: 2005-2009 | 35 |
| Table 3.14: McHenry County, Illinois & U.S. Year of Entry for People Born Outside U.S.: 2005-2009 | 36 |
| Table 3.15: McHenry County, Illinois & U.S., Leading Places of Birth for Foreign-Born Population: 2005-2009 | 36 |
| Table 3.16: McHenry County, Illinois & U.S., Leading Languages Spoken at Home: 2005-2009 | 37 |
| Table 3.17: McHenry County, Illinois & U.S., Population in Linguistically Isolated Households by Language Spoken at Home: 2005-2009 | 37 |
| Chapter 4: Household Characteristics and Marital Status | 38 |
| Table 4.1: McHenry County, Illinois, & U.S., Household Relationships of All People: 2005-2009 | 40 |
| Table 4.2: McHenry County, Illinois, & U.S., Households by Type: 2005-2009 | 40 |
| Table 4.3: McHenry County, Illinois & U.S., Unmarried-Partner Households by Sex of Partner: 2005-2009 | 41 |
| Table 4.4: McHenry County & U.S., Average Household and Family Size: 1970 to 2005-2009 | 42 |
| Figure 4.1: McHenry County & U.S., Average Household & Family Size: 1970 to 2005-2009 | 42 |
| Table 4.5: McHenry County, Illinois & U.S., Household Type for Children Under 18 Years Old: 2005- 2009 | 43 |
| Table 4.6: McHenry County, Illinois & U.S., Grandparents Living with Own Grandchildren Under 18 Years by Responsibility: 2005-2009 | 43 |
| Table 4.7: McHenry County, Illinois & U.S., Household Type for People 65 Years Old and Older: 2005- | 44 |
| Table 4.8: McHenry County, Illinois & U.S., Marital Status by Gender of People 15 and Older: 2005-2009 | 44 |
| Table 4.9: McHenry County & Illinois, Marriages, Divorces, Dissolution Ratio: 1980-2009 | 45 |
| Figure 4.2: McHenry County & Illinois, Marriages, Divorces/Annulments & Dissolution Ratio: 1980-2009 | 46 |
| Chapter 5: Housing | 47 |
| Table 5.1: McHenry County & Illinois, Housing Units: 2000 and 2009 | 51 |
| Table 5.2: McHenry County, Illinois & U.S., Housing Units and Occupancy: 1990, 2000 & 2005-2009 | 51 |
| Table 5.3: McHenry County, Illinois & U.S., Housing Tenure of Occupied Units: 1990, 2000 & 2005-2009 | 51 |
| Table 5.4: McHenry County, Illinois & U.S., Housing Tenure by Race/Ethnicity: 2005-2009 | 52 |
| Table 5.5: McHenry County, Home Ownership by Age of Householder: 1990, 2000 & 2005-2009 | 53 |
| Figure 5.1: McHenry County, Home Ownership by Age of Householder: 1990, 2000 & 2005-2009 | 53 |
| Table 5.6: McHenry County, Units in Structure: 1990, 2000 & 2005-2009 | 54 |

| Table 5.7: McHenry County, Illinois, & U.S., Housing Unit Median Rooms and Occupants: 2000 & 2005-2009 | 54 |
|---|----|
| Table 5.8: McHenry County, Illinois & U.S., Residence in 2005-2009 Compared to One Year Ago | 55 |
| Table 5.9: McHenry County, Illinois, & U.S., Year Householder Moved Into Residence: 2005-2009 | 56 |
| Table 5.10: McHenry County, Illinois & U.S., Year Housing Unit Built: 2005-2009 | 57 |
| Figure 5.2: McHenry County, Illinois & U.S., Year Housing Units Built: 2005-2009 | 57 |
| Table 5.11: McHenry County, Illinois & U.S., Home Value: 2000 and 2005-2009 | 58 |
| Figure 5.3: McHenry County, Home Value of Owner-Occupied Units: 2000 & 2005-2009 | 58 |
| Table 5.12: McHenry County & Illinois, Sales and Median Price of Single Family Homes and Condominiums: 2005-2009 | 59 |
| Figure 5.4: McHenry County, Sales and Median Price of Single Family Homes and Condominiums: 2005-2009 | 59 |
| Table 5.13: McHenry County, Illinois and U.S., Select Monthly Owner and Renter Cost as a Percentage of the Household Income: 2005-2009 | 60 |
| Table 5.14: McHenry County, Illinois & U.S., Households Spending 30% or More of Their Income for Housing by Age Group: 2005-2009 | 61 |
| Table 5.15: McHenry County, Illinois & U.S., Households Spending 30% or More of Their Income for Housing by Income Level: 2005-2009 | 61 |
| Table 5.16: McHenry County, Illinois & U.S., Median Gross Rent: 2005-2009 | 62 |
| Table 5.17: McHenry County, Home Owner Versus Renter by Income: 2005-2009 | 62 |
| Table 5.18: McHenry County, Illinois & U.S., Number and Percent of Households with No Vehicle or Telephone Service Available by Age or Householder: 2005-2009 | 63 |
| Chapter 6: Education & Employment | 64 |
| Table 6.1: McHenry County, Illinois, & U.S., Educational Attainment: 2005-2009 | 67 |
| Table 6.2: McHenry County, Illinois, & U.S. Educational Attainment: 1990, 2000, & 2005-2009 | 68 |
| Table 6.3: McHenry County, Educational Attainment by Race/Ethnicity: 2005-2009 | 69 |
| Figure 6.1: McHenry County, Educational Attainment by Race/Ethnicity: 2005 - 2009 | 69 |
| Figure 6.2: McHenry County, Adults 25 Years and Older Who Did Not Graduate High School (Or the Equivalent) by Race/Ethnicity: 2005-2009 | 70 |
| Table 6.4: McHenry County School Districts & Illinois, High School Graduation Rates: 2000-2001, 2004-2005 & 2008-2009 | 70 |
| Table 6.5: McHenry County, Illinois, & U.S., Labor Force Participation by Gender and Children Presence: 1990, 2000 & 2005-2009 | 71 |
| Table 6.6: McHenry County, Illinois & U.S., Employment & Unemployment: 1980-2009 | 72 |
| Figure 6.3: McHenry County, Illinois & U.S., Unemployment Rates: 1980-2009 | 73 |
| Table 6.7: McHenry County, Unemployment by Age Group and Gender: 2000 & 2005-2009 | 74 |
| Table 6.8: McHenry County, Labor Force by Gender and Race/Ethnicity: 2009 | 75 |

| Table 6.9: McHenry County, Top Employers: 2010 | 76 |
|--|-------|
| Table 6.10: McHenry County, Illinois, & U.S., Commuting Time and Means: 2005-2009 | 77 |
| Table 6.11: McHenry County & U.S., Occupation, Industry, Class of Worker: 2005-2009 | 78 |
| Table 6.12: McHenry County, Annual Employment by Industry: 1990-2009 | 79 |
| Table 6.13: McHenry County, Commuting Pattern: 1990 & 2000 | 80 |
| Chapter 7: Income & Poverty | 82 |
| Table 7.1: McHenry County, Illinois & U.S. Median Household Income: 1989, 1999 and 2005-2009 | 84 |
| Table 7.2: McHenry County, Median Household Income by Age and Race/Ethnicity: 2005-2009 | 84 |
| Table 7.3: McHenry County, Illinois & U.S., Median Income by Household Type: 2005-2009 | 84 |
| Table 7.4: McHenry County, Number and Percent of Household, Family and NonFamily Income by Detailed Category: 2005-2009 | 85 |
| Figure 7.1: McHenry County, Percent of Household, Family and NonFamily Incomes: 2005-2009 | 85 |
| Table 7.5: McHenry County, Illinois & U.S., Per Capita Personal Income: 1980-2008 | 86 |
| Figure 7.2: McHenry County, Illinois & U.S., Per Capital Personal Income: 1980-2008 | 87 |
| Table 7.6: McHenry County, Illinois & U.S., Poverty for All Person and Children 0-17 Years Old: 1989, 1999 and 2005-2009 | 87 |
| Table 7.7: McHenry County, Illinois & U.S., Poverty for Selected Groups: 2005-2009 | 88 |
| Table 7.8: McHenry County, Illinois & U.S., Ratio of Income to Poverty Level: 2005-2009 | 88 |
| Table 7.9: McHenry County & Illinois, Percent of Students Eligible for Free and Reduced Lunch: 2004-2010 | 89 |
| Figure 7.3: McHenry County & Illinois, Percent of Students Eligible for Free & Reduced Lunch: 2004-2010 | 89 |
| Table 7.10: McHenry County Medicaid Recipients: 1990-2009 | 90 |
| Figure 7.4: McHenry County, Medicaid Recipients: 1990-2009 | 91 |
| Chapter 8: Crime & Violence | 92 |
| Table 8.1: McHenry County Law Enforcement Agencies, Crime Index Offenses Rate: 2004- 2008 | 94 |
| Figure 8.1: Select McHenry County Law Enforcement Agencies, Crime Index Offense Rates: 2008 | 95 |
| Table 8.2: McHenry County, Number of Index Offenses: 1999-2008 | 95 |
| Table 8.3: McHenry County, Crime Rate by Offense: 1999-2008 | 96 |
| Figure 8.2: McHenry County, Distribution of Index Offenses: 2008 | 97 |
| Figure 8.3: McHenry County, Index Crimes & Index Crime Rate: 1999-2008 | 97 |
| Table 8.4: McHenry County, Drug Offense Arrests: 1999-2008 | 98 |
| Figure 8.4: McHenry County, Drug Offense Crime Rates: 1999-2008 | 98 |
| Table 8.5: McHenry County, Reports of Elder Abuse, Neglect & Exploitation: 2000-2010 | 99 |
| Table 8.6: McHenry County & Illinois, Number and Rate of Child Abuse/Neglect Reported and Indicated Cases: 1999-2009 | . 100 |

| | Figure 8.5: McHenry County & Illinois, Rate of Reported and Indicated Child Abuse/Neglect Cases: 1999-2009 | 101 |
|---|--|-----|
| С | Chapter 9: Natality | 102 |
| | Table 9.1: McHenry County, Illinois & U.S., Births and Birth Rate: 1980-2008 | 106 |
| | Figure 9.1: McHenry County, Illinois & U.S., Births and Birth Rate: 1980-2008 | |
| | Table 9.2: Select McHenry County Communities, Number of Births: 2004-2008 | |
| | Table 9.3: McHenry County, Illinois & U.S., Fertility Rates: 1990, 2000 & 2008 | |
| | Table 9.4: McHenry County, Births by Race & Ethnicity: 1980-2008 | |
| | Figure 9.2: McHenry County, Percent of Births by Race and Ethnicity: 1980-2008 | 109 |
| | Table 9.5: McHenry County, Births by Race/Ethnicity: 2004-2008 | 110 |
| | Table 9.6: McHenry County & Illinois, Age-Specific Fertility: 2000 & 2008 | 110 |
| | Figure 9.3: McHenry County & Illinois, Age-Specific Fertility Rates: 2000 & 2008 | |
| | Table 9.7: McHenry County, Age-Specific Fertility by Race/Ethnicity: 2004-2008 | 112 |
| | Figure 9.4: McHenry County, Age-Specific Fertility Rates by Race/Ethnicity: 2004-2008 | 112 |
| | Table 9.8: McHenry County, Illinois & U.S., Births by Age of Mother: 2008 | 113 |
| | Table 9.9: McHenry County, Births by Detailed Age of Mother: 1980-2006 | 114 |
| | Figure 9.5: McHenry County, Percent of Births by Mother's Age Group: 1980-2008 | 115 |
| | Table 9.10: McHenry County, Illinois & U.S., Births to Teen Mothers: 1980-2008 | 116 |
| | Figure 9.6: McHenry County, Illinois & U.S., Births to Teen Mothers: 1980-2008 | 117 |
| | Table 9.11: McHenry County, Births to Teen Mothers by Race/Ethnicity: 2004-2008 | 117 |
| | Table 9.12: Select McHenry County Communities, McHenry County & Illinois, Teen Births: 2008 | 118 |
| | Table 9.13: McHenry County, Illinois & U.S., Births To Unmarried Mothers: 1980-2008 | 119 |
| | Figure 9.7: McHenry County, Illinois & U.S., Births to Unmarried Mothers: 1980-2008 | 119 |
| | Table 9.14: McHenry County, Births to Unmarried Mothers by Race/Ethnicity: 2004-2008 | 120 |
| | Figure 9.8: McHenry County, Births to Unmarried Mothers by Race/Ethnicity: 2004-2008 | 120 |
| | Table 9.15: McHenry County, Illinois & U.S., Low Birthweight Births: 1980-2008 | 121 |
| | Figure 9.9: McHenry County, Illinois & U.S., Low Birthweight Births (<2,500 grams or 5lbs, 8oz): 1980-2008 | 122 |
| | Table 9.16: Select McHenry County Communities, McHenry County & Illinois, Low Birthweight Births: 2008 | 123 |
| | Table 9.17: McHenry County, First Trimester Prenatal Care Received: 1980-2008 | 124 |
| | Figure 9.10: McHenry County, First Trimester Prenatal Care Received: 1980-2008 | 124 |
| | Table 9.18: McHenry County & Illinois, First Trimester Prenatal Care by Race/Ethnicity: 2008 | 125 |
| | Figure 9.11: McHenry County, First Trimester Prenatal Care Received by Race/Ethnicity: 2008 | 125 |
| | Table 9 19: Select McHenry County Communities, First Trimester Prenatal Care: 2008 | 126 |

| Table 9.20: McHenry County & Illinois, Indices of Prenatal Care: 2006 | 126 |
|---|----------------|
| Table 9.21: McHenry County & Illinois, Kessner Index Outcomes: 1990-2006 | 127 |
| Table 9.22: McHenry County, Kessner Index Outcomes by Race/Ethnicity: 2004-2008 | 127 |
| Table 9.23: McHenry County & Illinois, Kotelchuck Index Outcomes: 1990-2006 | 128 |
| Table 9.24: McHenry County & Illinois, Mothers Who Use Tobacco Or Alcohol During Pregn | • |
| 1990-2008 | 129 |
| Table 9.25: McHenry County & Illinois, Induced Pregnancy Terminations (Abortions): 1995-2 | 2008 130 |
| Figure 9.12: McHenry County & Illinois, Induced Pregnancy Terminations (Abortions): 1995- | 2008130 |
| Table 9.26: McHenry County & Illinois, Selected Birth & Deliver Characteristics: 2008 | |
| Table 9.27: McHenry County & Illinois, Infant Deaths: 1980-2007 | 131 |
| Figure 9.13: McHenry County, Illinois & U.S., Infant Death Rate: 1980-2007 | 132 |
| Table 9.28: McHenry County, Illinois & U.S., Five-Year Average Annual Infant Death Rates: | 1985-2007 132 |
| Chapter 10: Mortality | 133 |
| Table 10.1: McHenry County, Illinois & U.S., Total Resident Deaths and Death Rates: 1980- | ·2007 136 |
| Figure 10.1: McHenry County, Illinois & U.S., Total Resident Deaths & Death Rates: 1980-2 | 007 137 |
| Table 10.2: McHenry County, Illinois & U.S., Age-Adjusted Death Rate: 2007 | 138 |
| Table 10.3: McHenry County & U.S., Death and Death Rates by Age Group: 2007 | 138 |
| Figure 10.2: McHenry County, Deaths by Age Group: 2007 | 139 |
| Table 10.4: McHenry County, Deaths by Cause: 2000-2007 | 140 |
| Table 10.5: McHenry County, Deaths by Cause: 1980-1999 | 141 |
| Table 10.6: McHenry County, Illinois & U.S., Deaths by Cause: 2007 | 142 |
| Figure 10.3: McHenry County, Illinois & U.S., Death Rate for Top Five Leading Causes of De | eath: 2007 142 |
| Table 10.7: McHenry County, Illinois & U.S., Age-Adjusted Death Rates for Six Leading Cau | |
| Table 10.8: McHenry County, Deaths for Leading Causes as Percent of All: 2006-2007 Com | pared To |
| 1996-1997 | |
| Table 10.9: McHenry County, Selected Death Causes by Gender: 2005-2007 | |
| Figure 10.4: McHenry County, Leading Causes of Death by Gender: 2005-2007 | |
| Table 10.10: McHenry County & Illinois, Deaths Before 65 Years Old for Selected Causes: 2 | |
| Figure 10.5: McHenry County & Illinois, Percent of Deaths Before Age 65 Years for Select C 2007 | |
| Table 10.11: McHenry County, Years of Potential Life Lost for Select Causes of Death: 2006 | 3 147 |
| Table 10.12: McHenry County, Number of Deaths by Race/Ethnicity: 1999-2007 | 147 |
| Table 10.13: McHenry County, Illinois & U.S., Crude and Age-Adjusted Death Rates by Rac 2007 | |
| Figure 10.6: McHenry County, Illinois & U.S., Death Rate by Race/Ethnicity: 2007 | |
| 3,,,, | |

| Table 10.14: McHenry County, Illinois & U.S., Age-Adjusted Death Rates for Two Leading Causes of Death by Race/Ethnicity: 2005-2007 | 149 |
|---|-----|
| Figure 10.7: McHenry County, Illinois & U.S., Top Two Leading Causes of Death by Race/Ethnicity: 2005-2007 | 149 |
| Table 10.15: McHenry County, Leading Causes of Death by Race/Ethnicity: 2003-2007 | 150 |
| Table 10.16: McHenry County, Deaths Before Age 65 by Race/Ethnicity: 2005-2007 | 151 |
| Figure 10.8: McHenry County, Percent of Deaths Before Age 65 by Race/Ethnicity: 2005-2007 | 151 |
| Table 10.17: McHenry County, Leading Causes of Death by Age Group: 2003-2007 | 152 |
| Table 10.18: McHenry County & Illinois, Age-Adjusted Site-Specific Cancer Mortality Rates: 2003-2007 | 153 |
| Table 10.19: McHenry County, Birth:Death Index: 1980-2007 | 154 |
| Figure 10.9: McHenry County, Birth:Death Index: 1980-2007 | 155 |
| Chapter 11: Health Status & Behaviors | 156 |
| Table 11.1: McHenry County & Illinois, Percent of Health Status: 1997-2007 | 161 |
| Table 11.2: McHenry County & Illinois, Prevalence of Selected Conditions: 2007 | 161 |
| Table 11.3: McHenry County, Estimated Number of Adults with Select Diseases/Conditions: 2009 | 162 |
| Table 11.4: McHenry County & Illinois, Self-Reported Health Behaviors: 2007 | 163 |
| Table 11.5: McHenry County & Illinois, Utilization of Cancer Screening Procedures: 2007 | 163 |
| Table 11.6: McHenry County & Illinois, Percent of Adults by Reported Oral Health Indicators: 2002-2007 | 164 |
| Table 11.7: McHenry County & Illinois, Cancer Incidence, All Sites: 2003-2007 | 164 |
| Table 11.8: McHenry County & Illinois, Age-Adjusted Cancer Incidence by Site: 2003-2007 | 165 |
| Table 11.9: McHenry County & Illinois, Cancer Incidence Rates That Vary Significantly from State: 2003-2007 | 166 |
| Table 11.10: McHenry County, Cancer Incidence Rates that Vary Significantly Between Genders: 2003-2007 | |
| Table 11.11: McHenry County, Leading Reported Communicable Diseases: 2004-2009 | |
| Table 11.12: McHenry County & Illinois, Sexually Transmitted Diseases, Number and Rate of Chlamydia and Gonorrhea: 1990-2008 | |
| Figure 11.1: McHenry County & Illinois, Rate of Reported Chlamydia Cases: 1990-2008 | |
| Table 11.13: McHenry County & Illinois, AIDS and HIV Cases: 2008 & 2009 | |
| Table 11.14: McHenry County, Childhood Blood Lead Levels: 1999-2008 | |
| Figure 11.2: McHenry County, Percent of Childhood Blood Lead Tests That Were Elevated: 1999-2008 | |
| Table 11.15: McHenry County & Illinois, Immunization Levels at Age Two: 1994-2002 | |
| Table 11.16: McHenry County & Illinois, Immunization Rates Among Three-Year Olds: 2005 | |
| Table 11.17: McHenry County & LLS Disability Status by Age Group: 2005-2007 | 172 |

| Table 11.18: McHenry County, Estimated One-Year Prevalence of Select Mental Disorders in Adults (18 Year and Older) by Age Group: 2009 | |
|---|-----|
| Figure 11.3: McHenry County, Estimated One-Year Prevalence of Select Mental Disorders in Adults Age Group: 2009 | - |
| Table 11.19: McHenry County, Estimated Number of People with Past Month Substance Use by Age Group: 2009 | |
| Table 11.20: McHenry County, Estimated Number of People 12 Years and Older with Past Month Substance Use by Race/Ethnicity and Gender: 2009 | 176 |
| Table 11.21: McHenry County, Youth Substance Use of "Gateway Drugs" by Grade Level: 2006 & 2008 | 177 |
| Figure 11.4: McHenry County, Youth Substance Use of "Gateway Drugs" By Grade Level: 2008 | 177 |
| Table 11.22: McHenry County & Illinois, Use of Select Substances by Grade Level: 2008 | 178 |
| Table 11.23: McHenry County, Student Characteristics by Grade Level: 2008 | 178 |
| Table 11.24: McHenry County & Illinois, Driving Under the Influence (DUI) Arrests: 1998-2008 | 179 |
| Figure 11.5: McHenry County & Illinois, Driving Under the Influence (DUI) Arrests: 1998-2008 | 179 |
| Chapter 12: Health Resources & Utilization | 180 |
| Table 12.1: McHenry County & Illinois, Health Care Utilization Measures: 1997, 2001, 2004 & 2007 | 184 |
| Table 12.2: McHenry County, Medicare Enrollment: 2007 | 184 |
| Table 12.3: McHenry County & U.S., Resident Hospital Discharge Rates by Age Groups and Gender 2006 & 2009 | |
| Table 12.4: McHenry County & Illinois, Resident Hospital Discharge Rates by Age groups and Gend 2009 | |
| Table 12.5: McHenry County, Leading Hospitalization Reasons, Average Stay and Average Charges 2009 | |
| Table 12.6: McHenry County, Leading Hospitalization Reasons: 2008 & 2009 | 187 |
| Table 12.7: McHenry County & Illinois, Leading Hospital Discharge Rates by Reason: 2009 | 188 |
| Table 12.8: McHenry County, Top 25 Hospitalization Reasons for Females: 2009 | 189 |
| Table 12.9: McHenry County, Top 25 Hospitalization Reasons for Males: 2009 | 190 |
| Table 12.10: McHenry County, Top 10 Hospitalization Reasons by Age Group: 2009 | 191 |
| Table 12.11: McHenry County, Summary of Hospital Characteristics: 2009 | 193 |
| Table 12.12: McHenry County, Long-Term Care Facilities: 2009 | 193 |
| Table 12.13: McHenry County, Long-Term Care Residents by Primary Diagnosis: 2009 | 194 |
| Table 12.14: McHenry County, Selected Characteristics of Long-Term Care Residents: 2009 | 195 |
| Table 12.15: McHenry County, Licensed Assisted Living and Shared Housing Facilities: December | |
| 2010 | |
| Table 12.16: McHenry County & U.S., Physicians and Population Per Physician: 2008 | |
| Table 12 17: McHenry County, Number of Physicians by Specialty: May 2010 | 197 |

| Chapter 13: Environment | . 198 |
|---|-------|
| Table 13.1: McHenry Stratton Lock & Dam, Average Monthly Temperature (°F): 1999-2009 | . 200 |
| Figure 13.1: McHenry Stratton Lock & Dam, Average Monthly High & Low Temperatures: 1999-2009 | . 200 |
| Table 13.2: McHenry Stratton Lock & Dam, Average Monthly Precipitation & Snow Fall: 1999-2009 | . 201 |
| Figure 13.2: McHenry Stratton Lock & Dam, Average Monthly Precipitation & Snow Fall: 1999-2009 | . 201 |
| Table 13.3: McHenry County, EPA Regulated Facilities Summary | . 202 |
| Table 13.4: McHenry County, Toxic Agents Disposed or Released for All Facilities (In Pounds): 2001-2009 | . 203 |
| Figure 13.3: McHenry County, Toxic Agents Disposed or Released: 2001-2009 | . 204 |
| Table 13.5: McHenry County, Air Quality Index: 1998-2008 | . 205 |
| Figure 13.4: McHenry County, Percent of Days by Air Quality Index Classification: 1998-2008 | . 206 |
| Table 13.6: McHenry County, Percent of Days by Main Air Pollutant According to Air Quality Index: 1998-2008 | . 207 |
| Figure 13.5: McHenry County, Percent of Days by Main Air Pollutant According to Air Quality Index: 1998-2008 | . 207 |
| Table 13.7: McHenry County, Point Source Emissions (In Tons): 1990-2002 | . 208 |
| Figure 13.6: McHenry County, Point Source Emissions by Pollutant: 1990-2002 | . 208 |
| Table 13.8: McHenry County Zip Codes, Number of Homes Tested for Radon Exposure and Number of Mitigation Systems: 2003-2006 | . 209 |
| Figure 13.7: McHenry County Zip Codes, Percent of Homes Tested With High Levels of Radon: 2003- | . 210 |
| Glossary | . 211 |

Chapter 1: Introduction

This analysis presents a comprehensive overview of the health status and the factors that influence the health of McHenry County by describing population demographics, health determinants, and health outcomes using a wide variety of secondary data sources. Throughout this analysis, comparisons to other jurisdictions were made, along with comparisons to previous years in McHenry County to examine trends. Topics for this community analysis include race, ethnicity, age, household and marital characteristics, housing, education, unemployment, income and poverty, crime and violence, natality (births), mortality (deaths), diseases and behaviors, health resources and utilization, and environmental health.

Several data sources were used in this analysis. One of the main sources of information comes from the U.S. Census Bureau and in particular, the 2005-2009 American Community Survey released in December 2010. The 2005-2009 American Community Survey (ACS) is an ongoing mail, phone and visitation survey of a sampling of U.S. residents conducted between January 1, 2005 and December 31, 2009. The ACS includes information at various geographic levels on age, sex, race, family and relationships, income and benefits, health insurance, education, veteran status, disabilities, commuting, income and poverty, and many more.

Another frequently used source of information was the Illinois Department of Public Health (IDPH). IDPH releases information relating to vital statistics, communicable diseases, cancer incidence through the Illinois State Cancer Registry, disease and behavioral risk factors for disease through the Illinois Behavioral Risk Factor Survey, and more.

Also in this analysis, the Centers for Disease Control and Prevention's online data system, Wideranging Online Data for Epidemiologic Research (CDC WONDER), was used frequently, especially for mortality data. CDC WONDER is a data query system maintained by CDC with county, regional, state and national data on a variety of topics, including acquired immune deficiency syndrome (AIDS), births, cancer incidence, deaths, population, sexually transmitted diseases (STDs) and vaccine adverse event reporting.

Several other federal, state and local sources of information were utilized, such as McHenry County Department of Health, the Illinois Youth Survey, Illinois State Police, the U.S. Environmental Protection Agency (EPA), Centers for Disease Control and Prevention's National Center for Health Statistics (NCHS), and the Internal Revenue Service (IRS).

Throughout this report, many of the items are described by combined race/ethnicity (i.e. non-Hispanic Whites) rather than race and ethnicity (i.e. Whites of any race). This decision was based on community accepted definition/terminology.

At the beginning of each chapter is a summary of key findings from the tables and figures that follow, which are referenced to the right of each summary point. Please note that some tables and figures are not referenced in the summary or only part of a table or figure is referenced. The summary is designed to highlight key findings and support the tables and figures that follow. At the end of this document, there is a glossary of terms used throughout the report that may be unfamiliar.

Chapter 2: Population


| | Chapter 2. 1 Opulation | |
|---|--|--|
| • | The population of McHenry County has grown every decade since 1900, starting at 29,759 people to 320,961 people in 2009. In the last nine years, the population grew by 23%. The largest percent increase in the population occurred from 1950 to 1960. | Tables & Figures Table 2.1 Figure 2.1 Figure 2.2 |
| • | In 2009, there were 5 communities with a population over 20,000 and 17 communities with fewer than 5,000 people. The largest community in McHenry County in 2009 was Crystal Lake with 42,180 people, followed by Lake in the Hills (29,704), McHenry (27,165), Woodstock (24,333) and Algonquin (23,637). The smallest population was Fox Lake Village with 251 people. | Table 2.2 Figure 2.3 |
| • | From 2000 to 2009, except for Holiday Hills, all communities in McHenry County grew in population. The largest population increase occurred in the McHenry County portion of Huntley, which grew by almost three fold. Comparing 1990 to 2009, all communities grew except for Holiday Hills. The largest increase was in Huntley, followed by Spring Grove, Fox Lake, and Lake in the Hills. The smallest increase was in Ringwood. | Table 2.2 Figure 2.3 Figure 2.4 |
| • | All of the townships grew in population from 2000 to 2009. The largest township by population in 2009 was Algonquin Township with 101,057 people (32% of the County population). The smallest township in McHenry County for 2009 was Riley Township with 2,144 people (<1% of the County population). The largest increase in population was in Grafton Township, followed by Richmond and Burton townships. From 1990 to 2009, all townships increased in population, with the largest increase being Burton Township and the smallest increase being in Alden Township. | Table 2.3 |
| • | From 2000 to 2009, the population of McHenry County increased by 60,867 people. Thirty-eight percent of that increase can be attributed to natural increase and 58% can be attributed to migration into the County. | Table 2.4 |
| • | Of those who moved into McHenry County during 2007 and 2008, 71% were from within Illinois, and most frequently from Cook (28.4%), Lake (15.7%) and Kane Counties (12.6%). | Table 2.5 |
| • | Of those who moved out of McHenry County, 57% of them moved to another county in Illinois – most commonly to Cook (18.6%), Lake (12.3%) and Kane Counties (10.5%), while 42% moved to another state. | Table 2.5 |

Table 2.1: McHenry County Population: 1900-2009

| Year | Population | Percent Change | | | |
|-------------|-------------------|----------------|--|--|--|
| 2009 (est.) | 320,961 | +23.4% | | | |
| 2000 | 260,077 | +41.9% | | | |
| 1990 | 183,241 | +23.9% | | | |
| 1980 | 147,897 | +32.6% | | | |
| 1970 | 111,555 | +32.5% | | | |
| 1960 | 84,210 | +66.2% | | | |
| 1950 | 50,656 | +35.8% | | | |
| 1940 | 37,311 | +6.4% | | | |
| 1930 | 35,079 | +5.8% | | | |
| 1920 | 33,164 | +2.0% | | | |
| 1910 | 32,509 | +9.2% | | | |
| 1900 | 29,759 | _ | | | |


Source: U.S. Census Bureau, Population Division, 2009 Census estimate (July 1) and decennial Census counts for other years (April 1).

Figure 2.1: McHenry County Population: 1900-2009



Source: U.S. Census Bureau, Population Division, 2009 Census estimate (July 1) and decennial Census counts for other years (April 1).

Figure 2.2: McHenry County Population Change: 1910-2009



^{*}Except 2009. Change from 2000 to 2009 shown.

Source: U.S. Census Bureau, Population Division, 2009 Census estimate (July 1) and decennial Census counts for other years (April 1).

Table 2.2: McHenry County Communities Population: 1990, 2000 & 2009


| | 2009 | - | 2000-2009 Change | | | 1990-2000 Change | | 1990-2009 Change | |
|--|---------|---------|------------------|---------|---------|------------------|---------|------------------|-----------|
| Community | (Est.) | 2000 | Number | Percent | 1990 | Number | Percent | Number | Percent |
| McHenry County | 320,961 | 260,077 | +60,884 | +23.4% | 183,241 | +76,836 | +41.9% | +137,720 | +75.2% |
| Algonquin Village (pt.) | 23,637 | 18,254 | +5,383 | +29.5% | 10,224 | +8,030 | +78.5% | +13,413 | +131.2% |
| Barnard Mill Village | _ | _ | _ | _ | 313 | _ | _ | _ | _ |
| Barrington Hills Village (pt.) | 1,486 | 1,336 | +150 | +11.2% | 1,223 | +113 | +9.2% | +263 | +21.5% |
| Bull Valley Village | 1,129 | 726 | +403 | +55.5% | 574 | +152 | +26.5% | +555 | +96.7% |
| Cary Village | 19,651 | 15,531 | +4,120 | +26.5% | 10,043 | +5,488 | +54.6% | +9,608 | +95.7% |
| Crystal Lake City | 42,180 | 38,000 | +4,180 | +11.0% | 24,512 | +13,488 | +55.0% | +17,668 | +72.1% |
| Fox Lake Village (pt.) | 623 | 209 | +414 | +198.1% | 48 | +161 | +335.4% | +575 | +1,197.9% |
| Fox River Grove Village (pt.) | 5,009 | 4,689 | +320 | +6.8% | 3,666 | +1,023 | +27.9% | +1,343 | +36.6% |
| Greenwood Village | 257 | 244 | +13 | +5.3% | 203 | +41 | +20.2% | +54 | +26.6% |
| Harvard City | 9,965 | 7,996 | +1,969 | +24.6% | 5,975 | +2,021 | +33.8% | +3,990 | +66.8% |
| Hebron Village | 1,426 | 1,038 | +388 | +37.4% | 809 | +229 | +28.3% | +617 | +76.3% |
| Holiday Hills Village | 716 | 831 | -115 | -13.8% | 807 | +24 | +3.0% | -91 | -11.3% |
| Huntley Village (pt.) | 17,812 | 4,623 | +13,189 | +285.3% | 2,453 | +2,170 | +88.5% | +15,359 | +626.1% |
| Island Lake Village (pt.) | 5,305 | 5,022 | +283 | +5.6% | 2,466 | +2,556 | +103.6% | +2,839 | +115.1% |
| Johnsburg Village ¹ | 6,806 | 5,391 | +1,415 | +26.2% | 1,529 | +3,862 | +252.6% | +5,277 | +345.1% |
| Lake In The Hills Village | 29,704 | 23,152 | +6,552 | +28.3% | 5,866 | +17,286 | +294.7% | +23,838 | +406.4% |
| Lakemoor Village (pt.) | 3,787 | 1,802 | +1,985 | +110.2% | 904 | +898 | +99.3% | +2,883 | +318.9% |
| Lakewood Village | 3,706 | 2,337 | +1,369 | +58.6% | 1,609 | +728 | +45.2% | +2,097 | +130.3% |
| McCullom Lake Village | 1,111 | 1,038 | +73 | +7.0% | 1,033 | +5 | +.5% | +78 | +7.6% |
| McHenry City | 27,165 | 21,501 | +5,664 | +26.3% | 16,177 | +5,324 | +32.9% | +10,988 | +67.9% |
| Marengo City | 7,614 | 6,355 | +1,259 | +19.8% | 4,768 | +1,587 | +33.3% | +2,846 | +59.7% |
| Oakwood Hills Village | 2,395 | 2,194 | +201 | +9.2% | 1,499 | +695 | +46.4% | +896 | +59.8% |
| Port Barrington Village ² (pt.) | 1,008 | 611 | +397 | +65.0% | 566 | +45 | +8.0% | +442 | +78.1% |
| Prairie Grove Village | 2,007 | 960 | +1,047 | +109.1% | 654 | +306 | +46.8% | +1,353 | +206.9% |
| Richmond Village | 2,317 | 1,091 | +1,226 | +112.4% | 1,016 | +75 | +7.4% | +1,301 | +128.1% |
| Ringwood Village | 544 | 471 | +73 | +15.5% | 520 | -49 | -9.4% | +24 | +4.6% |
| Spring Grove Village | 5,807 | 3,880 | +1,927 | +49.7% | 1,066 | +2,814 | +264.0% | +4,741 | +444.7% |
| Trout Valley Village | 601 | 599 | | | | | | _ | |
| Union Village | 620 | 576 | +44 | +7.6% | 542 | +34 | +6.3% | +78 | +14.4% |
| Wonder Lake village | 3,867 | 1,345 | | | | | +31.3% | | +277.6% |
| Woodstock City (pt.) indicates that only part of | 24,333 | 20,151 | +4,182 | +20.8% | 14,353 | +5,798 | +40.4% | +9,980 | +69.5% |

⁽pt.) indicates that only part of the community is within McHenry County and only the portion of the community within McHenry County is described.

¹Formerly Sunnyside in 1970 and 1980.

²Formerly Fox River Valley Gardens Village


Figure 2.3: McHenry County
Communities With Population of 5,000 or More: 2009



(pt.) indicates that only part of the community is within McHenry County and only the portion of the community within McHenry County is described.

Source: U.S. Census Bureau, Population Divison, 2009 Census estimates.

Figure 2.4: McHenry County Communities with Population of 5,000 or More Percent Population Change: 2000-2009



(pt.) indicates that only part of the community is within McHenry County and only the portion of the community within McHenry County is described.

Source: U.S. Census Bureau, Population Divison, 2009 Census estimates.

Table 2.3: McHenry County Townships Populations: 1990, 2000 & 2009

| | | | 2000-2009 Change | | | 1990-200 |) Change | 1990-2009 Change | | |
|-----------|-----------|--------|------------------|---------|--------|----------|----------|------------------|---------|--|
| Township | Est. 2009 | 2000 | Number | Percent | 1990 | Number | Percent | Number | Percent | |
| Alden | 1,727 | 1,534 | +193 | +12.6% | 1,457 | +77 | +5.3% | +270 | +18.5% | |
| Algonquin | 101,057 | 86,219 | +14,838 | +17.2% | 57,746 | +28,473 | +49.3% | +43,311 | +75.0% | |
| Burton | 5,368 | 3,997 | +1,371 | +34.3% | 2,144 | +1,853 | +86.4% | +3,224 | +150.4% | |
| Chemung | 10,270 | 8,761 | +1,509 | +17.2% | 6,660 | +2,101 | +31.5% | +3,610 | +54.2% | |
| Coral | 3,349 | 3,020 | +329 | +10.9% | 2,549 | +471 | +18.5% | +800 | +31.4% | |
| Dorr | 21,689 | 18,157 | +3,532 | +19.5% | 14,231 | +3,926 | +27.6% | +7,458 | +52.4% | |
| Dunham | 3,123 | 2,375 | +748 | +31.5% | 2,001 | +374 | +18.7% | +1,122 | +56.1% | |
| Grafton | 46,588 | 27,547 | +19,041 | +69.1% | 9,946 | +17,601 | +177.0% | +36,642 | +368.4% | |
| Greenwood | 12,668 | 10,677 | +1,991 | +18.6% | 8,317 | +2,360 | +28.4% | +4,351 | +52.3% | |
| Hartland | 2,391 | 2,063 | +328 | +15.9% | 1,911 | +152 | +8.0% | +480 | +25.1% | |
| Hebron | 2,642 | 2,166 | +476 | +22.0% | 1,817 | +349 | +19.2% | +825 | +45.4% | |
| McHenry | 49,019 | 41,740 | +7,279 | +17.4% | 37,034 | +4,706 | +12.7% | +11,985 | +32.4% | |
| Marengo | 8,426 | 7,239 | +1,187 | +16.4% | 5,723 | +1,516 | +26.5% | +2,703 | +47.2% | |
| Nunda | 40,027 | 35,104 | +4,923 | +14.0% | 24,759 | +10,345 | +41.8% | +15,268 | +61.7% | |
| Richmond | 7,241 | 4,934 | +2,307 | +46.8% | 3,286 | +1,648 | +50.2% | +3,955 | +120.4% | |
| Riley | 2,144 | 1,811 | +333 | +18.4% | 1,431 | +380 | +26.6% | +713 | +49.8% | |
| Seneca | 3,232 | 2,733 | +499 | +18.3% | 2,229 | +504 | +22.6% | +1,003 | +45.0% | |

Table 2.4: McHenry County
Components of Population Change: 1990-1999 &
2000-2009

| Components | 2000-2009 | 1990-1999 |
|--------------------------------|-----------|-----------|
| Population change ¹ | 60,867 | 63,571 |
| Natural increase = | 23,429 | 21,143 |
| Total Births - | 39,252 | 33,731 |
| Total Deaths | 15,823 | 12,588 |
| Migration | 35,513 | 42,780 |
| International | 5,214 | 2,534 |
| Within U.S. | 30,299 | 40,246 |
| Residual | 1,925 | -352 |

¹Population change = natural increase ± net migration ± "residual".

Source: U.S. Census Bureau, Population Division, Cumulative components of Population Change.

Table 2.5: McHenry County Migration: 2007-2008

| Wigration. 2007-2008 | | | | | | | | | | |
|------------------------------|-------------------------|-------------------------------------|----------------------|-------------------------|---------------------------------------|----------------------|--|--|--|--|
| | In-Migration | Migration ¹ (Moved From) | | | Out-Migration ¹ (Moved To) | | | | | |
| County/State | Households ² | People ² | Percent ³ | Households ² | People ² | Percent ³ | | | | |
| Total Movers | 6,796 | 13,079 | 100.0% | 6,722 | 12,269 | 100.0% | | | | |
| Collar Counties ⁴ | | | | | | | | | | |
| Cook | 2,029 | 3,719 | 28.4% | 1,479 | 2,279 | 18.6% | | | | |
| DuPage | 348 | 672 | 5.1% | 251 | 398 | 3.2% | | | | |
| Kane | 806 | 1,644 | 12.6% | 692 | 1,292 | 10.5% | | | | |
| Kendall | 32 | 51 | 0.4% | 30 | 57 | 0.5% | | | | |
| Lake | 1,077 | 2,050 | 15.7% | 842 | 1,513 | 12.3% | | | | |
| Will | 63 | 136 | 1.0% | 40 | 62 | 0.5% | | | | |
| Other Illinois Counti | ies ⁴ | | | | | | | | | |
| Boone | 128 | 309 | 2.4% | 192 | 460 | 3.7% | | | | |
| Champaign | 20 | 28 | 0.2% | 16 | 21 | 0.2% | | | | |
| DeKalb | 102 | 168 | 1.3% | 118 | 189 | 1.5% | | | | |
| Jackson | _ | _ | _ | 14 | 17 | 0.1% | | | | |
| LaSalle | 11 | 17 | 0.1% | 14 | 17 | 0.1% | | | | |
| McLean | 19 | 26 | 0.2% | 27 | 45 | 0.4% | | | | |
| Ogle | 19 | 37 | 0.3% | 11 | 30 | 0.2% | | | | |
| Peoria | 13 | 21 | 0.2% | _ | _ | _ | | | | |
| Sangamon | _ | _ | _ | 10 | | | | | | |
| Stephenson | _ | _ | _ | 12 | 28 | | | | | |
| Winnebago | 111 | 188 | 1.4% | 181 | 353 | 2.9% | | | | |
| Illinois Movers | 4,906 | 9,296 | 71.1% | 4,051 | 7,010 | 57.1% | | | | |
| Other US Movers | 1,851 | 3,711 | 28.4% | 2,628 | 5,180 | 42.2% | | | | |
| Foreign Movers | 39 | 72 | | 43 | 79 | 0.6% | | | | |

Data compare 2008 residence to 2007 residence.

Source: Internal Revenue Service, Statistics of Income for 2007-2008.

²Households are number of fillings, people are number of exemptions

³Percent based on "people"

⁴Individual county or state named if ten or more households. Dashes indicate that number may be included in "other" and is fewer than 10 households, but exact number is unknown.

⁵Individually named states are comprised only of counties with 10 or more households. Additional counties in the state may possibly be included in "other US movers".

Chapter 3: Race, Ethnicity & Age

| | | Tables & Figures |
|---|---|-------------------------|
| • | In 2009, 94.8% (304,423) of the population of McHenry County was White, followed by 2.7% (8,789) Asian, and 1.3% (4,071) Black. Compared to 2000, all racial groups saw an increase, with the largest percent increases being among Blacks (+167.3%) and Asians (+132.4%). | Table 3.1 Figure 3.1 |
| • | In 2009, 83.9% (269,333) of the McHenry County population was non-Hispanic Whites. Hispanics (of any race) comprised the second largest race/ethnic group at 11.3% (36,205), followed by non-Hispanic Asians at 2.7% and non-Hispanic Blacks at 1.1%. | Table 3.2 Figure 3.2 |
| • | From 2000 to 2009, all race/ethnic groups grew in McHenry County. The largest increases were seen in the non-Hispanic Black and non-Hispanic Asian population which grew by 162.2% and 132.4%, respectively. The Hispanic population grew by 84.7% from 19,602 in 2000 to 36,205 people in 2009. | Table 3.2 Figure 3.3 |
| • | Compared to Illinois and the U.S., McHenry County had a larger proportion of non-Hispanic Whites in 2009 at 83.9% (Illinois 76.2%, U.S. 65.1%). In 2009, all other race/ethnic groups in McHenry County were proportionately smaller than Illinois and the U.S. | Table 3.3 Figure 3.4 |
| • | In 2009, Hispanics in McHenry County were almost all White (96.9%), followed by Black (1.3%). | Table 3.4 |
| • | The median age of McHenry County residents, at 37.9 years, exceeded Illinois (37.6 years) and the U.S. (36.8 years). | Table 3.5 |
| • | One out of four (26.8%) residents in McHenry County was under the age of 18 years, while one out of ten (10.8%) were 65 years or older. Compared to Illinois, McHenry County had a larger percent of the population under 18 years old, as well as a larger percent of the population 65 years old and older. | Table 3.5 |
| • | One out of ten (10.8%) residents in McHenry County was 65 years or older, which was higher than Illinois (7.1%), but lower than the U.S rate (12.9%). | Table 3.5 |
| • | The median age of McHenry County residents increased from 32.2 years in 1990 to 37.9 years in 2009. In 2009, McHenry County had a higher median age at 37.9 years than the U.S. at 36.8 years, which had a higher median age in both 1990 and 2000. | Table 3.6 Figure 3.6 |

| • | From 2000 to 2009, all age groups in McHenry County increased in population size, except for those 25-44 years, which decreased 1.6%. Those 45-64 years old and 65 years old and older increased each by 59.1% and 65.6%, respectively. | Table 3.7 Figure 3.7 |
|---|---|---|
| • | The median age for McHenry County women in 2009 was 1.7 years greater than men, at 38.7 and 37.0 years, respectively. The median age for both genders increased since 1990. | Table 3.8 |
| • | At 40.2 years, non-Hispanic Whites in McHenry County exhibited the highest mediatn age and Hispanics the lowest at 27.1 years. The median age increased for all race/ethnic groups from 1990 to 2000 and 2000 to 2009. | Table 3.8 |
| • | There were 1.3 more males for every female in McHenry County during 2009. There were more males than females for each five year age group from age 0 to age 59 years. From age 60 and older, there were more females than males in McHenry County. | Table 3.9 Figure 3.8 |
| • | There were more men than women for Hispanics and non-Hispanic Blacks, but there were more females than males for non-Hispanic Whites and Asians in McHenry County for 2009. | Table 3.10 |
| • | In McHenry County, Multiracial people, followed by non-Hispanic Blacks, Hispanics and Native Hawaiian/Pacific Islanders had the highest proportion of their population under 20 years old. Three out of five Multiracial people were under 20 years old, and about two out of every five non-Hispanic Blacks, Hispanics, and Native Hawaiian/Pacific Islanders in McHenry County were under 20 years old in 2009. | Table 3.11 Figure 3.9 Figure 3.10 |
| • | In McHenry County during 2009, non-Hispanic Whites, American Indians, and Native Hawaiian/Pacific Islanders had 10% or more of their population 65 years and older. Only 3% of non-Hispanic Blacks, Hispanics and Multiracial people were 65 years and older in 2009. | Table 3.11 Figure 3.9 Figure 3.10 |
| • | In McHenry County during 2009, Hispanics, Blacks and Multiracial groups tended to have a younger population, while Whites and Asians tended to have an older population. | Table 3.11 Figure 3.10 |
| • | Almost one quarter (24.8%) of McHenry County residents were of German decent, which was higher than Illinois and the U.S. at 17.7% and 14.5%, respectively. Following German, the most common ancestries reported in McHenry County for 2005-2009 were Irish (13.3%), Polish (10.3%), Italian (8.1%), English (5.8%) and Swedish (3.3%). | Table 3.12 |

• Nine in 10 residents of McHenry County were born in the United States and 7 in 10 were born in Illinois, which was higher than in Illinois and the U.S where less than 90% of the population was born in the U.S. and less than 67% were born in the state that they currently reside in. In McHenry County, 1 in 10 residents was born abroad and 5.6% were not U.S. citizens. For 2005-2009, McHenry County had a smaller percentage of the population that was not a citizen than Illinois and the U.S. at 5.6%, 7.5% and 7.1%, respectively.

Table 3.13

Of the 33,204 individuals born outside of the U.S. (including natives born outside of the U.S. and foreign-born), 24.6% entered the U.S. in the last 10 years, 32.2% in the 1990s, 18.2% in the 1980s and 25.0% before 1980. This distribution was comparable to Illinois.

Table 3.14

• Of the 31,306 McHenry County residents who were born abroad, 44.1% were born in Mexico, 7.8% in Poland, and 5.7% in India, 4.9% in the Philippines, and 4.7% in Germany. For 2005-2009, McHenry County had a higher proportion of foreign-born residents born in Mexico at 44.1% than Illinois, at 40.1%, and the U.S., at 30.3%.

Table 3.15

• For 2005-2009, 14.4% of people 5 years and older spoke a language other than English at home. Among the most commonly spoken languages at home were Spanish (8.6%), German (0.9%), Polish (1.2%), and Tagalong (0.4%) (a language spoken in the Philippines). Of those who spoke Spanish at home, over half spoke English less than "very well" in comparison to the other languages list where over half spoke English "very well".

Table 3.16

• For 2005-2009, there were 2,138 5-17 year olds and 8,036 people 18 years and older who lived in a linguistically isolated household. Among those 5-17 years old, 81.9% spoke Spanish and 10.4% spoke English only. Among adults, 82.7% spoke Spanish and 14.2% spoke an Indo-European language. The proportion of children who spoke only English in linguistically isolated households was substantially higher in McHenry County at 10.4% than Illinois and the U.S., at 4.0% and 5.4%, respectively. The proportion of adults in linguistically isolated households who spoke Spanish was substantially higher in McHenry County, at 82.7%, than Illinois and the U.S., which are both under 70%.


Table 3.17

Table 3.1: McHenry County
People by Race & Hispanic Origin: 2000 & 2009

| | 20 | 09 | 2000 A | Actual | 2000-2009 Change | |
|----------------------------------|---------|---------|---------|---------|------------------|---------|
| Race & Hispanic Origin | Number | Percent | Number | Percent | Number | Percent |
| Total | 320,961 | 100.0% | 260,077 | 100.0% | +60,884 | +23.4% |
| Race (of any Hispanic Origin) | | | | | | |
| White | 304,423 | 94.8% | 244,240 | 93.9% | +60,183 | +24.6% |
| Black | 4,071 | 1.3% | 1,523 | 0.6% | +2,548 | +167.3% |
| American Indian | 644 | 0.2% | 445 | 0.2% | +199 | +44.7% |
| Asian | 8,789 | 2.7% | 3,782 | 1.5% | +5,007 | +132.4% |
| Native Hawaiian/Pacific Islander | 103 | 0.0% | 55 | 0.0% | +48 | +87.3% |
| Other ¹ | _ | _ | 7,211 | 2.8% | _ | _ |
| Multiple Races | 2,931 | 0.9% | 2,821 | 1.1% | +110 | +3.9% |
| Hispanic Origin | | | | | | |
| Hispanic | 36,205 | 11.3% | 19,602 | 7.5% | 16,603 | +84.7% |
| non-Hispanic | 284,756 | 88.7% | 240,475 | 92.5% | 44,281 | +18.4% |

¹Other is assigned to a specific race category for Census Bureau estimates

Figure 3.1: McHenry County People by Race: 2009




Source: U.S. Census Bureau, Population Division, 2009 Census estimates.

Table 3.2: McHenry County
People by Race/Ethnicity: 2000 & 2009

| Race/Ethnicity | 2009 | | 2000 A | Actual | 2000-2009 Change | | |
|----------------------------------|---------|---------|---------|---------|------------------|---------|--|
| | Number | Percent | Number | Percent | Number | Percent | |
| Total | 320,961 | 100.0% | 260,077 | 100.0% | +60,884 | +23.4% | |
| Non-Hispanic | | | | | | | |
| White | 269,333 | 83.9% | 233,026 | 89.6% | +36,307 | +15.6% | |
| Black | 3,616 | 1.1% | 1,379 | 0.5% | +2,237 | +162.2% | |
| American Indian | 411 | 0.1% | 352 | 0.1% | +59 | +16.8% | |
| Asian | 8,679 | 2.7% | 3,734 | 1.4% | +4,945 | +132.4% | |
| Native Hawaiian/Pacific Islander | 60 | 0.0% | 42 | 0.0% | +18 | +42.9% | |
| Other ¹ | _ | | 150 | 0.1% | _ | _ | |
| Multiple Races | 2,657 | 0.8% | 1,792 | 0.7% | +865 | +48.3% | |
| Hispanic | 36,205 | 11.3% | 19,602 | 7.5% | +16,603 | +84.7% | |


Other is assigned to a specific race category for Census Bureau estimates

Figure 3.2: McHenry County
Percent of People by Race/Ethnicity¹: 2009



¹All races except Hispanic, are Non-Hispanic. Hispanic may be of any race. Source: U.S. Census Bureau, Population Division, 2009 Census estimates.

Figure 3.3: McHenry County
Percent Change of People by Race/Ethnicity: 2000-2009




¹All races except Hispanic, are Non-Hispanic. Hispanic may be of any race. Source: U.S. Census Bureau, Population Division, 2009 Census estimates and 2000 bicennial census.

Table 3.3: McHenry County, Illinois and U.S. People by Race/Ethnicity: 2009

| r copic by Race/Entitletty: 2005 | | | | | | | | | |
|----------------------------------|----------------|--------|----------|---------|--|--|--|--|--|
| Dogo/Ethnicity | McHenry | County | Illinois | U.S. | | | | | |
| Race/Ethnicity | Number Percent | | Percent | Percent | | | | | |
| Total | 320,961 | 100% | 100.0% | 100.0% | | | | | |
| Non-Hispanic | | _ | | | | | | | |
| White | 269,333 | 83.9% | 76.2% | 65.1% | | | | | |
| Black | 3,616 | 1.1% | 17.1% | 12.3% | | | | | |
| American Indian | 411 | 0.1% | 0.2% | 0.8% | | | | | |
| Asian, non-Hispanic | 8,679 | 2.7% | 5.1% | 4.5% | | | | | |
| Native Hawaiian/Pacific Islander | 60 | 0.0% | 0.0% | 0.1% | | | | | |
| Multiple Races | 2,657 | 0.8% | 1.3% | 1.5% | | | | | |
| Hispanic ¹ | 36,205 | 11.3% | 18.0% | 15.8% | | | | | |

¹Hispanic can be of any race.

Figure 3.4: McHenry County, Illinois and U.S. Race/Ethnicity Distribution: 2009



¹All races except Hispanic, are Non-Hispanic. Hispanic may be of any race. Source: U.S. Census Bureau, Population Division, 2009 Census estimates and 2000 bicennial census.

Table 3.4: McHenry County
Race of Hispanic Population: 2000 & 2009


| | 20 | 09 | 200 | 00 | 2000-2009 Change | | |
|----------------------------------|--------|---------|--------|---------|------------------|---------|--|
| Race | Number | Percent | Number | Percent | Number | Percent | |
| Total Hispanic | 36,205 | 100.0% | 19,602 | 100.0% | +16,603 | +84.7% | |
| White | 35,090 | 96.9% | 18,928 | 96.6% | +16,162 | +85.4% | |
| Black | 455 | 1.3% | 238 | 1.2% | +217 | +91.2% | |
| American Indian | 233 | 0.6% | 130 | 0.7% | +103 | +79.2% | |
| Asian | 110 | 0.3% | 78 | 0.4% | +32 | +41.0% | |
| Native Hawaiian/Pacific Islander | 43 | 0.1% | 40 | 0.2% | +3 | +7.5% | |
| Multiple Races | 274 | 0.8% | 188 | 1.0% | +86 | +45.7% | |

Table 3.5: McHenry County, Illinois and U.S. Selected Age Groups: 2009

| | McHenr | y County | Illinois | U.S. |
|--------------------|---------|----------------|----------|---------|
| Age Group | Number | Number Percent | | Percent |
| Total | 320,961 | 100.00% | 100.00% | 100.00% |
| Under 5 years | 21,781 | 6.8% | 7.0% | 6.9% |
| 5-17 years | 64,354 | 20.1% | 17.9% | 17.3% |
| 18-24 years | 26,610 | 8.3% | 10.1% | 9.9% |
| 25-34 years | 35,580 | 11.1% | 13.8% | 13.5% |
| 35-44 years | 50,048 | 15.6% | 13.6% | 13.5% |
| 45-54 years | 53,641 | 16.7% | 14.4% | 14.5% |
| 55-64 years | 34,325 | 10.7% | 6.4% | 11.3% |
| 65-74 years | 19,727 | 6.1% | 10.9% | 6.8% |
| 75-84 years | 10,586 | 3.3% | 4.0% | 4.3% |
| 85 years and older | 4,309 | 1.3% | 1.8% | 1.8% |
| Median Age (years) | 3 | 7.9 | 37.6 | 36.8 |
| Under 18 years | 86,135 | 26.8% | 24.9% | 24.3% |
| 15-44 years | 127,486 | 39.7% | 20.2% | 41.1% |
| 65 years and older | 34,622 | 10.8% | 7.1% | 12.9% |

Source: U.S. Census Bureau, Population Division, 2009 Census estimates.

Figure 3.5: McHenry County Population by Age Group: 2009




Age Group

Source: U.S. Census Bureau, Population Division, 2009 Census estimates.

Table 3.6: McHenry County & U.S. Median Age: 1990, 2000 & 2009

| Year | McHenry County | U.S. |
|------|----------------|------|
| 2009 | 37.9 | 36.8 |
| 2000 | 34.2 | 35.3 |
| 1990 | 32.2 | 32.8 |

Figure 3.6: McHenry County & U.S. Median Age: 1990, 2000 & 2009



Source: U.S. Census Bureau, Population Division, 2009 Census estimates and decennial Census for 2000 and 1990.

Year

Table 3.7: McHenry County

People by Selected Age Groups: 1990, 2000 & 2009

| | 2009 | | 2000 | | 2000-2009 Change | | 1990 | | 1990-2000 Change | |
|--------------------|---------|---------|---------|---------|------------------|---------|---------|---------|------------------|---------|
| Age Group | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Total | 320,961 | 100.0% | 260,077 | 100.0% | +60,884 | +23.4% | 183,241 | 100.0% | +76,836 | +41.9% |
| Under 5 years | 21,781 | 6.8% | 21,110 | 8.1% | +671 | +3.2% | 15,798 | 8.6% | +5,312 | +33.6% |
| 5-17 years | 64,354 | 20.1% | 57,386 | 22.1% | +6,968 | +12.1% | 37,474 | 20.5% | +19,912 | +53.1% |
| 18-24 years | 26,610 | 8.3% | 18,392 | 7.1% | +8,218 | +44.7% | 15,337 | 8.4% | +3,055 | +19.9% |
| 25-44 years | 85,628 | 26.7% | 87,003 | 33.5% | -1,375 | -1.6% | 64,685 | 35.3% | +22,318 | +34.5% |
| 45-64 years | 87,966 | 27.4% | 55,273 | 21.3% | +32,693 | +59.1% | 32,608 | 17.8% | +22,665 | +69.5% |
| 65 years and older | 34,622 | 10.8% | 20,913 | 8.0% | +13,709 | +65.6% | 17,339 | 9.5% | +3,574 | +20.6% |

Source: U.S. Census Bureau, Population Division, 2009 Census estimates and decennial Census for 2000 and 1990.

Figure 3.7: McHenry County
Percent Change Among Selected Age Groups: 2000-2009




Table 3.8: McHenry County Median Age by Race and Gender: 1990, 2000 & 2009

| Gender/Race/Ethnicity | 2009 | 2000 | 1990 |
|-----------------------|------|------|------|
| Gender | _ | | |
| Male | 37.0 | 33.5 | 31.6 |
| Female | 38.7 | 34.9 | 32.9 |
| Race/Ethnicity | - | | |
| White, non-Hispanic | | 35.5 | |
| Black, non-Hispanic | 30.6 | 28.7 | 22.9 |
| Asian, non-Hispanic | | 31.2 | |
| Hispanic | 27.1 | 20.3 | 23.9 |


Source: U.S. Census Bureau, 2009 Census estimates and decennial Census for 2000 and 1990.

Table 3.9: McHenry County Gender Ratio by Age Group: 1990, 2000 & 2009

| | 2000 | 1990 | | | |
|--------------------|---------|---------|--------------------|--------------------|--------------------|
| Age Group | Males | Females | Ratio ¹ | Ratio ¹ | Ratio ¹ |
| Total | 161,484 | 159,477 | 101.3 | 100.7 | 99.9 |
| 0-4 years | 11,116 | 10,665 | 104.2 | 107.6 | 106.8 |
| 5-9 years | 12,101 | 11,637 | 104.0 | 105.4 | 109.7 |
| 10-14 years | 13,125 | 12,243 | 107.2 | 107.2 | 109.5 |
| 15-19 years | 12,137 | 11,431 | 106.2 | 110.9 | 106.8 |
| 20-24 years | 9,505 | 8,785 | 108.2 | 113.6 | 105.7 |
| 25-29 years | 9,095 | 8,372 | 108.6 | 99.8 | 96.3 |
| 30-34 years | 9,534 | 8,579 | 111.1 | 96.2 | 98.9 |
| 35-39 years | 11,632 | 11,440 | 101.7 | 100.1 | 102.1 |
| 40-44 years | 13,535 | 13,441 | 100.7 | 101.0 | 100.2 |
| 45-49 years | 14,496 | 14,224 | 101.9 | 104.9 | 107.7 |
| 50-54 years | 12,638 | 12,283 | 102.9 | 102.1 | 108.0 |
| 55-59 years | 9,877 | 9,497 | 104.0 | 104.0 | 103.0 |
| 60-64 years | 7,420 | 7,531 | 98.5 | 98.5 | 97.0 |
| 65-69 years | 5,678 | 5,750 | 98.7 | 89.8 | 85.0 |
| 70-74 years | 3,855 | 4,444 | 86.7 | 81.9 | 72.3 |
| 75-79 years | 2,671 | 3,433 | 77.8 | 69.8 | 64.4 |
| 80-84 years | 1,768 | 2,714 | 65.1 | 53.6 | 56.4 |
| 85 years and older | 1,301 | 3,008 | 43.3 | 39.8 | 39.6 |

¹Males per 100 females.

Figure 3.8: McHenry County Age Distribution by Gender: 2009



Source: U.S. Census Bureau, Population Division, 2009 Census.

Table 3.10: McHenry County
Gender Ratio by Race/Ethnicity: 2009

| | Num | Gender | |
|---------------------|---------------|---------|--------------------|
| Race/Ethnicity | Males Females | | Ratio ¹ |
| White, non-Hispanic | 268,522 | 270,144 | 99.4 |
| Black, non-Hispanic | 3,780 | 3,452 | 109.5 |
| Asian, non-Hispanic | 4,284 | 4,395 | 97.5 |
| Hispanic | 38,892 | 33,518 | 116.0 |

¹Males per 100 females

Source: U.S. Census Bureau, Population Division, 2009 Census estimates.


Table 3.11: McHenry County Race/Ethnicity¹ by Age Group: 2009

| | Total Po | pulation | Wh | ite | Bla | ıck | Hisp | anic | Asi | an | America | n Indian | Nati Hawa Pacific I | iian/ | Multiple | Races |
|--------------------|----------|----------|---------|---------|--------|---------|--------|---------|--------|---------|---------|----------|---------------------------|---------|----------|---------|
| Age Group | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Total | 320,961 | 100.0% | 269,333 | 100.0% | 3,616 | 100.0% | 36,205 | 100.0% | 8,679 | 100.0% | 411 | 100.0% | 60 | 100.0% | 2,657 | 100.0% |
| 0-4 years | 21,781 | 6.8% | 15,626 | 5.8% | 290 | 8.0% | 4,644 | 12.8% | 759 | 8.7% | 26 | 6.3% | 10 | 16.7% | 426 | 16.0% |
| 5-9 years | 23,738 | 7.4% | 17,713 | 6.6% | 394 | 10.9% | 4,466 | 12.3% | 692 | 8.0% | 27 | 6.6% | 6 | 10.0% | 440 | 16.6% |
| 10-14 years | 25,368 | 7.9% | 20,386 | 7.6% | 440 | 12.2% | 3,427 | 9.5% | 645 | 7.4% | 22 | 5.4% | 2 | 3.3% | 446 | 16.8% |
| 15-19 years | 23,568 | 7.3% | 19,523 | 7.2% | 415 | 11.5% | 2,871 | 7.9% | 452 | 5.2% | 31 | 7.5% | 5 | 8.3% | 271 | 10.2% |
| 20-24 years | 18,290 | 5.7% | 15,360 | 5.7% | 167 | 4.6% | 2,193 | 6.1% | 367 | 4.2% | 20 | 4.9% | 1 | 1.7% | 182 | 6.8% |
| 25-29 years | 17,467 | 5.4% | 14,210 | 5.3% | 136 | 3.8% | 2,564 | 7.1% | 395 | 4.6% | 33 | 8.0% | 2 | 3.3% | 127 | 4.8% |
| 30-34 years | 18,113 | 5.6% | 13,383 | 5.0% | 270 | 7.5% | 3,614 | 10.0% | 696 | 8.0% | | 5.1% | 3 | 5.0% | 126 | 4.7% |
| 35-39 years | 23,072 | 7.2% | 17,835 | 6.6% | 349 | 9.7% | 3,585 | 9.9% | 1,110 | 12.8% | 31 | 7.5% | 3 | 5.0% | 159 | 6.0% |
| 40-44 years | 26,976 | 8.4% | 22,779 | 8.5% | 328 | 9.1% | 2,749 | 7.6% | 975 | 11.2% | 38 | 9.2% | 5 | 8.3% | 102 | 3.8% |
| 45-49 years | 28,720 | 8.9% | 25,555 | 9.5% | 294 | 8.1% | 2,064 | 5.7% | 672 | 7.7% | 26 | 6.3% | 4 | 6.7% | 105 | 4.0% |
| 50-54 years | 24,921 | 7.8% | 22,650 | 8.4% | 215 | 5.9% | 1,445 | 4.0% | 477 | 5.5% | 46 | 11.2% | 1 | 1.7% | 87 | 3.3% |
| 55-59 years | 19,374 | 6.0% | 17,884 | 6.6% | 144 | 4.0% | 848 | 2.3% | 408 | 4.7% | 26 | 6.3% | 4 | 6.7% | 60 | 2.3% |
| 60-64 years | 14,951 | 4.7% | 13,912 | 5.2% | 79 | 2.2% | 566 | 1.6% | 310 | 3.6% | 25 | 6.1% | 7 | 11.7% | 52 | 2.0% |
| 65-69 years | 11,428 | 3.6% | 10,643 | 4.0% | 48 | 1.3% | 403 | 1.1% | 291 | 3.4% | 17 | 4.1% | 4 | 6.7% | 22 | 0.8% |
| 70-74 years | 8,299 | 2.6% | 7,746 | 2.9% | 18 | 0.5% | 303 | 0.8% | 193 | 2.2% | 12 | 2.9% | 0 | 0.0% | 27 | 1.0% |
| 75-79 years | 6,104 | 1.9% | 5,761 | 2.1% | 13 | 0.4% | 206 | 0.6% | 111 | 1.3% | 3 | 0.7% | 0 | 0.0% | 10 | 0.4% |
| 80-84 years | 4,482 | 1.4% | 4,257 | 1.6% | 7 | 0.2% | 144 | 0.4% | 61 | 0.7% | 3 | 0.7% | 2 | 3.3% | 8 | 0.3% |
| 85 years and older | 4,309 | 1.3% | 4,110 | 1.5% | 9 | 0.2% | 113 | 0.3% | 65 | 0.7% | 4 | 1.0% | 1 | 1.7% | 7 | 0.3% |
| 0-19 years | 94,455 | 29.4% | 73,248 | 27.2% | 1,539 | 42.6% | 15,408 | 42.6% | 2,548 | 29.4% | 106 | 25.8% | 23 | 38.3% | 1,583 | 59.6% |
| 20-64 years | 191,884 | 59.8% | 163,568 | 60.7% | 1,982 | 54.8% | 19,628 | 54.2% | 5,410 | 62.3% | 266 | 64.7% | 30 | 50.0% | 1,000 | 37.6% |
| 65 years and older | 34,622 | 10.8% | 32,517 | 12.1% | 95 | 2.6% | 1,169 | 3.2% | 721 | 8.3% | 39 | 9.5% | 7 | 11.7% | 74 | 2.8% |

¹Except for Hispanic, all races are non-Hispanic

Source: U.S. Census Bureau, Population Division, 2009 Census estimates

Figure 3.9: McHenry County
Percent of Race/Ethnic Population by Selected Age Groups: 2009



¹All races except Hispanic, are Non-Hispanic. Hispanic may be of any race. Source: U.S. Census Bureau, Population Division, 2009 Census estimates.

Figure 3.10: McHenry County Age Distribution by Race/Ethnicity¹: 2009




Table 3.12: McHenry County, Illinois & U.S. Leading Ancestries Reported: 2005-2009

| | McHenry | County | Illinois | U.S. |
|------------------------|---------|---------|----------|---------|
| Ancestry | Number | Percent | Percent | Percent |
| German | 106,717 | 24.8% | 17.7% | 14.5% |
| Irish | 57,518 | 13.3% | 11.0% | 10.4% |
| Polish | 44,243 | 10.3% | 6.6% | 0.3% |
| Italian | 34,849 | 8.1% | 5.4% | 5.1% |
| English | 25,154 | 5.8% | 5.6% | 8.0% |
| Swedish | 14,101 | 3.3% | 2.1% | 1.3% |
| American | 12,447 | 2.9% | 3.8% | 5.6% |
| Norwegian | 9,610 | 2.2% | 1.2% | 1.3% |
| French (except Basque) | 9,435 | 2.2% | 1.9% | 2.7% |
| Dutch | 5,998 | 1.4% | 1.4% | 1.5% |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 3.13: McHenry County, Illinois, & U.S. Nativity and Citizenship: 2005-2009

| Hativity and Oldzensinp. 2000 2003 | | | | | | | | |
|------------------------------------|----------------|---------|----------|---------|--|--|--|--|
| | McHenry County | | Illinois | U.S. | | | | |
| Nativity/ Citizenship | Number | Percent | Percent | Percent | | | | |
| Total | 312,946 | 100.0% | 100.0% | 100.0% | | | | |
| Native | 281,640 | 90.0% | 86.6% | 87.6% | | | | |
| Born in state of residence | 222,770 | 71.2% | 66.9% | 59.0% | | | | |
| Foreign Born | 31,306 | 10.0% | 13.4% | 12.4% | | | | |
| Naturalized citizen | 13,718 | 4.4% | 5.9% | 5.3% | | | | |
| Not a citizen | 17,588 | 5.6% | 7.5% | 7.1% | | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 3.14: McHenry County, Illinois & U.S. Year of Entry for People Born Outside U.S¹.: 2005-2009

| | McHenry | County | Illinois | U.S. | | | | |
|---------------|---------|---------|----------|---------|--|--|--|--|
| Year of Entry | Number | Percent | Percent | Percent | | | | |
| Total | 33,204 | 100.0% | 100.0% | 100.0% | | | | |
| 2000 or later | 8,162 | 24.6% | 24.6% | 26.7% | | | | |
| 1990-1999 | 10,702 | 32.2% | 31.6% | 28.4% | | | | |
| 1980-1989 | 6,031 | 18.2% | 18.1% | 20.3% | | | | |
| Before 1980 | 8,309 | 25.0% | 25.7% | 24.6% | | | | |

¹Includes foreign-born (N=23,368) and natives born outside U.S. In Puerto Rico, U.S. Islands or abroad of American parents (N=1,898).

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 3.15: McHenry County, Illinois & U.S. Leading Places of Birth for Foreign-Born Population: 2005-2009

| | McHenry | County | Illinois | U.S. |
|-------------|---------|---------|----------|---------|
| Area | Number | Percent | Percent | Percent |
| Mexico | 13,816 | 44.1% | 40.1% | 30.3% |
| Poland | *2,436 | 7.8% | 8.6% | 1.3% |
| India | *1,771 | 5.7% | 6.7% | 4.1% |
| Philippines | *1,527 | 4.9% | 4.6% | 4.4% |
| Germany | *1,465 | 4.7% | 1.7% | 1.7% |
| Canada | *772 | 2.5% | 1.2% | 2.2% |
| Korea | *650 | 2.1% | 2.6% | 2.7% |
| Guatemala | *515 | 1.6% | 1.3% | 1.9% |
| Nigeria | *443 | 1.4% | 0.6% | 0.5% |
| England | *433 | 1.4% | 0.6% | 1.0% |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 3.16: McHenry County, Illinois & U.S. Leading Languages Spoken at Home: 2005-2009

| | McHenry County Illinois | | | U.S. |
|-------------------------------------|-------------------------|---------|---------|---------|
| Language | Number | Percent | Percent | Percent |
| People aged 5 years and older | 291,030 | 100.0% | 100.0% | 100.0% |
| English Only | 249,030 | 85.6% | 78.7% | 80.4% |
| Spanish | 25,169 | 8.6% | 12.4% | 12.1% |
| Speak English "very well" | 11,847 | 4.1% | 6.3% | 6.4% |
| Speak English less than "very well" | 13,322 | 4.6% | 6.1% | 5.7% |
| German | 2,494 | 0.9% | 0.4% | 0.4% |
| Speak English "very well" | 2,133 | 0.7% | 0.4% | 0.3% |
| Speak English less than "very well" | *361 | 0.1% | 0.1% | 0.1% |
| Polish | *3,483 | 1.2% | 1.6% | 0.2% |
| Speak English "very well" | *2,241 | 0.8% | 0.8% | 0.1% |
| Speak English less than "very well" | *1,242 | 0.4% | 0.9% | 0.1% |
| Tagalog ¹ | *1,260 | 0.4% | 0.6% | 0.5% |
| Speak English "very well" | *941 | 0.3% | 0.4% | 0.3% |
| Speak English less than "very well" | *319 | 0.1% | 0.2% | 0.2% |

¹Taglog is a language commonly spoken in the Philippines.

Table 3.17: McHenry County, Illinois & U.S.

Population in Linguistically Isolated Households by Language Spoken at Home: 2005-2009

| | McHer | nry County | Illinois | U.S. |
|--------------------------------|--------|-------------------------|-------------------------|-------------------------|
| Age Group/Language | Number | Percent in Age Group | Percent in Age Group | Percent in Age Group |
| 5-17 years old | *2,138 | 100.0% | 100.0% | 100.0% |
| English only | *222 | 10.4% | 4.0% | 5.4% |
| Spanish | *1,750 | 81.9% | 76.2% | 73.5% |
| Other Indo-European languages | *158 | 7.4% | 11.8% | 7.5% |
| Asian/Pacific Island languages | *8 | 0.4% | 6.1% | 11.3% |
| Other | *0 | 0.0% | 1.8% | 2.2% |
| 18 years and older | 8,036 | 100.0% | 100.0% | 100.0% |
| Spanish | 6,645 | 82.7% | 62.2% | 67.1% |
| Other Indo-European languages | *1,143 | 14.2% | 24.7% | 13.5% |
| Asian languages | *243 | 3.0% | 11.0% | 16.8% |
| Other | *5 | 0.1% | 2.1% | 2.6% |

¹A household is linguistically isolated if all adults speak a language other than English and none speaks English "very well".

^{*}Large margins of error for estimates and thus need to be used with caution.

^{*}Large margins of error for estimates and thus need to be used with caution.

Chapter 4: Household Characteristics and Marital Status

Tables & Figures

 For 2005-2009, nearly all of the population was living in a household (99.4%) and almost 9 out of 10 (88.9%) people were living in a family household, which was higher than Illinois and the U.S. One in 10 (10.5%) people lived in nonfamily households and less than 1% lived in group quarters, which was lower than Illinois and the U.S. Table 4.1

• For 2005-2009, there were a total of 106,951 households. Three quarters (75.6%) of the households were considered family households which was above Illinois and the U.S. which were each around two-thirds of households. Among households in McHenry County during 2005-2009, two-thirds (63.8%) were married couples, 8.1% were single female householders and 4% were single male householders. One-third (33.3%)of all households were married couples with children under 18 years old compared to 23.4% for Illinois and 22.7% for the U.S.

Table 4.2

• For 2005-2009, the average household size for McHenry County at 2.91 people was larger than Illinois at 2.62 and the U.S. at 2.60. Similarly the average family size was larger in McHenry County at 3.38 people than Illinois at 2.26 and the U.S. at 3.19 for the same time period.

Table 4.2

 For 2005-2009, there were 5,406 unmarried-partner households which constituted 5% of all households in McHenry County. 51.7% of unmarriedpartner households were male householders with female partners, followed by female householders with male partners at 38.5%, 6.5% male householders with male partners and 3.3% female householders with female partners. In McHenry County, the percent of male householders with male partners and with female partners was greater than the State and the U.S. Table 4.3

 The average household size for McHenry County increased modeslty over the last two decades from 2.89 people in 1990 to 2.91 in 2005-2009. The average family size in McHenry County increased by a larger amount from 3.28 people in 1990 to 3.38 in 2005-2009. For 2005-2009, both the average household size and the average family size in McHenry County exceeded the U.S. Table 4.4 Figure 4.1

 For 2005-2009, 82.3% of children lived in a married couple family and 11.8% lived in a female household where no husband was present. Compared to Illinois and the U.S., a higher percentage of children lived in married couple families and a smaller percentage lived in single parent households in McHenry County for 2005-2009. Table 4.5

- In 2005-2009, 5,233 grandparents lived with their own grandchild/grandchildren. Of those grandparents, one-quarter (25.5%) were responsible for their grandchild's care. This percent was lower than Illinois at 39.1% and the U.S. at 40.9%.
- Table 4.6
- In 2005-2009, 72.3% of seniors lived in a family household and 59.6% of seniors were the householder or the spouse of the householder. Only 2.8% of seniors lived in group quarters and 23.1% lived alone. The percent of seniors living in a family household in McHenry County was higher than Illinois and the U.S. for 2005-2009, while the percent that live in group quarters and the percent that live alone were lower in McHenry County.

Table 4.7

Of the population 15 years and older during 2005-2009, 59.3% were currently married, 25.9% never married and 9.2% divorced in McHenry County. A higher proportion of men were never married at 29.2% compared to 22.7% among women in McHenry County, while a slightly higher percent of women were divorced (10.3%) than men (8.1%). Compared to Illinois and the U.S., a higher percent of adults were currently married in McHenry County.

Table 4.8

Since 1980, the number of marriages among McHenry County residents decreased from 1,403 in 1980 to 1,246 in 2009 – a decrease of 11.1%. Simultaneously the number of divorces and annulments increased from 640 in 1980 to 945 in 2009 – an increase of 48%. This lead to an increase in the dissolution ratio from 45.6 divorces per 100 marriages in 1980 to 75.8 in 2009, which was substantially higher than the Illinois dissolution rate at 44.6 divorces per 100 marriages.

Table 4.9 Figure 4.2

Table 4.1: McHenry County, Illinois, & U.S. Household Relationships of All People: 2005-2009

| | McHenry | , County | Illinois | U.S. |
|---------------------------------|---------|----------|----------|---------|
| | | | | |
| Relationship | Number | Percent | Percent | Percent |
| Total population | 312,946 | 100.0% | 100.0% | 100.0% |
| People living in households | 311,165 | 99.4% | 97.3% | 97.3% |
| In family households | 278,161 | 88.9% | 81.9% | 81.5% |
| Householder | 80,905 | 25.9% | 24.6% | 24.9% |
| Spouse | 68,270 | 21.8% | 18.3% | 18.6% |
| Child of householder | 109,368 | 34.9% | 30.9% | 29.7% |
| Parent | 3,715 | 1.2% | 1.1% | 1.1% |
| Other relative | 10,909 | 3.5% | 5.3% | 5.3% |
| Nonrelative | *4,994 | 1.6% | 1.8% | 2.0% |
| Unmarried partner | *1,931 | 0.6% | 0.9% | 0.9% |
| In nonfamily households | 33,004 | 10.5% | 15.4% | 15.7% |
| People living in group quarters | *1,781 | 0.6% | 2.7% | 2.7% |

^{*}Large margins of error on estimates and thus need to be used with caution.

Table 4.2: McHenry County, Illinois, & U.S. Households by Type: 2005-2009

| | McHenry | County | Illinois | U.S. | | | |
|--|---------|---------|----------|---------|--|--|--|
| Relationship | Number | Percent | Percent | Percent | | | |
| Total households | 106,951 | 100.0% | 100.0% | 100.0% | | | |
| Family households | 80,905 | 75.6% | 66.1% | 66.7% | | | |
| Married couple | 68,200 | 63.8% | 49.4% | 49.7% | | | |
| With children <18 years | 35,587 | 33.3% | 23.4% | 22.7% | | | |
| Male householder, no wife present | 4,083 | 3.8% | 4.4% | 4.5% | | | |
| With children <18 years | *2,506 | 2.3% | 2.4% | 2.6% | | | |
| Female householder, no husband present | 8,622 | 8.1% | 12.3% | 12.4% | | | |
| With children <18 years | 5,623 | 5.3% | 8.4% | 8.5% | | | |
| Nonfamily households | 26,046 | 24.4% | 33.9% | 33.3% | | | |
| Householder living alone | 21,167 | 19.8% | 28.4% | 27.3% | | | |
| Householder not living alone | 48,167 | 45.0% | 5.5% | 6.0% | | | |
| Average Household Size | 2.9 | 91 | 2.62 | 2.60 | | | |
| Average Family Size | 3.3 | 38 | 3.26 | 3.19 | | | |

^{*}Large margin of error for estimates and thus should be used with caution.

Table 4.3: McHenry County, Illinois & U.S. Unmarried-Partner Households by Sex of Partner: 2005-2009

| | McHenry | County | Illinois | U.S. |
|------------------------------|---------|---------|----------|---------|
| Relationship | Number | Percent | Percent | Percent |
| Unmarried-Partner Households | 5,406 | 100.0% | 100.0% | 100.0% |
| Male Householder | 3,145 | 58.2% | 52.2% | 51.4% |
| Male partner | *349 | 6.5% | 6.2% | 5.8% |
| Female partner | 2,796 | 51.7% | 46.0% | 45.7% |
| Female Householder | 2,261 | 41.8% | 47.8% | 48.6% |
| Male partner | 2,084 | 38.5% | 42.9% | 43.2% |
| Female partner | *177 | 3.3% | 4.8% | 5.4% |


^{*}Large margin of error for estimates and thus should be used with caution. Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 4.4: McHenry County & U.S. Average Household and Family Size: 1970 to 2005-2009

| | Average Household size | | Average | amily Size | |
|-----------|------------------------|------|---------|------------|--|
| | McHenry | | McHenry | | |
| Year | County | U.S. | County | U.S. | |
| 2005-2009 | 2.91 | 2.60 | 3.38 | 3.19 | |
| 2000 | 2.89 | 2.59 | 3.31 | 3.14 | |
| 1990 | 2.89 | 2.63 | 3.28 | 3.17 | |
| 1980 | 2.99 | 2.76 | 3.35 | 3.29 | |
| 1970 | 3.53 | 3.14 | NA | 3.58 | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 1970-2000.

Figure 4.1: McHenry County & U.S. Average Household & Family Size: 1970 to 2005-2009



Source: U.S. Census Bureau, 2005 - 2009 American Community Survey 5-Year estimates and decennial Census for 1970 - 2000.

Table 4.5: McHenry County, Illinois & U.S. Household Type for Children Under 18 Years Old: 2005-2009

| | McHenr | y County | Illinois | U.S. |
|--|--------|----------|----------|---------|
| Household Type | Number | Percent | Percent | Percent |
| Total children 0-17 years old ¹ | 86,558 | 100.0% | 100.0% | 100.0% |
| Married couple family | 71,245 | 82.3% | 69.0% | 68.0% |
| Male household, no wife | 4,588 | 5.3% | 6.2% | 6.8% |
| Female household, no husband | 10,175 | 11.8% | 24.2% | 24.4% |
| Nonfamily | 550 | 0.6% | 0.6% | 0.7% |

¹Excludes children 0-17 who are householders, spouses, or unmarried partners themselves.

Table 4.6: McHenry County, Illinois & U.S.
Grandparents Living with Own Grandchildren Under 18 Years by Responsibility: 2005-2009

| | McHenry County | | Illinois | U.S. |
|---|----------------|---------|----------|---------|
| Responsibility | Number | Percent | Percent | Percent |
| Grandparent Living with Grandchild under 18 years | 5,233 | 100.0% | 100.0% | 100.0% |
| Grandparent responsible for child | *1,333 | 25.5% | 39.1% | 40.9% |
| Grandparent not responsible for child | 3,900 | 74.5% | 60.9% | 59.1% |

^{*}Large margin of error for estimates and thus should be used with caution.

Table 4.7: McHenry County, Illinois & U.S. Household Type for People 65 Years Old and Older: 2005-2009

| McHenry County Illinois U.S. | | | | | | | |
|---------------------------------|--------|---------|----------|---------|--|--|--|
| | | | Illinois | U.S. | | | |
| Household Type | Number | Percent | Percent | Percent | | | |
| Total People 65 Years and Older | 31,032 | 100.0% | 100.0% | 100.0% | | | |
| In family household | 22,438 | 72.3% | 62.9% | 64.9% | | | |
| Householder | 10,286 | 33.1% | 32.0% | 32.5% | | | |
| Spouse | 8,236 | 26.5% | 22.2% | 23.2% | | | |
| Parent | 2,705 | 8.7% | 5.0% | 5.3% | | | |
| Other relative | *1,114 | 3.6% | 3.4% | 3.5% | | | |
| Nonrelative | *97 | 0.3% | 0.3% | 0.4% | | | |
| In nonfamily household | 7,740 | 24.9% | 31.6% | 30.1% | | | |
| Male householder | 2,078 | 6.7% | 8.3% | 8.1% | | | |
| Living alone | 1,973 | 6.4% | 7.7% | 7.4% | | | |
| Not living alone | *105 | 0.3% | 0.6% | 0.7% | | | |
| Female householder | 5,324 | 17.2% | 22.3% | 20.8% | | | |
| Living alone | 5,195 | 16.7% | 21.7% | 20.1% | | | |
| Not living alone | *129 | 0.4% | 0.6% | 0.6% | | | |
| Nonrelative | *338 | 1.1% | 1.1% | 1.3% | | | |
| In group quarters | *854 | 2.8% | 5.5% | 4.9% | | | |

^{*}Large margin of error for estimates and thus should be used with caution.

Table 4.8: McHenry County, Illinois & U.S. Marital Status by Gender of People 15 and Older: 2005-2009

| Male | | Female | | Tota | al | Illinois | U.S. |
|---------|---|---|--|---|---|---|---|
| Number | Percent | Number | Percent | Number | Percent | Percent | Percent |
| 120,794 | 100.0% | 120,685 | 100.0% | 241,479 | 100.0% | 100.0% | 100.0% |
| 72,469 | 60.0% | 70,698 | 58.6% | 143,167 | 59.3% | 49.5% | 50.3% |
| 35,285 | 29.2% | 27,378 | 22.7% | 62,663 | 25.9% | 33.0% | 30.8% |
| 9,801 | 8.1% | 12,423 | 10.3% | 22,224 | 9.2% | 9.4% | 10.4% |
| 2,233 | 1.8% | 9,067 | 7.5% | 11,300 | 4.7% | 6.3% | 6.3% |
| *1,006 | 0.8% | *1,119 | 0.9% | 2,125 | 0.9% | 1.8% | 2.2% |
| | Number 120,794 72,469 35,285 9,801 2,233 | Number Percent 120,794 100.0% 72,469 60.0% 35,285 29.2% 9,801 8.1% 2,233 1.8% *1,006 0.8% | Number Percent Number 120,794 100.0% 120,685 72,469 60.0% 70,698 35,285 29.2% 27,378 9,801 8.1% 12,423 2,233 1.8% 9,067 *1,006 0.8% *1,119 | Number Percent Number Percent 120,794 100.0% 120,685 100.0% 72,469 60.0% 70,698 58.6% 35,285 29.2% 27,378 22.7% 9,801 8.1% 12,423 10.3% 2,233 1.8% 9,067 7.5% *1,006 0.8% *1,119 0.9% | Number Percent Number Percent Number 120,794 100.0% 120,685 100.0% 241,479 72,469 60.0% 70,698 58.6% 143,167 35,285 29.2% 27,378 22.7% 62,663 9,801 8.1% 12,423 10.3% 22,224 2,233 1.8% 9,067 7.5% 11,300 *1,006 0.8% *1,119 0.9% 2,125 | Number Percent Number Percent Number Percent 120,794 100.0% 120,685 100.0% 241,479 100.0% 72,469 60.0% 70,698 58.6% 143,167 59.3% 35,285 29.2% 27,378 22.7% 62,663 25.9% 9,801 8.1% 12,423 10.3% 22,224 9.2% 2,233 1.8% 9,067 7.5% 11,300 4.7% *1,006 0.8% *1,119 0.9% 2,125 0.9% | Number Percent Number Percent Number Percent Percent 120,794 100.0% 120,685 100.0% 241,479 100.0% 100.0% 72,469 60.0% 70,698 58.6% 143,167 59.3% 49.5% 35,285 29.2% 27,378 22.7% 62,663 25.9% 33.0% 9,801 8.1% 12,423 10.3% 22,224 9.2% 9.4% 2,233 1.8% 9,067 7.5% 11,300 4.7% 6.3% *1,006 0.8% *1,119 0.9% 2,125 0.9% 1.8% |

¹Excludes "separated".

^{*}Large margin of error for estimates and thus should be used with caution.


Table 4.9: McHenry County & Illinois Marriages, Divorces, Dissolution Ratio: 1980-2009

| | M | Illinois | | |
|------|-----------|--------------------------|------|-----------------------------------|
| Year | Marriages | Divorces & Annulments | | Dissolution Ratio ¹ |
| 2009 | 1,246 | 945 | 75.8 | 44.6 |
| 2008 | 1,253 | 951 | 75.9 | 43.4 |
| 2007 | 1,251 | 875 | 69.9 | 42.8 |
| 2006 | 1,299 | 873 | 67.2 | 41.2 |
| 2005 | 1,301 | 837 | 64.3 | 43.1 |
| 2004 | 1,233 | 865 | 70.2 | 41.4 |
| 2003 | 1,275 | 909 | 71.3 | 42.3 |
| 2002 | 1,313 | 967 | 73.6 | 44.7 |
| 2001 | 1,411 | 846 | 60.0 | 41.7 |
| 2000 | 1,301 | 897 | 68.9 | 46.1 |
| 1999 | 1,331 | 813 | 61.1 | 48.0 |
| 1998 | 1,394 | 895 | 64.2 | 48.0 |
| 1997 | 1,463 | 923 | 63.1 | 42.3 |
| 1996 | 1,404 | 876 | 62.4 | 44.7 |
| 1995 | 1,451 | 769 | 53.0 | 44.8 |
| 1990 | 1,459 | 771 | 52.8 | 45.7 |
| 1985 | 1,418 | 724 | 51.1 | 46.7 |
| 1980 | 1,403 | 640 | 45.6 | 47.5 |

¹Divorces per 100 marriages

Source: Illinois Department of Public Health.

Figure 4.2: McHenry County & Illinois
Marriages, Divorces/Annulments & Dissolution Ratio: 1980-2009



Source: Illinois Department of Public Health.

Chapter 5: Housing

| | Shaptor of Housing | _ |
|---|--|----------------------------|
| • | In 2009, there were 115,988 housing units in McHenry County, which was an increase of almost 30% from 2000. This increase was substantially greater than the percent increase for the State. | Tables & Figures Table 5.1 |
| • | For 2005-2009, 94.3% (106,951) of housing units were occupied in McHenry County, which was slightly higher than the percent in Illinois of 90.7%. | Table 5.2 |
| • | The vacancy rate for 2005-2009 in McHenry County was 1.7 for homeowners and 6.3 for renters. Both of these rates rose over 2000 levels, where the homeowner vacancy rate was 1.2 and the renter vacancy rate was 4.0. Compared to Illinois, both vacancy rates for 2005-2009 were lower for McHenry County. | Table 5.2 |
| • | For 2005-2009, the number and percent of owner-occupied housing units in McHenry County increased slightly from 74,391 (83.2%) in 2000 to 90,721 (84.8%) in 2005-2009. For 2005-2009, the percent of owner-occupied units was substantially higher in McHenry County at 84.8% compared to 69.3% and 66.9% for Illinois and the U.S., respectively. | Table 5.3 |
| • | While, the number of renter-occupied housing units increased from 15,079 in 2000 to 16,230 in 2005-2009, the percent decreased slightly. For 2005-2009, the percent of renter-occupied units in Illinois (30.7%) and the U.S. (33.1%) was approximately double the percent in McHenry County at 15.2%. | Table 5.3 |
| • | For 2005-2009, Asians had the highest homeownership rate at 90.0% of all races. Whites were next with 85.6%, while Blacks had the lowest at 62.7%. For each race/ethnic group, McHenry County's homeownership rate exceeded Illinois and the U.S. | Table 5.4 |
| • | Home ownership rates were highest among 55-64 year olds and 65-74 year olds in McHenry County for 2005-2009 at 93.5% and 93.1%, respectively. The largest number of homeowners in McHenry County was among 45-54 year olds who owned 24,160 units, followed by 35-44 year olds who owned 23,599 housing units. Compared to 2000, homeownership rates increased for those under 25 years old, 55-64 years old, 65-74 years old and 75 years and older. Homeownership rates decreased for 25-34 year olds, 35-44 year olds and 45-54 year olds during the same time frame. | Table 5.5 Figure 5.1 |

| For 2005-2009, most housing units were 1-unit, detached structures in McHenry County with 88,988 units. The number of 1-unit detached structures increased by 20% from 2000 to 2005-2009; however the per of housing units that were 1-unit detached structures decreased from in 2005-2009 79.8% in 2000 and 81.4% in 1990. The percent of 1-unit attached structures increased from 1990 to 2000 and 2000 to 2005-2006. | ercent 66.7% it, |
|---|-------------------------|
| The median number of rooms per owner-occupied unit increased sligl 2005-2009 compared to 2000 from 6.8 to 6.9, while the median numb rooms per renter-occupied unit decreased from 6.3 in 2000 to 4.4 in 2 2009. The median number of rooms for both owner-occupied and rer occupied was higher in McHenry County than the State or the U.S. | er of 2005- |
| The average household size for owner occupied units decreased slight from 3.02 in 2000 to 2.97 in 2005-2009, while the average household increased for renter-occupied units from 2.26 in 2000 to 2.56 in 2005-For both owner-occupied and renter-occupied units, the average house size was higher in McHenry County for 2005-2009 compared to Illino the U.S. | size 2009. sehold |
| The percent of units with more than 1 person per room decreased from 2.6% in 2000 to 1.5% in 2005-2009 in McHenry County, which was be Illinois (2.5%) and the U.S. (3.0%). | |
| In 2005-2009, 89.8% of the population over the age of 1 year lived in same house as they did one year ago, 5.6% moved to another home McHenry County, 3.2% moved outside of McHenry County, but within Illinois, and 1.1% moved to another state. Compared to Illinois and the McHenry County had a higher percent of the population staying in the house for over a year in 2005-2009. | within e U.S., |
| In 2005-2009, only 9.2% of the owner-occupied units were occupied to their current residents prior to 1980, which was much lower than the Stand the U.S. at 17.9% and 17.0% respectively. In McHenry County, 7 of homes had their occupants move in during the 1990s and 49.1% si 2000. | State 9.4% |
| In 2005-2009, over half (55.9%) of renter-occupied units had been moderated into since 2005, which was higher than the State and U.S at 51.7% at 52.5%, respectively. | |
| Accounting for 28,078 units, Housing units built in the 1990s constituted almost one-quarter (24.7%) of all housing units in McHenry County du 2005-2009. Over half (56.7%) of housing units in McHenry County has been built since the 1980s, which was substantially higher than Illinois (28.7%) and the U.S. (39.9%). | uring Figure 5.2 ve |

| • | In 2005-2009, 63.6% of homes were valued between \$200,000 and \$499,999, which compared to Illinois and the U.S. was a substantially larger percent of homes. The median home value in McHenry County for 2005-2009 was \$251,200 compared to \$200,400 for Illinois and \$185,400 for the U.S. McHenry County had a higher percent of homes valued between \$150,000-499,999 (82.2%) in 2005-2009 compared to 2000, where the |
|---|---|
| | \$150,000-499,999 (82.2%) in 2005-2009 compared to 2000, where the majority of homes were valued between \$100,000 and \$299,999 (84.2%). |
| • | The sales of single family homes and condominiums fell from 5,756 in 2005 |

Table 5.11 Figure 5.3

- The sales of single family homes and condominiums fell from 5,756 in 2005 to 2,752 in 2009 a decrease of 52%. Similarly, the median home price fell from \$249,000 in 2005 to \$151,500 in 2009 for single family homes (percent change -39%) and \$171,500 in 2005 to \$142,000 in 2009 for condominiums (percent change-17%). The percent change of median price among single family homes in Illinois was -27% from 2005 to 2009, which was a smaller percent change than McHenry County single family homes.
- Table 5.12 Figure 5.4

- In 2005-2009, 40.8% of McHenry County owner-occupied households with a mortgage had owner costs that were 30% or more of their household income, compared to 38.1% of Illinois homeowners and 36.7% of U.S. homeowners. Among owner-occupied households without a mortgage in 2005-2009, 18.3% had home costs that were 30% or more of their household income, while 48.4% of renters had costs that were 30% or more of their income.
- **Table 5.13**

- The median cost as a percentage of household income was higher in McHenry County for owner-occupied households with a mortgage (26.9%), owner-occupied households without a mortgage (14.7%) and renteroccupied households (31.0%) than Illinois and the U.S. during 2005-2009.
- **Table 5.13**
- Among owner-occupied households in McHenry County for 2005-2009, 15-24 year olds, 25-34 year olds, 35-64 year olds and 65 years and older each had a higher percentage of homeowners paying 30% or more on housing than the State and the U.S. Among the age groups, 15-24 year olds had the highest percentage paying 30% or more on housing at 54.2%.
- **Table 5.14**

- Among renter-occupied households in McHenry County for 2005-2009, 25-34 year olds, 35-64 year olds and 65 years and older each had a higher percentage of homeowners paying 30% or more of their income on housing than the State and the U.S. Compared to the State and the U.S., McHenry County had a slightly smaller percentage of 15 -24 year old householders spending 30% or more on housing costs.
- **Table 5.14**

| • | Among owner-occupied households in McHenry County for 2005-2009, for each income level, except those making \$75,000 or more, at least half of households spend 30% of their income on housing costs. Compared to the State and U.S., McHenry County had a higher percentage of householders spending 30% or more of their income on housing for each income level. Among the income levels, those earning less than \$20,000 had the highest proportion spending 30% or more of their income on housing at 85.9%. | Table 5.15 |
|---|--|------------|
| • | Among renter-occupied households in McHenry County for 2005-2009, for each income level, except those making \$75,000 or more, nearly half or more of households spend 30% of their income on housing costs. For each income level, except those making \$75,000 or more, McHenry County had a higher percentage of householders spending 30% or more of their income on housing compared to the State and U.S. Among the income levels, those earning less than \$20,000 had the highest proportion spending 30% or more of their income on housing at 82.1%. | Table 5.15 |
| • | In 2005-2009, the median gross rent was \$989 in McHenry County, which was substantially higher than Illinois and the U.S. at \$813 and \$817, respectively. | Table 5.16 |
| • | In 2005-2009 in McHenry County, the percent of home ownership increased with income level where 96.1% of those who earned \$100,000 or more owned a home, while only 57.1% of those who earned less than \$20,000 owned a home. The median income for home owners was 114% higher than renters. | Table 5.17 |
| • | In 2005-2009 in McHenry County, there were 3,181 households without a vehicle available. Compared to the State and the U.S., a smaller percentage of households have a vehicle available at 3.0%. Of those 65 years and older, 10.3% did not have a vehicle available, which is lower than | Table 5.18 |

the State and the U.S.

Table 5.1: McHenry County & Illinois Housing Units: 2000 and 2009

| | Housir | ng Units | Percent Change |
|----------------|-----------|-----------|----------------|
| Area | 2009 | 2000 | 2000-2009 |
| McHenry County | 115,988 | 89,403 | +29.7% |
| Illinois | 5,292,003 | 4,885,615 | +8.3% |

Source: U.S. Census Bureau, 2009 Census estimates and decennial Census for 2000.

Table 5.2: McHenry County, Illinois & U.S. Housing Units and Occupancy: 1990, 2000 & 2005-2009

| | | <u></u> | | | | | |
|---------------------------|--------------------------|---------|--------|-------------------|----------|--------|--|
| | Number in McHenry County | | | Percent 2005-2009 | | | |
| | | | | McHenry | | | |
| Indicator | 2005-2009 | 2000 | 1990 | County | Illinois | U.S. | |
| Housing Units | 113,470 | 92,908 | 65,985 | 100.0% | 100.0% | 100.0% | |
| Occupied | 106,951 | 89,403 | 62,940 | 94.3% | 90.7% | 88.2% | |
| Vacant | 6,519 | 3,505 | 3,045 | 5.7% | 9.3% | 11.8% | |
| Vacancy Rate ¹ | | | | | | | |
| Homeowner | 1.7 | 1.2 | 1.5 | 1.7 | 2.2 | 2.3 | |
| Renter | 6.3 | 4.0 | 3.7 | 6.3 | 8.0 | 7.8 | |

¹Homeowner vacancy rate = proportion of homeowner housing inventory which is vacant for sale; renter vacancy rate = proportion of the rental inventory which is vacant for rent.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 2000 and 1990.

Table 5.3: McHenry County, Illinois & U.S. Housing Tenure of Occupied Units: 1990, 2000 & 2005-2009

| | Owner-Occupied | | | | | | Renter-Occupied | | | | |
|-----------|----------------|---------|----------|---------|----------------|---------|-----------------|---------|--|--|--|
| | McHenry County | | Illinois | U.S. | McHenry County | | Illinois | U.S. | | | |
| Year | Number | Percent | Percent | Percent | Number | Percent | Percent | Percent | | | |
| 2005-2009 | 90,721 | 84.8% | 69.3% | 66.9% | 16,230 | 15.2% | 30.7% | 33.1% | | | |
| 2000 | 74,391 | 83.2% | 67.3% | 66.2% | 15,079 | 16.8% | 32.7% | 33.8% | | | |
| 1990 | 50,289 | 79.9% | 64.2% | 64.2% | 12,651 | 20.1% | 35.8% | 35.8% | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 2000 and 1990.

Table 5.4: McHenry County, Illinois & U.S. Housing Tenure by Race/Ethnicity: 2005-2009

| | Number in N | /IcHenry | County | Percent Home Owners | | | | |
|-----------------------------|-------------|----------|--------|---------------------|----------|-------|--|--|
| | Total | | | McHenry | | | | |
| Race/Ethnicity ¹ | Households | Owner | Renter | County | Illinois | U.S. | | |
| White | 99,711 | 85,360 | 14,351 | 85.6% | 75.7% | 71.8% | | |
| Black* | 836 | 524 | 312 | 62.7% | 42.5% | 45.9% | | |
| Asian | 2,251 | 2,026 | *225 | 90.0% | 64.5% | 59.9% | | |
| Hispanic | 7,614 | 5,129 | 2,485 | 67.4% | 56.6% | 49.3% | | |

¹Race may be of any ethnicity and Hispanic may be of any race.

^{*}Large margins of error for estimates and thus need to be used with caution. Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.


Table 5.5: McHenry County
Home Ownership by Age of Householder: 1990, 2000 & 2005-2009

| 1101110 0 1111011011p by 7.90 01 11000011010011 1000, 2000 G 2000 | | | | | | | | | |
|---|---------|----------|---------|---------|---------|--|--|--|--|
| | 20 | 005-2009 | | 2000 | 1990 | | | | |
| | Total | Owner-C | ccupied | 2000 | 1990 | | | | |
| | Housing | | - | | | | | | |
| Age of Householder | Units | Number | Percent | Percent | Percent | | | | |
| Under 25 years | 2,166 | *770 | 35.5% | 32.5% | 25.5% | | | | |
| 25-34 years | 14,737 | 10,481 | 71.1% | 73.7% | 70.4% | | | | |
| 35-44 years | 27,499 | 23,599 | 85.8% | 86.0% | 84.3% | | | | |
| 45-54 years | 27,413 | 24,160 | 88.1% | 88.9% | 88.2% | | | | |
| 55-64 years | 19,448 | 18,184 | 93.5% | 90.2% | 88.4% | | | | |
| 65-74 years | 9,911 | 9,223 | 93.1% | 88.9% | 85.0% | | | | |
| 75 years & older | 7,777 | 6,304 | 81.1% | 78.6% | 78.1% | | | | |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 2000 and 1990.

Figure 5.1: McHenry County Home Ownership by Age of Householder: 1990, 2000 & 2005-2009



Source: U.S. Census Bureau, 2005 - 2009 American community Survey 5-Year Estimates and decennial Census for 2000 and 1990.

Table 5.6: McHenry County Units in Structure: 1990, 2000 & 2005-2009

| | 2005-2009 | | 2000 | | Change 2000-2005-2009 | | 1990 |
|----------------------------------|-----------|---------|--------|---------|-----------------------|---------|---------|
| Indicator | Number | Percent | Number | Percent | Number | Percent | Percent |
| Total Housing Units | 133,470 | 100.0% | 92,908 | 100.0% | +40,562 | +43.7% | 100.0% |
| Units in Structure | | | | | | | |
| 1-unit, detached | 88,988 | 66.7% | 74,149 | 79.8% | +14,839 | +20.0% | 81.4% |
| 1-unit, attached | 10,459 | 7.8% | 6,225 | 6.7% | +4,234 | +68.0% | 3.2% |
| 2 units | *1,759 | 1.3% | 2,271 | 2.4% | -512 | -22.5% | 3.4% |
| 3 to 4 units | 3,062 | 2.3% | 2,225 | 2.4% | +837 | +37.6% | 2.7% |
| 5 to 9 units | 3,770 | 2.8% | 3,802 | 4.1% | -32 | -0.8% | 3.6% |
| 10+ units | 4,636 | 3.5% | 3,563 | 3.8% | +1,073 | +30.1% | 4.4% |
| Mobile home, boat, RV, van, etc. | *796 | 0.6% | 673 | 0.7% | +123 | +18.3% | 1.4% |

^{*}Large margins of error for estimates and thus need to be used with caution.

Table 5.7: McHenry County, Illinois, & U.S. Housing Unit Median Rooms and Occupants: 2000 & 2005-2009

| Trodonig out modular resource and observation 2000 at 2000 2000 | | | | | | | |
|---|----------------|------|-----------|-----------|--|--|--|
| | McHenry County | | Illinois | U.S. | | | |
| Indicator | 2005-2009 | 2000 | 2005-2009 | 2005-2009 | | | |
| Median Rooms | | | | | | | |
| All units | 6.6 | 6.4 | 5.6 | 5.5 | | | |
| Owner-occupied | 6.9 | 6.8 | 6.2 | 6.2 | | | |
| Renter-occupied | 4.4 | 6.3 | 4.2 | 4.2 | | | |
| Average Household Size (People) | | | | | | | |
| All units | 2.91 | 2.89 | 2.62 | 2.60 | | | |
| Owner-occupied | 2.97 | 3.02 | 2.74 | 2.69 | | | |
| Renter-occupied | 2.56 | 2.26 | 2.34 | 2.42 | | | |
| Units >1 People Per Room | 1.5% | 2.6% | 2.5% | 3.0% | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 2000.

Table 5.8: McHenry County, Illinois & U.S. Residence in 2005-2009 Compared to One Year Ago

| | McHenry County | | Illinois | U.S. |
|---------------------------------|----------------|---------|----------|---------|
| Characteristics | Number | Percent | Percent | Percent |
| Population 1 year old and older | 308,828 | 100.0% | 100.0% | 100.0% |
| Same house | 277,318 | 89.8% | 85.5% | 83.8% |
| Different house | 31,510 | 10.2% | 13.9% | 15.5% |
| Same city or town | 7,766 | 2.5% | 5.8% | 5.2% |
| Same county | 7,622 | 2.5% | 5.7% | 5.2% |
| Different county | *144 | 0.0% | 0.0% | 0.1% |
| Different city or town | 22,828 | 7.4% | 8.2% | 10.3% |
| Same county | 9,682 | 3.1% | 3.5% | 4.4% |
| Different county | 13,146 | 4.3% | 4.6% | 5.9% |
| Same state | 9,809 | 3.2% | 2.8% | 3.3% |
| Different state | 3,337 | 1.1% | 1.8% | 2.5% |
| Different country | *916 | 0.3% | 0.5% | 0.6% |
| Total same county | 17,304 | 5.6% | 9.3% | 9.6% |
| Total different county | 13,290 | 4.3% | 4.7% | 6.0% |

^{*}Large margins of error for estimates and thus need to be used with caution.

Table 5.9: McHenry County, Illinois, & U.S. Year Householder Moved Into Residence: 2005-2009

| Teal Householder Moved Into Residence. 2000 2003 | | | | | | | | |
|--|---------|---------|----------|---------|--|--|--|--|
| | McHenry | County | Illinois | U.S. | | | | |
| Tenure/ Year Moved In | Number | Percent | Percent | Percent | | | | |
| Owner Occupied Units | 90,721 | 100.0% | 100.0% | 100.0% | | | | |
| 2005 or later | 14,469 | 15.9% | 15.3% | 15.6% | | | | |
| 2000-2004 | 30,142 | 33.2% | 26.3% | 26.3% | | | | |
| 1990-1999 | 27,481 | 30.3% | 27.6% | 27.7% | | | | |
| 1980-1989 | 10,357 | 11.4% | 12.9% | 13.2% | | | | |
| 1970-1979 | 4,950 | 5.5% | 9.4% | 9.1% | | | | |
| Prior to 1970 | 3,322 | 3.7% | 8.5% | 8.0% | | | | |
| Renter Occupied Units | 16,230 | 100.0% | 100.0% | 100.0% | | | | |
| 2005 or later | 9,065 | 55.9% | 51.7% | 52.5% | | | | |
| 2000-2004 | 4,842 | 29.8% | 30.1% | 29.8% | | | | |
| 1990-1999 | 1,671 | 10.3% | 12.2% | 11.9% | | | | |
| 1980-1989 | *372 | 2.3% | 3.5% | 3.2% | | | | |
| 1970-1979 | *173 | 1.1% | 1.5% | 1.5% | | | | |
| Prior to 1970 | *107 | 0.7% | 1.0% | 1.1% | | | | |

^{*}Large margins of error for estimates and thus need to be used with caution.

Table 5.10: McHenry County, Illinois & U.S. Year Housing Unit Built: 2005-2009

| | McHenry | County | Illinois | U.S. |
|----------------------|---------|---------|----------|---------|
| Year Structure Built | Number | Percent | Percent | Percent |
| Total Housing Units | 113,470 | 100.0% | 100.0% | 100.0% |
| 2005 or later | 5,445 | 4.8% | 2.4% | 2.9% |
| 2000-2004 | 15,895 | 14.0% | 6.5% | 8.4% |
| 1990-1999 | 28,079 | 24.7% | 10.7% | 14.2% |
| 1980-1989 | 14,989 | 13.2% | 9.1% | 14.4% |
| 1970-1979 | 16,841 | 14.8% | 14.9% | 16.7% |
| 1960-1969 | 8,253 | 7.3% | 12.2% | 11.6% |
| 1950-1959 | 9,527 | 8.4% | 13.5% | 11.5% |
| 1940-1949 | 3,493 | 3.1% | 7.3% | 6.0% |
| Prior to 1940 | 10,948 | 9.6% | 23.5% | 14.4% |

Figure 5.2: McHenry County, Illinois & U.S. Year Housing Units Built: 2005-2009





Table 5.11: McHenry County, Illinois & U.S. Home Value: 2000 and 2005-2009

| | McF | lenry Co | 2005-2009 | | |
|----------------------------|-----------|----------|-----------|-----------|-----------|
| | 2005-2009 | | 2000 | Illinois | U.S. |
| Home Value | Number | Percent | Percent | Percent | Percent |
| Total Owner-Occupied units | 90,721 | 100.0% | 100% | 100.0% | 100.0% |
| Under \$50,000 | *808 | 0.9% | 0.5% | 6.6% | 8.3% |
| \$50,000-\$99,999 | *1,693 | 1.9% | 6.0% | 14.2% | 15.5% |
| \$100,000-\$149,999 | 6,866 | 7.6% | 31.4% | 14.1% | 15.8% |
| \$150,000-\$199,999 | 16,883 | 18.6% | 29.2% | 14.9% | 14.0% |
| \$200,000-\$299,999 | 32,635 | 36.0% | 23.6% | 21.3% | 17.0% |
| \$300,000-\$499,999 | 24,999 | 27.6% | 7.8% | 19.5% | 16.8% |
| \$500,000 or more | 6,837 | 7.5% | 1.6% | 9.3% | 12.7% |
| Median | \$251 | ,200 | \$168,100 | \$200,400 | \$185,400 |

^{*}Large margins of error for estimates and thus need to be used with caution. Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 2000.

Figure 5.3: McHenry County
Home Value of Owner-Occupied Units: 2000 & 2005-2009




Source: U.S. Census Bureau, 2005 - 2009 American Community Survey 5-Year Estimates and decennial Census for 2000.

Table 5.12: McHenry County & Illinois
Sales and Median Price of Single Family Homes and Condominiums: 2005-2009

| | McHenry County | | | | | | Illinois | | |
|------|------------------------|-----------|---------------------------|-----------|-------|--------------|---------------|---------------------|---------------------|
| | Single Family | | Single Family Condominium | | Total | | Single Family | | |
| Year | ear Sales Median Price | | Year Sales Median Price | | Sales | Median Price | Sales | Median Price | Median Price |
| 2009 | 2,204 | \$151,500 | 548 | \$142,000 | 2,752 | \$181,000 | \$146,187 | | |
| 2008 | 2,149 | \$223,500 | 611 | \$164,000 | 2,760 | \$200,000 | \$165,000 | | |
| 2007 | 2,848 | \$251,500 | 893 | \$171,500 | 3,741 | \$227,000 | \$185,467 | | |
| 2006 | 3,752 | \$255,350 | 1,161 | \$177,000 | 4,913 | \$229,500 | \$195,000 | | |
| 2005 | 4,491 | \$249,000 | 1,265 | \$171,500 | 5,756 | \$226,000 | \$199,000 | | |

Source: Illinois Association of Realtors, Market Sales.

Figure 5.4: McHenry County
Sales and Median Price of Single Family Homes and Condominiums: 2005-2009



Source: Illinois Association of Realtors, Market Sales.

Table 5.13: McHenry County, Illinois and U.S. Select Monthly Owner and Renter Cost as a Percentage of the Household Income: 2005-2009

| | McHenry | County | Illinois | U.S. |
|---------------------|------------|-------------------|----------|---------|
| Percent of Income | Number | Percent | Percent | Percent |
| Owner-Occupied Hou | useholds W | ith a Mortg | age | |
| Total | 72,253 | 253 100.0% 100.0% | | 100.0% |
| Less than 20% | 18,811 | 26.0% | 32.4% | 34.3% |
| 20-24.9% | 13,213 | 18.3% | 16.3% | 16.1% |
| 25-29.9% | 10,523 | 14.6% | 12.9% | 12.5% |
| 30-34.9% | 8,273 | 11.5% | 9.4% | 8.9% |
| 35% or more | 21,192 | 29.3% | 28.7% | 27.8% |
| Not computed | 241 | 0.3% | 0.4% | 0.4% |
| Median | 26 | .9 | 25.5 | 24.8 |
| Owner-Occupied Hou | useholds W | ithout a Mo | rtgage | |
| Total | 18,468 | 100.0% | 100.0% | 100.0% |
| Less than 20% | 12,126 | 65.7% | 68.6% | 70.9% |
| 20-24.9% | 1,803 | 9.8% | 8.3% | 7.6% |
| 25-29.9% | 1,014 | 5.5% | 5.6% | 5.1% |
| 30-34.9% | *801 | 4.3% | 3.7% | 3.4% |
| 35% or more | 2,581 | 14.0% | 12.9% | 12.0% |
| Not computed | 143 | 0.8% | 0.9% | 1.0% |
| Median | 14 | .7 | 13.7 | 12.7 |
| Renter-occupied Hou | seholds | | | |
| Total | 16,230 | 100.0% | 100.0% | 100.0% |
| Less than 20% | 4,083 | 25.2% | 24.3% | 23.4% |
| 20-24.9% | 1,979 | 12.2% | 11.9% | |
| 25-29.9% | *1,795 | 11.1% | 10.5% | 10.8% |
| 30-34.9% | *1,604 | | 8.0% | |
| 35% or more | 6,246 | | 38.4% | 37.9% |
| Not computed | 1,143 | | | |
| Median | 31 | .0 | 29.9 | 30.0 |

^{*}Large margins of error for estimates and thus need to be used with caution.

Table 5.14: McHenry County, Illinois & U.S. **Households Spending 30% or More of Their Income for**

Housing by Age Group: 2005-2009

| | McHenry County | | Illinois | U.S. |
|-------------------|----------------|---------|----------|---------|
| Tenure/ Age Group | Number | Percent | Percent | Percent |
| Owner-Occupied | | | | |
| All Ages | 32,847 | 36.2% | 31.6% | 29.9% |
| 15-24 years | *417 | 54.2% | 45.5% | 43.0% |
| 25-34 years | 4,540 | 43.3% | 37.8% | 35.3% |
| 35-64 years | 22,472 | 35.1% | 30.8% | 29.4% |
| 65 years & older | 5,418 | 34.9% | 29.6% | 28.3% |
| Renter-Occupied | | | | |
| All Ages | 7,850 | 48.4% | 46.4% | 46.2% |
| 15-34 years | *2,631 | 52.8% | 58.2% | 56.1% |
| 35-64 years | 3,924 | 44.5% | 41.8% | 42.8% |
| 65 years & older | *1,295 | 46.6% | 43.3% | 43.6% |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 5.15: McHenry County, Illinois & U.S. Households Spending 30% or More of Their Income for Housing by Income Level: 2005-2009

| Tiodollig by moonio Lovel. 2000 2000 | | | | | | |
|--------------------------------------|---------|---------|----------|---------|--|--|
| | McHenry | County | Illinois | U.S. | | |
| Tenure/Income Level | Number | Percent | Percent | Percent | | |
| Owner-Occupied | | | | | | |
| All Income Levels | 32,847 | 36.2% | 31.6% | 29.9% | | |
| Under \$20,000 | 4,420 | 85.9% | 73.2% | 67.6% | | |
| \$20,000 to \$34,999 | 4,844 | 67.7% | 52.0% | 47.5% | | |
| \$35,000 to \$49,999 | 5,524 | 61.2% | 43.3% | 38.3% | | |
| \$50,000 to \$74,999 | 8,580 | 49.9% | 34.0% | 27.7% | | |
| \$75,000 or more | 9,479 | 18.2% | 13.2% | 12.8% | | |
| Renter-Occupied | | | | | | |
| All Income Levels | 7,850 | 48.4% | 46.4% | 46.2% | | |
| Under \$20,000 | 3,170 | 82.1% | 76.8% | 76.3% | | |
| \$20,000 to \$34,999 | 2,846 | 80.1% | 64.2% | 61.2% | | |
| \$35,000 to \$49,999 | *1,377 | 49.7% | 27.0% | 30.7% | | |
| \$50,000 to \$74,999 | *440 | 16.0% | 10.1% | 14.1% | | |
| \$75,000 or more | *17 | 0.5% | 2.6% | 4.1% | | |
| | _ | | | | | |

^{*}Large margins of error for estimates and thus need to be used with caution.

Table 5.16: McHenry County, Illinois & U.S. Median Gross Rent: 2005-2009

| | McHenry | County | Illinois | U.S. | | |
|----------------------------------|---------|----------------------|----------------------|----------------------|--|--|
| Rental Amount | Number | Percent ¹ | Percent ¹ | Percent ¹ | | |
| Total Occupied Units Paying Rent | 15,219 | 100.0% | 100.0% | 100.0% | | |
| Less than \$500 | *1,308 | 8.6% | 16.1% | 16.7% | | |
| \$500 to \$749 | *2,062 | 13.5% | 25.8% | 26.1% | | |
| \$750 to \$999 | 4,436 | 29.1% | 28.7% | 24.3% | | |
| \$1,000 to \$1,499 | 5,093 | 33.5% | 21.1% | 22.3% | | |
| \$1,500 or more | 2,320 | 15.2% | 8.2% | 10.6% | | |
| Median (dollars) | \$9 | 89 | \$813 | \$817 | | |
| No cash rent | *1,011 | _ | _ | _ | | |

¹Pecents and median based on units for which rent was paid, i.e., units for which no rent was paid are not included in total or used in computing percents.

Table 5.17: McHenry County Home Owner Versus Renter by Income: 2005-2009

| Household Income | Total | Owner | Renter | Percent Home Owners |
|----------------------|----------|----------|----------|---------------------|
| Total | 106,951 | 90,721 | 16,230 | 84.8% |
| Under \$20,000 | 9,006 | 5,143 | 3,863 | 57.1% |
| \$20,000 to \$34,999 | 10,707 | 7,155 | 3,552 | 66.8% |
| \$35,000 to \$49,999 | 11,793 | 9,024 | 2,769 | 76.5% |
| \$50,000 to \$74,999 | 19,953 | 17,207 | 2,746 | 86.2% |
| \$75,000 to \$99,999 | 19,654 | 17,753 | 1,901 | 90.3% |
| \$100,000 or more | 35,838 | 34,439 | 1,399 | 96.1% |
| Median Income | \$77,314 | \$83,437 | \$38,990 | _ |

^{*}Large margins of error for estimates and thus need to be used with caution.

Table 5.18: McHenry County, Illinois & U.S.

Number and Percent of Households¹ with No Vehicle or
Telephone Service Available by Age or Householder: 20052009

| | McHenry | County | Illinois | U.S. |
|----------------------|---------|---------|----------|---------|
| Age of Householder | Number | Percent | Percent | Percent |
| No Vehicle Available | | | | |
| All Households | 3,181 | 3.0% | 10.4% | 8.8% |
| 15-34 years | *411 | 2.4% | 12.3% | 9.3% |
| 35-64 years | *950 | 1.3% | 7.3% | 6.6% |
| 65 years & older | 1,820 | 10.3% | 17.0% | 14.6% |
| No Telephone Service | | | | · |
| All Households | *1,703 | 1.6% | 4.2% | 4.2% |

^{*}Large margins of error for estimates, and thus need to be used with caution.

¹Households defined as "occupied housing units" for this Census question.

Chapter 6: Education & Employment

Table 6.1 In McHenry County for 2005-2009, 91.1% of adults 25 years and older graduated high school (or the equivalency), which was a substantially higher percent than Illinois at 85.7% and the U.S. at 84.6%. Three in 10 (13.2%) adults 25 years and older received at least their bachelor's degree, which was slightly higher than Illinois at 29.8% and the U.S. at 27.5%. Only 3.7% of adults 25 years and older had less than a high school education, which was almost half that of Illinois at 6.3% and the U.S. at 6.4%. Table 6.1 Of the population 18-24 years old in McHenry County during 2005-2009, 14.4% had not received a high school diploma (or equivalency), which was slightly lower than Illinois at 15.7%. Over half (51.2%) of those 18-24 years old went on to higher learning (i.e. some college, an associate's degree, a bachelor's degree, or a graduate/professional degree). This was a slightly lower percent than the State at 54.2%, but higher than the U.S. at 50.9%. Table 6.2 Compared to 2000 and 1990, McHenry County had a higher percent of adults with a high school diploma or higher, a bachelor's degree or higher and a graduate/professional degree or higher. Table 6.3 During 2005-2009 in McHenry County, Hispanics had the highest percent of their adult population (25 years and older) with less than a high school Figure 6.1 education (36.7%), while Asians had the lowest percent (4.1%). Asians had the highest percent of their adult population with a bachelor's degree or higher, at 59.1%, while Hispanics had the lowest percent with at least a bachelor's degree at 11.9%. Table 6.3 Among adults who did not graduate from high school in McHenry County Figure 6.2 from 2005-2009, 62% were non-Hispanic Whites, followed by Hispanics at 36%. Table 6.4 For the 2008-2009 school year, all but two school districts in McHenry County had a graduation rate over 90%, compared to Illinois at 87.1%. Harvard District 50's rate was 80.4% and Woodstock District 200's was 88.1%. Table 6.5 In 2005-2009 in McHenry County, there were 170,572 individuals in the labor force (72.2%), which was lower than 2000 and 1990 at 74.0% and 73.7% respectively, but still higher than Illinois (66.7%) and the U.S. (65.0%). There were 94,461 males in the labor force (79.7%) and 76,111 females (64.6%). The percent in the workforce for both genders decreased from 2000, but remained higher than Illinois and the U.S for 2005-2009.

Tables & Figures

| • | In 2005-2009 in McHenry County, over half (56.4%) of parents with children under 6 years old were in the labor force, which was similar to 2000, but lower than Illinois and the U.S. at 63.0% and 62.3%, respectively. Seven in ten (70.1%) families with children 6-17 years old had both parents in work force, which was similar to Illinois and the U.S and to previous years. | Table 6.5 |
|---|---|-------------------------|
| • | In 2009, there were 17,345 unemployed residents of McHenry County at a rate of 9.7%, which was similar to Illinois and the U.S. The unemployment rate in McHenry County grew from a low of 3.8% in 2006 to a high of 9.7% in 2009. This trend was consistent with the State trend. | Table 6.6 Figure 6.3 |
| • | Of those who were unemployed during 2005-2009 in McHenry County, 6,307 were males and 4,888 were females. Among both males and females, over half of the unemployed were between the ages of 25 and 54 years, at 51.1% for males and 58.1% for females. | Table 6.7 |
| • | In 2009 in McHenry County, the highest unemployment rates were among Native Americans (48.7%) and Blacks (21.2%); however, 9 in 10 unemployed people were White. Among females, unemployment rates were highest among Native Americans (56.4%), Hispanics (22.3%) and Blacks (22.2%). Similarly, unemployment rates among males were highest among Native Americans (37.0%), Blacks (20.6%) and Hispanics (13.9%). | Table 6.8 |
| • | In 2010, the largest employers in McHenry County were Centegra Health System, Wal-Mart/Sam's Club, Jewel-Osco, McHenry County Government, and Follett Library Resources Inc. These top five companies employed 10,016 individuals. | Table 6.9 |
| • | For McHenry County residents in 2005-2009, the mean commute time to work was 33.7 minutes, which was higher than Illinois at 28.1 and the U.S. at 25.2 minutes. Almost 20% of residents commute an hour or more to work, which was substantially higher than Illinois at 11.2% of workers and more than double the U.S at 8.0%. | Table 6.10 |
| • | In McHenry County, 8 in 10 (81.5%) workers drove alone to work, and only 2.9% use public transportation which was much lower than Illinois where 8.8% of the workforce used public transportation during 2005-2009. One in 20 (5.1%) people worked from home in McHenry County. | Table 6.10 |
| • | From 2005-2009, the most common occupations were in management or professional jobs (35.4%), followed by sales and office jobs (28.4%). Manufacturing (17.0%) and education, health and social services (16.6%) were the most common industries in which to work. The least common industry to work in was agriculture, forestry, fishing and hunting and mining (0.7%). The majority of workers (84.4%) were private wage and salary workers. There were 8.431 individuals who were self-ampleyed during | Table 6.11 |

2005-2009 in McHenry County.

workers. There were 8,431 individuals who were self-employed during

| • | In 2009, 22,809 people were employed in the goods producing sector in McHenry County and 67,467 were in the service providing sector. Since 2000, employment in the goods producing sector decreased by 30.1%, while the service providing sector increased by 23.0%. | Table 6.12 |
|---|---|------------|
| • | In 2000, there were 65,149 (48.9%) McHenry County residents working outside of McHenry County. The most common counties to work in were Cook (23.5%) and Lake Counties (12.6%). | Table 6.13 |
| • | In 2000, 28,534 (29.5%) people commuted to McHenry County for work from other counties. The most common counties to commute from were Lake (6.1%), Cook (5.4%), and Kane Counties (5.2%). 5.9% of McHenry County workers commuted from Wisconsin. | Table 6.13 |

Table 6.1: McHenry County, Illinois, & U.S. Educational Attainment: 2005-2009

| McHenry County Illinois | | | | | | |
|--|---------|---------|----------|---------|--|--|
| | | | Illinois | U.S. | | |
| Educational Attainment | Number | Percent | Percent | Percent | | |
| Population 25 years and older | 201,073 | 100.0% | 100.0% | 100.0% | | |
| Less than 9th grade | 7,360 | 3.7% | 6.3% | 6.4% | | |
| 9th to 12th grade, no diploma | 10,506 | 5.2% | 8.0% | 9.1% | | |
| High school graduate or equivalency | 57,424 | 28.6% | 28.1% | 29.3% | | |
| Some college, no degree | 48,181 | 24.0% | 20.6% | 20.3% | | |
| Associate degree | 14,811 | 7.4% | 7.2% | 7.4% | | |
| Bachelor's degree | 42,674 | 21.2% | 18.6% | 17.4% | | |
| Graduate or professional degree | 20,117 | 10.0% | 11.2% | 10.1% | | |
| Percent high school graduate or higher | 91. | 1% | 85.7% | 84.6% | | |
| Percent bachelor's degree or higher | 31. | 2% | 29.8% | 27.5% | | |
| Population 18-24 years | 25,301 | 100.0% | 100.0% | 100.0% | | |
| Less than high school graduate | 3,648 | 14.4% | 15.7% | 17.2% | | |
| High school graduate or equivalency | 8,700 | 34.4% | 30.0% | 32.0% | | |
| Some college or associate's degree | 10,138 | 40.1% | 42.9% | 41.9% | | |
| Bachelor's degree or higher | 2,815 | 11.1% | 11.3% | 9.0% | | |

Table 6.2: McHenry County, Illinois, & U.S. Educational Attainment: 1990, 2000, & 2005-2009

| Educational Attainment. 1990, 2000, & 2005-2009 | | | | | | | | |
|---|----------------------------------|----------|-------|--|--|--|--|--|
| | Percent of Population 25 Years & | | | | | | | |
| | Older | | | | | | | |
| | McHenry | | | | | | | |
| Attainment | County | Illinois | U.S. | | | | | |
| High school graduate or higher | | | | | | | | |
| 2005-2009 | 91.1% | 85.7% | 84.6% | | | | | |
| 2000 | 89.2% | 81.4% | 80.4% | | | | | |
| 1990 | 84.5% | 76.2% | 75.2% | | | | | |
| Bachelor's degree | or higher | | | | | | | |
| 2005-2009 | 31.2% | 29.8% | 27.5% | | | | | |
| 2000 | 27.7% | 26.1% | 24.4% | | | | | |
| 1990 | 21.0% | 21.0% | 20.3% | | | | | |
| Graduate or professional degree | | | | | | | | |
| 2005-2009 | 10.0% | 11.2% | 10.1% | | | | | |
| 2000 | 8.2% | 9.5% | 8.9% | | | | | |
| 1990 | 6.4% | 7.5% | 7.2% | | | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-year estimates and decennial Census for 2000 and 1990.

Table 6.3: McHenry County

Educational Attainment by Race/Ethnicity: 2005-2009

| | White, Non- Total Hispanic | | Black | | Asian | | Hispanic | | | |
|-------------------------------------|-------------------------------|---------|---------|---------|--------|---------|----------|---------|--------|---------|
| Highest Grade Completed | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Population 25 years and older | 201,073 | 100.0% | 175,660 | 100.0% | 1,671 | 100.0% | 5,508 | 100.0% | 17,074 | 100.0% |
| Less than high school | 17,866 | 8.9% | 10,993 | 6.3% | *204 | 12.2% | *226 | 4.1% | 6,263 | 36.7% |
| High school graduate or equivalency | 57,424 | 28.6% | 50,355 | 28.7% | *337 | 20.2% | *693 | 12.6% | 5,738 | 33.6% |
| Some college or associate's degree | 62,992 | 31.3% | 57,760 | 32.9% | *376 | 22.5% | *1,332 | 24.2% | 3,038 | 17.8% |
| Bachelor's degree or higher | 62,791 | 31.2% | 56,552 | 32.2% | *754 | 45.1% | 3,257 | 59.1% | *2,035 | 11.9% |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Figure 6.1: McHenry County
Educational Attainment by Race/Ethnicity: 2005 - 2009





Figure 6.2: McHenry County
Adults 25 Years and Older Who Did Not Graduate High School (Or the Equivalent) by
Race/Ethnicity: 2005-2009



*Large margins of error for estimates, and thus need to be used with caution. Source: U.S. Census Bureau, 2005 - 2009 American Community Survey 5-Year Estimates.

Table 6.4: McHenry County School Districts & Illinois High School Graduation Rates: 2000-2001, 2004-2005 & 2008-2009

| | , | | |
|---|-----------|-----------|-----------|
| District/Number | 2008-2009 | 2004-2005 | 2000-2001 |
| Alden Hebron 19 | 92.9% | 92.1% | 82.8% |
| Crystal Lake 155 | 96.2% | 94.2% | 91.6% |
| Huntley 158 | 98.4% | 93.3% | 79.6% |
| Harvard 50 | 80.4% | 85.5% | 73.7% |
| Johnsburg 12 | 93.4% | 91.2% | 94.1% |
| Marengo 154 | 95.8% | 92.6% | 88.8% |
| McHenry 156 | 92.2% | 89.3% | 85.0% |
| Richmond-Burton 157 | 98.5% | 94.7% | 87.6% |
| Woodstock 200 | 88.1% | 86.7% | 82.2% |
| Harry D Jacobs HS (Carpentersville 300) | 99.8% | 97.6% | 90.9% |
| Illinois | 87.1% | 87.4% | 83.2% |

Note: Harry D Jacobs High School is the only high school belonging to CUSD 300 (Carpentersville, Kane County) located in McHenry County

Source: Illinois State Board of Education, School Report Cards.

Table 6.5: McHenry County, Illinois, & U.S. Labor Force Participation by Gender and Children Presence: 1990, 2000 & 2005-2009

| | McHen | Illingia | 11.6 | | | | | | |
|---------------------------------------|--------------------|----------------|------------|----------|---------|--|--|--|--|
| | Total | In Labor Force | | Illinois | U.S. | | | | |
| | Population ≥ 16 | | | | | | | | |
| Year | ı | | Percent | Percent | Percent | | | | |
| All people ≥ 16 Years in Labor Force | | | | | | | | | |
| 2005-2009 | 236,335 | 170,572 | 72.2% | 66.7% | 65.0% | | | | |
| 2000 | 189,410 | 140,203 | 74.0% | 65.4% | 63.9% | | | | |
| 1990 | 134,785 | 99,313 | 73.7% | 66.4% | 65.3% | | | | |
| Male | | | | | | | | | |
| 2005-2009 | 118,470 | 94,461 | 79.7% | 73.0% | 71.3% | | | | |
| 2000 | 93,802 | 77,981 | 83.1% | 72.2% | 70.7% | | | | |
| 1990 | 66,361 | 56,611 | 85.3% | 75.9% | 74.4% | | | | |
| Female | | | | | | | | | |
| 2005-2009 | 117,865 | 76,111 | 64.6% | 60.8% | 59.1% | | | | |
| 2000 | 95,608 | 62,222 | 65.1% | 59.0% | 57.5% | | | | |
| 1990 | 68,424 | 42,702 | 62.4% | 57.7% | 56.8% | | | | |
| Į. | All Parents Living | g with Chi | ld in Labo | or Force | | | | | |
| Families Witl | h Children Unde | r 6 Years | Old | | | | | | |
| 2005-2009 | 26,082 | 14,709 | 56.4% | 63.0% | 62.3% | | | | |
| 2000 | 24,962 | 14,115 | 56.5% | 62.0% | 63.5% | | | | |
| 1990 | 18,717 | 10,278 | 54.9% | 58.8% | 59.7% | | | | |
| Families With Children 6-17 Years Old | | | | | | | | | |
| 2005-2009 | 58,368 | 40,917 | 70.1% | 71.0% | 70.4% | | | | |
| 2000 | 51,700 | 36,170 | 70.0% | 75.8% | 75.0% | | | | |
| 1990 | 33,714 | | | | | | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 1990 and 2000.


Table 6.6: McHenry County, Illinois & U.S. Employment & Unemployment: 1980-2009

| | McHenry County | | | Percent Unemployed | | | | |
|------|----------------|----------|------------|--------------------|----------|------|--|--|
| Year | Labor Force | Employed | Unemployed | McHenry County | Illinois | U.S. | | |
| 2009 | 179,505 | 162,160 | 17,345 | 9.7% | 10.1% | 9.3% | | |
| 2008 | 181,068 | 170,535 | 10,533 | 5.8% | 6.4% | 5.8% | | |
| 2007 | 179,298 | 171,538 | 7,760 | 4.3% | 5.1% | 4.6% | | |
| 2006 | 173,808 | 167,272 | 6,536 | 3.8% | 4.6% | 4.6% | | |
| 2005 | 166,951 | 158,437 | 8,514 | 5.1% | 5.8% | 5.1% | | |
| 2004 | 163,596 | 155,033 | 8,563 | 5.2% | 6.2% | 5.5% | | |
| 2003 | 160,033 | 150,600 | 9,433 | 5.9% | 6.7% | 6.0% | | |
| 2002 | 156,134 | 147,426 | 8,708 | 5.6% | 6.5% | 5.8% | | |
| 2001 | 155,137 | 147,904 | 7,233 | 4.7% | 5.4% | 4.7% | | |
| 2000 | 151,359 | 145,929 | 5,430 | 3.6% | 4.5% | 4.0% | | |
| 1999 | 140,673 | 135,748 | 4,925 | 3.5% | 4.5% | 4.2% | | |
| 1998 | 135,571 | 130,629 | 4,942 | 3.6% | 4.5% | 4.5% | | |
| 1997 | 132,883 | 127,815 | 5,068 | 3.8% | 4.8% | 4.9% | | |
| 1996 | 131,681 | 126,226 | 5,455 | 4.1% | 5.3% | 5.4% | | |
| 1995 | 127,168 | 121,958 | 5,210 | 4.1% | 5.2% | 5.6% | | |
| 1994 | 120,112 | 114,203 | 5,909 | 4.9% | 5.8% | 6.1% | | |
| 1993 | 115,345 | 107,857 | 7,488 | 6.5% | 7.4% | 6.9% | | |
| 1992 | 110,524 | 102,571 | 7,953 | 7.2% | 7.8% | 7.5% | | |
| 1991 | 105,852 | 98,612 | 7,240 | 6.8% | 7.3% | 6.8% | | |
| 1990 | 102,572 | 97,057 | 5,515 | 5.4% | 6.3% | 5.6% | | |
| 1989 | 92,337 | 88,211 | 4,126 | 4.5% | 6.1% | 5.3% | | |
| 1988 | 89,192 | 84,986 | 4,206 | 4.7% | 6.8% | 5.5% | | |
| 1987 | 86,931 | 82,259 | 4,672 | 5.4% | 7.4% | 6.2% | | |
| 1986 | 83,466 | 78,338 | 5,128 | 6.1% | 8.3% | 7.0% | | |
| 1985 | 82,150 | 75,830 | 6,320 | 7.7% | 9.1% | 7.2% | | |
| 1984 | 76,141 | 70,701 | 5,440 | 7.1% | 9.1% | 7.5% | | |
| 1983 | 74,151 | 67,040 | 7,111 | 9.6% | 11.7% | 9.6% | | |
| 1982 | 71,980 | 64,756 | 7,224 | 10.0% | 11.3% | 9.7% | | |
| 1981 | 72,458 | 66,739 | 5,719 | 7.9% | 8.6% | 7.6% | | |
| 1980 | 71,934 | 66,452 | 5,482 | 7.6% | 8.2% | 7.1% | | |

Source: Illinois Department of Employment Security, Local Area Unemployment Statistics (LAUS)

Figure 6.3: McHenry County, Illinois & U.S. Unemployment Rates: 1980-2009

—McHenry County —Illinois —U.S.



Source: Illinois Department of Employment Security, Local Area Unemployment Statistics.

Table 6.7: McHenry County Unemployment by Age Group and Gender: 2000 & 2005-2009

| | 2005- | 2009 | 20 | 000 | |
|-------------------------------|--------|---------|--------|---------|--|
| Gender/ Age Group | Number | Percent | Number | Percent | |
| All People 16 Years and Older | 11,195 | 100.0% | 4,856 | 100.0% | |
| Male | | | | | |
| 16 Years and Older | 6,307 | 100.0% | 2,935 | 100.0% | |
| 16-19 Years | *1,338 | 21.2% | 421 | 14.3% | |
| 20-24 Years | *797 | 12.6% | 374 | 12.7% | |
| 25-54 Years | 3,225 | 51.1% | 1,783 | 60.7% | |
| 55-64 Years | *816 | 12.9% | 304 | 10.4% | |
| 65 Years and Older | *131 | 2.1% | 53 | 1.8% | |
| Female | | | | | |
| 16 Years and Older | 4,888 | 100.0% | 1,921 | 100.0% | |
| 16-19 Years | *791 | 16.2% | 298 | 15.5% | |
| 20-24 Years | *612 | 12.5% | 194 | 10.1% | |
| 25-54 Years | 2,840 | 58.1% | 1,263 | 65.7% | |
| 55-64 Years | *551 | 11.3% | 110 | 5.7% | |
| 65 Years and Older | *94 | 1.9% | 56 | 2.9% | |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 2000.

Table 6.8: McHenry County
Labor Force by Gender and Race/Ethnicity: 2009

| | Civilian | . | Unemp | | Racial/Ethnic Distribution | | | |
|--------------------------|-------------|----------|--------|-------|----------------------------|--------|--------|--|
| Gender/Race ¹ | Labor Force | Employed | - | | | | | |
| Both Genders | 179,505 | 162,160 | 17,345 | 9.7% | 100.0% | 100.0% | 100.0% | |
| White | 169,559 | 153,985 | 15,574 | 9.2% | 94.5% | 95.0% | 89.8% | |
| Black | 977 | 770 | 207 | 21.2% | 0.5% | 0.5% | 1.2% | |
| Native American | 388 | 199 | 189 | 48.7% | 0.2% | 0.1% | 1.1% | |
| Asian/Pacific Islander | 2,362 | 2,105 | 257 | 10.9% | 1.3% | 1.3% | 1.5% | |
| Other | 6,219 | 5,101 | 1,118 | 18.0% | 3.5% | 3.1% | 6.4% | |
| Hispanic | 12,395 | 10,277 | 2,118 | 17.1% | 6.9% | 6.3% | 12.2% | |
| Females | 79,146 | 72,284 | 6,862 | 8.7% | 100.0% | 100.0% | 100.0% | |
| White | 74,935 | 69,120 | 5,815 | 7.8% | 94.7% | 95.6% | 84.7% | |
| Black | 370 | 288 | 82 | 22.2% | 0.5% | 0.4% | 1.2% | |
| Native American | 234 | 102 | 132 | 56.4% | 0.3% | 0.1% | 1.9% | |
| Asian/Pacific Islander | 1,168 | 964 | 204 | 17.5% | 1.5% | 1.3% | 3.0% | |
| Other | 2,439 | 1,810 | 629 | 25.8% | 3.1% | 2.5% | 9.2% | |
| Hispanic | 4,742 | 3,685 | 1,057 | 22.3% | 6.0% | 5.1% | 15.4% | |
| Males | 100,359 | 89,876 | 10,483 | 10.4% | 100.0% | 100.0% | 100.0% | |
| White | 94,624 | 84,865 | 9,759 | 10.3% | 94.3% | 94.4% | 93.1% | |
| Black | 607 | 482 | 125 | 20.6% | 0.6% | 0.5% | 1.2% | |
| Native American | 154 | 97 | 57 | 37.0% | 0.2% | 0.1% | 0.5% | |
| Asian/Pacific Islander | 1,194 | 1,141 | 53 | 4.4% | 1.2% | 1.3% | 0.5% | |
| Other | 3,780 | 3,291 | 489 | 12.9% | 3.8% | 3.7% | 4.7% | |
| Hispanic | 7,653 | 6,592 | 1,061 | 13.9% | 7.6% | 7.3% | 10.1% | |

¹All Race groups include Hispanic. Hispanic includes all races.

Source: Illinois Department of Employment Security, Workforce Availability 2010.

Table 6.9: McHenry County Top Employers: 2010

| Rank | | Product/Service | Employees |
|------|----------------------------------|---|-----------|
| 1 | Centegra Health System | Healthcare | 3,650 |
| 2 | Wal-Mart/Sam's Club | Retail | 2,200 |
| 3 | Jewel-Osco | Grocer | 1,400 |
| 4 | McHenry County | County Government | 1,388 |
| 5 | Follett Library Resources Inc. | Wholesale retailer | 1,378 |
| 6 | Catalent Pharma Solutions | Packaging | 830 |
| 7 | Mercy Health System | Healthcare | 732 |
| 8 | Brown Printing | Printing | 650 |
| 9 | Snap-On Tools Co. | Distribution, customer service and repair | 590 |
| 10 | Sage Products Inc | Manufacturing | 583 |
| 11 | Knaack LLC | Manufacturing | 500 |
| 12 | McHenry County College | Education | 500 |
| 13 | Intren (formerly Trench-IT Inc.) | Utilities | 490 |
| 14 | Aptargroup Inc. | Manufacturing | 475 |
| 15 | Covidien | Manufacturing | 400 |

Source: 2010 Book of Lists for McHenry County.

Table 6.10: McHenry County, Illinois, & U.S. Commuting Time and Means: 2005-2009

| | McHenry | | Illinois | U.S. |
|-----------------------------------|------------|---------|----------|---------|
| Characteristic | Number | Percent | Percent | Percent |
| Commu | iting Time | | | |
| Workers who do not work from home | 147,237 | 100.0% | 100.0% | 100.0% |
| Less than 10 minutes | 16,650 | 11.3% | 13.3% | 14.3% |
| 10-19 minutes | 32,914 | 22.4% | 25.9% | 29.9% |
| 20-29 minutes | 23,822 | 16.2% | 18.3% | 20.6% |
| 30-44 minutes | 27,033 | 18.4% | 21.4% | 19.6% |
| 45-59 minutes | 18,580 | 12.6% | 9.9% | 7.5% |
| 60 minutes or more | 28,238 | 19.2% | 11.2% | 8.0% |
| Mean travel time (minutes) | 33. | 7 | 28.1 | 25.2 |
| Means of | Commuting | | | |
| Total Workers 16 years and older | 155,167 | _ | _ | _ |
| Car, truck, van | 139,036 | 89.6% | 82.7% | 86.4% |
| Drove alone | 126,533 | 81.5% | 73.5% | 75.9% |
| Car pool | 12,503 | 8.1% | 9.3% | 10.5% |
| Walk | *2,151 | 1.4% | 3.1% | 2.9% |
| Public transportation | 4,477 | 2.9% | 8.8% | 5.0% |
| Other | *1,573 | 1.0% | 1.6% | 1.7% |
| Work from home | 7,930 | 5.1% | 3.8% | 4.0% |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 6.11: McHenry County & U.S. Occupation, Industry, Class of Worker: 2005-2009

| | McHenry | County | U.S. |
|---|---------|---------|---------|
| Characteristics | Number | Percent | Percent |
| Employed workers 16 years and older | 159,243 | 100.0% | 100.0% |
| Occupation | | | |
| Management, professional, and related | 56,343 | 35.4% | 34.8% |
| Service | 22,027 | 13.8% | 16.9% |
| Sales and office | 45,174 | 28.4% | 25.6% |
| Farming, fishing, and forestry | *301 | 0.2% | 70.0% |
| Construction, extraction and maintenance | 15,110 | 9.5% | 9.5% |
| Production, transportation, and material moving | 20,288 | 12.7% | 12.5% |
| Industry | | | |
| Agriculture, forestry, fishing and hunting, mining | *1,116 | 0.7% | 1.8% |
| Construction | 13,345 | 8.4% | 7.4% |
| Manufacturing | 27,031 | 17.0% | 11.2% |
| Wholesale trade | 7,215 | 4.5% | 3.2% |
| Retail trade | 20,674 | 13.0% | 11.5% |
| Transportation, warehousing, utilities | 7,701 | 4.8% | 5.1% |
| Information | 4,475 | 2.8% | 2.4% |
| Finance, insurance, real estate, and rental and leasing | 11,898 | 7.5% | 7.1% |
| Professional, scientific, management, admin, waste management | 16,108 | 10.1% | 10.3% |
| Educational, health, social services | 26,364 | 16.6% | 21.5% |
| Arts, entertainment, recreation, accommodation, food service | 12,414 | 7.8% | 8.8% |
| Public administration | 4,200 | 2.6% | 4.7% |
| Other services | 6,702 | 4.2% | 4.8% |
| Class of worker | | | |
| Private wage and salary | 134,377 | 84.4% | 78.6% |
| Government | 16,070 | 10.1% | 14.6% |
| Self-employed in own not-incorporated business | 8,431 | 5.3% | 6.6% |
| Unpaid family | *365 | 0.2% | 0.2% |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 6.12: McHenry County
Annual Employment by Industry: 1990-2009

| | | _ | | - | _ | | | | Change | Change |
|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|-----------|-----------|
| Sector | 2009 | 2008 | 2007 | 2006 | 2005 | 2000 | 1995 | 1990 | 1990-2009 | 2000-2009 |
| Goods producing | 22,809 | 27,882 | 29,436 | 31,025 | 29,473 | 32,639 | 30,263 | 28,405 | -19.7% | -30.1% |
| Natural Resources and Mining | 763 | 809 | 821 | 808 | 830 | 698 | 658 | 781 | -2.3% | +9.3% |
| Construction | 6,665 | 8,444 | 9,653 | 10,361 | 10,002 | 8,913 | 6,100 | 4,675 | +42.6% | -25.2% |
| Manufacturing | 15,381 | 18,629 | 18,962 | 19,856 | 18,641 | 23,028 | 23,505 | 22,949 | -33.0% | -33.2% |
| Service Providing | 67,467 | 69,432 | 69,578 | 67,281 | 64,235 | 54,841 | 44,943 | 46,397 | +45.4% | +23.0% |
| Trade, Transportation and Utilities | 20,138 | 20,863 | 20,738 | 19,835 | 19,660 | 18,845 | 15,477 | 21,960 | -8.3% | +6.9% |
| Information | 1,288 | 1,447 | 1,611 | 1,563 | 1,509 | 1,666 | 1,701 | 1,151 | +11.9% | -22.7% |
| Finance Activities | 2,997 | 3,120 | 3,085 | 3,021 | 2,940 | 2,588 | 2,480 | 2,668 | +12.3% | +15.8% |
| Professional & Business Services | 10,027 | 10,779 | 12,003 | 11,489 | 9,919 | 6,638 | 5,131 | 3,837 | +161.3% | +51.1% |
| Educational & Health Services | 20,765 | 20,804 | 19,996 | 19,284 | 18,539 | 14,671 | 11,836 | 10,275 | +102.1% | +41.5% |
| Leisure & Hospitality | 9,042 | 9,066 | 8,818 | 8,817 | 8,422 | 7,576 | 5,922 | 4,572 | +97.8% | +19.4% |
| Other Services | 3,210 | 3,353 | 3,327 | 3,272 | 3,246 | 2,857 | 2,396 | 1,934 | +66.0% | +12.4% |
| Government | 4,112 | 4,047 | 3,971 | 3,957 | 3,761 | 3,096 | 2,575 | 2,073 | +98.4% | +32.8% |

Source: Illinois Department of Employment Security, LEHD State of Illinois County Reports-Quarterly Workforce Indicators.

Table 6.13: McHenry County Commuting Pattern: 1990 & 2000

| Where McHenry County Residents Work Where McHenry County Workers Live | | | | | | | | |
|---|----------------|---------|----------|---------|--------|---------|--------------|---------|
| | 2000 1990 2000 | | | | | | | 90 |
| State/County | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| Illinois | | | <u> </u> | | | | | |
| Bond | _ | _ | _ | _ | _ | _ | 1,802 | 2.8% |
| Boone | 267 | 0.2% | 210 | 0.2% | 2,627 | 2.7% | _ | _ |
| Bureau | 7 | <0.1% | 2 | <0.1% | 6 | <0.1% | 8 | <0.1% |
| Cass | 4 | <0.1% | _ | _ | _ | _ | _ | _ |
| Carroll | _ | _ | _ | _ | 6 | <0.1% | | _ |
| Champaign | 32 | <0.1% | 2 | <0.1% | _ | | 13 | <0.1% |
| Christian | _ | _ | _ | _ | 3 | <0.1% | | _ |
| Clinton | 11 | <0.1% | 2 | <0.1% | | | l | _ |
| Coles | 5 | <0.1% | 10 | <0.1% | 7 | 0.0% | 13 | <0.1% |
| Cook | 31,337 | 23.5% | 24,599 | 26.2% | 5,182 | 5.4% | 3,283 | 5.1% |
| DeKalb | 202 | 0.2% | 154 | 0.2% | 448 | 0.5% | 358 | 0.6% |
| DeWitt | _ | _ | _ | _ | _ | _ | 2 | <0.1% |
| DuPage | 4,650 | 3.5% | 2,899 | 3.1% | 884 | 0.9% | 566 | 0.9% |
| Edgar | _ | _ | _ | _ | 2 | <0.1% | 9 | <0.1% |
| Ford | _ | _ | _ | _ | 2 | <0.1% | _ | _ |
| Greene | 9 | <0.1% | _ | _ | 2 | <0.1% | | _ |
| Grundy | 47 | <0.1% | _ | _ | 23 | <0.1% | 16 | <0.1% |
| Hancock | _ | _ | _ | _ | 2 | <0.1% | | _ |
| Henry | 9 | <0.1% | _ | _ | 2 | <0.1% | 1 | <0.1% |
| Iroquois | _ | _ | _ | _ | 2 | <0.1% | _ | _ |
| Jackson | _ | _ | _ | _ | 19 | <0.1% | _ | _ |
| Jo Daviess | _ | _ | _ | _ | 4 | <0.1% | 4 | <0.1% |
| Kane | 8,877 | 6.7% | 5,196 | 5.5% | 5,056 | 5.2% | 3,193 | 4.9% |
| Kankakee | _ | _ | _ | _ | 4 | <0.1% | 7 | <0.1% |
| Kendall | 73 | 0.1% | _ | _ | 20 | <0.1% | 23 | <0.1% |
| Knox | _ | _ | _ | _ | _ | _ | 10 | <0.1% |
| La Salle | 6 | <0.1% | | <0.1% | | | 20 | <0.1% |
| Lake | 16,731 | 12.6% | 10,942 | 11.7% | | 6.1% | 3,154 | 4.9% |
| Lawrence | _ | _ | 34 | <0.1% | _ | _ | _ | _ |
| Lee | _ | _ | 10 | <0.1% | 27 | <0.1% | 21 | <0.1% |
| McDonough | _ | _ | _ | _ | _ | _ | 3 | <0.1% |
| Macon | 10 | <0.1% | | 50.9% | | _ | _ | _ |
| Macoupin | | _ | 23 | <0.1% | | _ | _ | _ |
| Madison | | _ | 10 | <0.1% | _ | _ | 5 | 0.0% |
| Massac | _ | _ | _ | _ | 7 | | Continued or | _ |

Continued on next page.

Table 6:13: McHenry County
Commuting Pattern: 1990 & 2000 (continued)

| | Where McH | ents Work | Where McHenry County Workers Live | | | | | |
|--------------|-----------|-----------|-----------------------------------|---------|--------|---------|--------|---------|
| | 2000 |) | 1990 | | 2000 | | 1990 | |
| State/County | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| McHenry | 68,108 | 51.1% | _ | _ | 68,108 | 70.5% | 47,757 | 73.5% |
| McLean | 24 | <0.1% | 35 | <0.1% | 33 | <0.1% | 20 | <0.1% |
| Mercer | | _ | _ | _ | 2 | <0.1% | _ | _ |
| Morgan | | _ | 5 | <0.1% | _ | - | _ | _ |
| Moultrie | _ | _ | 6 | <0.1% | _ | - | _ | _ |
| Ogle | 5 | <0.1% | _ | _ | 89 | 0.1% | 48 | 0.1% |
| Peoria | _ | _ | 17 | <0.1% | | _ | _ | _ |
| Piatt | _ | _ | 8 | <0.1% | _ | _ | _ | _ |
| Randolph | 8 | <0.1% | _ | _ | 4 | <0.1% | _ | _ |
| Richland | _ | _ | _ | | _ | _ | 5 | |
| Rock Island | 11 | <0.1% | 8 | <0.1% | 7 | <0.1% | 6 | <0.1% |
| Saline | _ | _ | 4 | <0.1% | _ | _ | 8 | <0.1% |
| Sangamon | 9 | <0.1% | _ | | 18 | <0.1% | _ | _ |
| St. Clair | | _ | _ | _ | 27 | <0.1% | _ | _ |
| Stark | | _ | 7 | <0.1% | _ | - | _ | _ |
| Stephenson | 8 | <0.1% | _ | _ | 18 | <0.1% | 30 | <0.1% |
| Tazewell | 13 | <0.1% | 14 | <0.1% | _ | - | _ | _ |
| Union | | _ | _ | _ | 10 | <0.1% | 3 | <0.1% |
| Warren | | _ | _ | _ | 2 | <0.1% | _ | _ |
| Whiteside | | _ | 3 | <0.1% | 6 | <0.1% | _ | _ |
| Will | 343 | 0.3% | 161 | 0.2% | 158 | 0.2% | 50 | 0.1% |
| Winnebago | 616 | 0.5% | 376 | 0.4% | 1,815 | 1.9% | 603 | 0.9% |
| Woodford | _ | _ | _ | _ | _ | _ | 2 | <0.1% |
| Wisconsin | 1,202 | 0.9% | 698 | 0.7% | 5,722 | 5.9% | 3,430 | 5.3% |
| Other | 633 | 0.5% | 671 | 0.7% | 397 | 0.4% | 165 | 0.3% |
| TOTAL | 133,257 | | 93,876 | | | 100.0% | | 100.0% |

Source: U.S. Census Bureau, Population Division, decennial Census 2000 and 1990, County-To-County Worker Flow Files.

Chapter 7: Income & Poverty

| | | Tables & Figures |
|---|---|-------------------------|
| • | In 2005-2009, the median household income in McHenry County was \$77,314, which was an increase of 19.3% from 1999 and 49.1% from 1989. The median household income in McHenry County in 2005-2009 was substantially higher than Illinois and the U.S. at \$55,222 and \$51,425, respectively. | Table 7.1 |
| • | The median household income for 2005-2009 in McHenry County was highest among 45-64 year olds at \$86,231, which was more than double the household income for those under 25 years old at \$41,471. | Table 7.2 |
| • | The median household income for 2005-2009 in McHenry County was highest among Asians at \$86,125 and lowest among Hispanics at \$58,910. | Table 7.2 |
| • | The median family income in 2005-2009 was \$87,260, which was substantially higher than Illinois and the U.S. at \$67,660 and \$62,363, respectively. Among families with children, married-couples had a substantially higher median family income at \$97,797 compared to single female parents with a median income that was one-third that of married-couples at \$33,504. | Table 7.3 |
| • | McHenry County had a higher per capita income at \$31,766, than Illinois at \$28,469, and the U.S. at \$27,041. | Table 7.3 |
| • | In 2005-2009, households earning \$50,000-\$74,999, \$75,000-\$99,999 and \$100,000-\$149,999 in McHenry County each accounted for approximately 20% of all households. Approximately, 21.0% of family incomes were \$100,000 to \$149,999. Nonfamily incomes tended to be lower than family and household incomes, such that 27.8% of nonfamily incomes were between \$15,000 and \$34,999 and 37.5% were between \$35,000 and \$74,999. | Table 7.4 Figure 7.1 |
| • | The per capita income for McHenry County in 2008 was \$38,956, up approximately 1% from 2007. The per capita income for McHenry County increased every year since 1985. The per capita income in 2008 in McHenry County was 3% less than the U.S. at \$40,166. | Table 7.5 Figure 7.2 |
| • | In 2005-2009, 17,334 (5.6%) people and 5,180 (7.3%) of children lived in poverty in McHenry County. Compared to 1999 and 1989, there were more people and a higher poverty rate for all people and for children in 2005-2009 in McHenry County. Compared to Illinois and the U.S., the poverty rate among all people and among children was substantially lower in McHenry County. | Table 7.6 |

| • | Among people 65 years and older, 4.5% lived in poverty in McHenry County during 2005-2009. | Table 7.7 |
|---|--|--------------------------|
| • | Among families in 2005-2009, 4.2% lived in poverty in McHenry County. Among families with children under 18 years old, 6.3% lived in poverty and among families with children under 5 years old, 7.6% lived in poverty in McHenry County. | Table 7.7 |
| • | Among female-headed families without a husband present in 2005-2009, 21.2% lived in poverty, which was lower than the State and the U.S. Among female-headed families in McHenry County with children under 5 years old, 55.3% lived in poverty, which was higher than Illinois and the U.S. rates for female-headed families with children under 5 years old. | Table 7.7 |
| • | In McHenry County during 2005-2009, 84.6% of families lived at or above 200% of the poverty level, which was substantially higher than Illinois at 71.4% and the U.S. at 68.6%. In McHenry County, 7.7% of the population lived at or below 125% of the poverty level compared to 15.3% in the State. | Table 7.8 |
| • | The percent of students eligible for free or reduced lunch in 2010 was 20.4%. The percent of students eligible for free or reduced lunches increased for the previous five years. More than twice as many students statewide (51.5%) were eligible for free or reduced lunches as McHenry County student s in 2010. | Table 7.9 Figure 7.3 |
| • | In 2009, 25,623 (8.0%) people received Medicaid in McHenry County. The percent of the population receiving Medicaid has increased every year since 1998 in the County. | Table 7.10 Figure 7.4 |

Table 7.1: McHenry County, Illinois & U.S. Median Household Income: 1989, 1999 and 2005-2009

| Year | McHenry County | Illinois | U.S. | | | | | | |
|-----------|-----------------------|-----------|-----------|--|--|--|--|--|--|
| 2005-2009 | \$77,314 | \$55,222 | \$51,425 | | | | | | |
| 1999 | \$64,826 | \$46,590 | \$41,994 | | | | | | |
| 1989 | \$43,471 | \$32,252 | \$30,056 | | | | | | |
| Ch | Change 1999-2005-2009 | | | | | | | | |
| Amount | +\$12,488 | +\$8,632 | +\$9,431 | | | | | | |
| Percent | +19.26% | +18.53% | +22.46% | | | | | | |
| | Change 1989-1999 | | | | | | | | |
| Amount | +\$21,355 | +\$14,338 | +\$11,938 | | | | | | |
| Percent | +49.12% | +44.46% | +39.72% | | | | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5 Year Estimates and decennial Census for 1999 and 1989.

Table 7.2: McHenry County

Median Household Income by Age and Race/Ethnicity: 2005-2009

| Age of Householder | Median Household Income | Race/Ethnicity of Householder | Median Household Income |
|-----------------------|-------------------------------|-------------------------------|-------------------------------|
| Under 25 years | *\$41,471 | White, Non-Hispanic | \$78,346 |
| 25-44 years | \$82,083 | Black, Non-Hispanic | *\$84,632 |
| 45-64 years | \$86,231 | Asian | \$86,125 |
| 65 year & older | \$42,835 | Hispanic | \$58,910 |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 7.3: McHenry County, Illinois & U.S. Median Income by Household Type: 2005-2009

| Household Type | McHenry County | Illinois | U.S. | | | | | | |
|--|----------------|----------|----------|--|--|--|--|--|--|
| Household median | \$77,314 | \$55,222 | \$51,425 | | | | | | |
| Family median | \$87,260 | \$67,660 | \$62,363 | | | | | | |
| Married-couple with children <18 years | \$97,797 | \$79,702 | \$73,757 | | | | | | |
| Single female parent with children <18 years | \$33,504 | \$25,239 | \$24,244 | | | | | | |
| Nonfamily median | \$43,009 | \$33,076 | \$31,051 | | | | | | |
| Per capita | \$31,766 | \$28,469 | \$27,041 | | | | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 7.4: McHenry County Number and Percent of Household, Family and NonFamily Income by


Detailed Category: 2005-2009

| | Household | | Fan | nily | NonFamily | | |
|------------------------|-----------|---------|----------|---------|-----------|---------|--|
| Income Category | Number | Percent | Number | Percent | Number | Percent | |
| Total | 106,951 | 100.0% | 80,905 | 100.0% | 26,046 | 100.0% | |
| Less than \$10,000 | 3,330 | 3.1% | *1,625 | 2.0% | 1,967 | 7.6% | |
| \$10,000 to \$14,999 | 2,382 | 2.2% | *1,176 | 1.5% | 1,538 | 5.9% | |
| \$15,000 to \$24,999 | 6,459 | 6.0% | 2,750 | 3.4% | 3,845 | 14.8% | |
| \$25,000 to \$34,999 | 7,542 | 7.1% | 4,175 | 5.2% | 3,378 | 13.0% | |
| \$35,000 to \$49,999 | 11,793 | 11.0% | 7,353 | 9.1% | 4,685 | 18.0% | |
| \$50,000 to \$74,999 | 19,953 | 18.7% | 14,788 | 18.3% | 5,142 | 19.7% | |
| \$75,000 to \$99,999 | 19,654 | 18.4% | 16,397 | 20.3% | 2,956 | 11.3% | |
| \$100,000 to \$149,999 | 22,480 | 21.0% | 20,166 | 24.9% | 1,800 | 6.9% | |
| \$150,000 to \$199,999 | 7,475 | 7.0% | 6,995 | 8.6% | *346 | 1.3% | |
| \$200,000 or more | 5,883 | 5.5% | 5,480 | 6.8% | *389 | 1.5% | |
| Median | \$77,314 | _ | \$87,260 | _ | \$43,009 | _ | |

^{*}Large margins of error for estimates and thus need to be used with caution.

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Figure 7.1: McHenry County Percent of Household, Family and NonFamily Incomes: 2005-2009



Source: U.S. Census Bureau, 2005 - 2009 American Community Survey 5-Year Estimates.


Table 7.5: McHenry County, Illinois & U.S. Per Capita Personal Income¹: 1980-2008

| | Year Amount Percent Change from Previous Year | | | | McHenry County |
|------|---|---------|----------|----------|-------------------------|
| Year | | | Illinois | U.S. | PCPI as percent of U.S. |
| 2008 | \$38,956 | +0.92% | \$42,540 | \$40,166 | 97% |
| 2007 | \$38,601 | +1.36% | \$41,720 | \$38,615 | 100% |
| 2006 | \$38,083 | +5.31% | \$39,678 | \$36,794 | 104% |
| 2005 | \$36,163 | +3.68% | \$36,264 | \$34,471 | 105% |
| 2004 | \$34,881 | +3.69% | \$34,794 | \$33,090 | 105% |
| 2003 | \$33,641 | +1.09% | \$32,965 | \$31,472 | 107% |
| 2002 | \$33,277 | -0.36% | \$32,510 | \$30,804 | 108% |
| 2001 | \$33,396 | +0.09% | \$32,532 | \$30,575 | 109% |
| 2000 | \$33,365 | +8.43% | \$32,185 | \$29,845 | 112% |
| 1999 | \$30,772 | +4.87% | \$31,138 | \$28,546 | 108% |
| 1998 | \$29,343 | +3.08% | \$30,006 | \$27,321 | 107% |
| 1997 | \$28,465 | +5.28% | \$28,356 | \$25,874 | 110% |
| 1996 | \$27,037 | +4.08% | \$27,005 | \$24,651 | 110% |
| 1995 | \$25,978 | +18.15% | \$25,643 | \$23,562 | 110% |
| 1990 | \$21,988 | +28.84% | \$20,756 | \$19,584 | 112% |
| 1985 | \$17,066 | +48.70% | \$15,508 | \$14,705 | 116% |
| 1980 | \$11,477 | _ | \$11,077 | \$10,183 | 113% |

¹Per capita personal income (PCPI) includes earnings and other income sources, such as dividends, interest, and rent and government payments, including Social Security, disability, Medicare, Medicaid, unemployment and veterans benefits.

Source: U.S. Department of Commerce, Bureau of Economic Analysis.

Figure 7.2: McHenry County, Illinois & U.S. Per Capital Personal Income: 1980-2008



^{*}Per capita personal income includes earnings and other income sources, such as dividends, rent, and government payments, which includes Social Security, disability, Medicare, Medicaid, unemployment and veterans benefits.

Source: U.S. Department of Commerce, Bureau of Economic Analysis

Table 7.6: McHenry County, Illinois & U.S. Poverty for All Person and Children 0-17 Years Old: 1989, 1999 and 2005-2009

| | McHenry | County | Illinois | U.S. |
|---------------------|---------|---------|----------|---------|
| Year | Number | Percent | Percent | Percent |
| 2005-2009 | | | | |
| All people | 17,334 | 5.6% | 12.4% | 13.5% |
| Children 0-17 years | 5,180 | 7.3% | 17.2% | 18.6% |
| 1999 | | | | |
| All people | 9,446 | 3.7% | 10.7% | 12.4% |
| Children 0-17 years | 2,960 | 3.8% | 14.0% | 16.1% |
| 1989 | | | | |
| All people | 6,342 | 3.5% | 11.9% | 13.1% |
| Children 0-17 years | 2,070 | 3.9% | 16.8% | 17.6% |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates and decennial Census for 1999 and 1989.

Table 7.7: McHenry County, Illinois & U.S. Poverty for Selected Groups: 2005-2009

| | Percent Within Specified Group | | | | | | |
|--------------------------|--------------------------------|----------|-------|--|--|--|--|
| Group | McHenry County | Illinois | U.S. | | | | |
| All people | 5.6% | 12.4% | 13.5% | | | | |
| People 65 years & older | 4.5% | 8.9% | 9.8% | | | | |
| Families | 4.2% | 9.1% | 9.9% | | | | |
| With children 0-17 years | 6.3% | 14.1% | 15.3% | | | | |
| With children 0-4 years | 7.6% | 15.2% | 16.6% | | | | |
| Female-headed families | 21.2% | 28.1% | 28.7% | | | | |
| With children 0-17 years | 29.7% | 36.8% | 37.1% | | | | |
| With children 0-4 years | 55.3% | 45.0% | 45.6% | | | | |

Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 7.8: McHenry County, Illinois & U.S. Ratio of Income to Poverty Level: 2005-2009

| rtatio of information overty Eaven: 2000 2000 | | | | | | | | | | |
|---|---------|----------|----------|---------|--|--|--|--|--|--|
| | McHenry | / County | Illinois | U.S. | | | | | | |
| Ratio | Number | Percent | Percent | Percent | | | | | | |
| Total | 311,121 | 100.0% | 100.0% | 100.0% | | | | | | |
| Less than 0.50 | 8,127 | 2.6% | 5.6% | 5.8% | | | | | | |
| 0.50 to 0.99 | 9,207 | 3.0% | 6.8% | 7.6% | | | | | | |
| 1.00 to 1.24 | *6,448 | 2.1% | 3.9% | 4.4% | | | | | | |
| 1.25 to 1.49 | 7,842 | 2.5% | 4.0% | 4.5% | | | | | | |
| 1.50 to 1.84 | 9,983 | 3.2% | 5.8% | 6.3% | | | | | | |
| 1.85 to 1.99 | *6,388 | 2.1% | 2.5% | 2.7% | | | | | | |
| 2.00 or more | 263,126 | 84.6% | 71.4% | 68.6% | | | | | | |

^{*}Large margins of error for estimates and thus need to be used with caution.


Source: U.S. Census Bureau, 2005-2009 American Community Survey 5-Year Estimates.

Table 7.9: McHenry County & Illinois
Percent of Students Eligible for Free
and Reduced Lunch:
2004-2010

| Fiscal Year | McHenry County | Illinois |
|-------------|-------------------|----------|
| 2010 | 20.4% | 51.5% |
| 2009 | 16.6% | 49.6% |
| 2008 | 14.6% | 47.1% |
| 2007 | 13.8% | 46.9% |
| 2006 | 12.1% | 45.5% |
| 2005 | 12.4% | 45.2% |
| 2004 | 12.4% | 44.5% |

Source: Illinois State Board of Education, Free & Reduced Lunch Eligibility Data.

Figure 7.3: McHenry County & Illinois
Percent of Students Eligible for Free & Reduced Lunch: 2004-2010



Source: Illinois State Board of Education, Free & Reduced Lunch Eligibility Data.

Table 7.10: McHenry County Medicaid Recipients¹: 1990-2009


| Year | Person | Percent of Population |
|-----------|--------|-----------------------|
| Jul. 2009 | 25,623 | 8.0% |
| Jul. 2008 | 21,547 | 6.8% |
| Jul. 2007 | 18,297 | 5.8% |
| May 2006 | 15,756 | 5.1% |
| Aug. 2005 | 13,876 | 4.6% |
| Jan. 2004 | 11,827 | 4.0% |
| Jan. 2003 | 10,122 | 3.5% |
| Jul. 2002 | 9,008 | 3.2% |
| Jun. 2001 | 7,509 | 2.8% |
| Jul. 2000 | 6,293 | 2.4% |
| Jul. 1999 | 5,718 | 2.3% |
| Jul. 1998 | 4,971 | 2.1% |
| Jul. 1997 | 5,508 | 2.3% |
| Jul. 1996 | 5,418 | 2.4% |
| Jul. 1995 | 6,173 | 2.7% |
| Jun. 1994 | 6,090 | 2.8% |
| Jun. 1993 | 5,725 | 2.8% |
| Jun. 1992 | 5,329 | 2.7% |
| Jun. 1991 | 4,559 | 2.4% |
| Dec. 1990 | 4,054 | 2.2% |

¹Includes TANF, Family Health Plans and AABD.

Source: Illinois Department of Human Services, Bureau of Research and Analysis.

Figure 7.4: McHenry County Medicaid Recipients: 1990-2009

Persons Percent



Source: Illinois Department of Human Services, Bureau of Research and Analysis.

Chapter 8: Crime & Violence

| | onapter of ornine a violence | |
|---|--|---------------------------------------|
| • | Of the twenty-six police departments and the McHenry County Sheriff's Department reporting crimes in 2008, the Woodstock Police Department reported the highest crime rate at 3,553.7 crimes per 100,000 population, followed by Richmond Police Department at 2,868.3. The Fox Lake Police Department reported the lowest crime rate in 2008 at 0.0, followed by Barrington Hills Police Department with a crime rate of 413.8. | Tables & Figures Table 8.1 Figure 8.1 |
| • | From 2007 to 2008, the crime rate increased the most for the Richmond Police Department (286.0%) and the Bull Valley Police Department (283.1%) and decreased the most for the Port Barrington Police Department (-56.1%) and the Oakwood Hills Police Department (-41.1%). | Table 8.1 Figure 8.1 |
| • | For 2008, 74% of all arrests for index offenses were for theft and 14% were for burglary. Index offenses include murder, criminal sexual assault, robbery, aggravated assault and battery, burglary, theft, motor vehicle theft and arson. From 1999 to 2008, there was an 87% increase in robberies and a 24% increase in aggravated assaults, while there was a 49% decrease in the number of arsons. | Table 8.2 Figure 8.2 |
| • | In 2008, the crime rate for index offenses was 1,807.9 per 100,000 population, which was a decrease from the previous year for the second consecutive time. Overall, the crime rate decreased from 1999 to 2008. | Table 8.3 Figure 8.3 |
| • | Compared to 1999, the 2008 crime rate decreased for every offense except robbery, which increased by 46%. | Table 8.3 |
| • | The crime rate in McHenry County for 2008 was approximately half that of Illinois (3,550.7). | Table 8.3 |
| • | Arrests for drug paraphernalia was the most frequent drug-related offense arrest in 2008 with 539, followed by cannabis with 503 arrests. | Table 8.4 |
| • | From 1999 to 2008, the number of drug-related arrests increased for cannabis, controlled substances, hypodermic syringes/needles and drug paraphernalia. Hypodermic syringe/needles arrests increased by 7.25 fold from 1999 to 2008. | Table 8.4 Figure 8.4 |
| • | Since 2000-2001, the number of elder abuse reports increased from 92 to 160 in 2009-2010, a rise of 74%. | Table 8.5 |

 During 2009, there were 1,824 children that were reported as being abused at a rate of 21.2 reports per 1,000 children. Of those reports, 518 were substantiated at a rate of 6.0 per 1,000 children. The rates of reports and substantiated child abuse reports in McHenry County from 1999 to 2009 were consistently lower than the rates for Illinois. Table 8.6 Figure 8.5

Table 8.1: McHenry County Law Enforcement Agencies
Crime Index Offenses Rate¹: 2004- 2008


| | | | Percent | tate . 200- | 1 - 2000 | | Percent |
|-------------------------------|---------|---------|-----------|-------------|---------------------|---------|-----------|
| Law Enforcement | | | Change | | | | Change |
| Agency | 2008 | 2007 | 2007-2008 | 2006 | 2005 | 2004 | 2004-2008 |
| Police Department | | | | | | | |
| Algonquin ² | 1,832.7 | 2,241.0 | -18.2% | 1,970.6 | 2,039.4 | 2,190.2 | -16.3% |
| Barrington Hills ² | 413.8 | 613.5 | -32.6% | 1,181.4 | 773.6 | 498.2 | -16.9% |
| Bull Valley | 967.4 | 252.5 | +283.1% | 1,167.3 | 1,206.4 | 2,168.0 | -55.4% |
| Cary | 1,398.7 | 1,731.8 | -19.2% | 1,731.6 | 1,533.4 | 1,572.8 | -11.1% |
| Crystal Lake | 2,368.5 | 2,759.3 | -14.2% | 2,995.9 | 3,086.7 | 3,000.9 | -21.1% |
| Fox Lake ² | 0.0 | 0.0 | - | 0.0 | 224.2 | 0.0 | - |
| Fox River Grove ² | 1,805.1 | 2,358.2 | -23.5% | 1,738.2 | 1,880.6 | 2,053.8 | -12.1% |
| Harvard | 1,554.9 | 1,702.1 | -8.6% | 2,306.7 | 2,315.1 | 1,918.6 | -19.0% |
| Hebron | 1,898.7 | 1,910.3 | -0.6% | 2,804.6 | 801.4 | 2,092.8 | -9.3% |
| Holiday Hills | 1,295.3 | 1,104.3 | +17.3% | 1,353.0 | 980.4 | 973.2 | +33.1% |
| Huntley ² | 1,109.1 | 1,346.6 | -17.6% | 1,209.9 | 1,243.5 | 1,335.2 | -16.9% |
| Island Lake ² | 1,665.4 | 784.7 | +112.2% | 1,009.5 | 873.8 | 1,303.0 | +27.8% |
| Johnsburg | 1,639.8 | 1,509.1 | +8.7% | 1,545.3 | 1,703.2 | 1,965.7 | -16.6% |
| Lake In The Hills | 942.8 | 933.3 | +1.0% | 896.3 | 747.7 | 771.8 | +22.2% |
| Lakemoor ² | 1,075.9 | 1,068.6 | +0.7% | 1,324.9 | 1,314.5 | 1,784.0 | -39.7% |
| Lakewood | 817.9 | 966.1 | -15.3% | 371.2 | 693.0 | 625.8 | +30.7% |
| Marengo | 2,109.9 | 1,706.9 | +23.6% | 1,490.3 | 1,731.5 | 2,434.1 | -13.3% |
| McCullom Lake | 1,746.3 | 931.1 | +87.6% | 1,253.6 | 487.3 | 778.2 | +124.4% |
| McHenry | 2,350.3 | 2,403.0 | -2.2% | 2,562.0 | 2,358.6 | 2,543.4 | -7.6% |
| Oakwood Hills | 421.8 | 715.8 | -41.1% | 1,192.5 | 1,551.1 | 1,308.9 | -67.8% |
| Port Barrington ² | 691.7 | 1,576.4 | -56.1% | 824.7 | 1,910.8 | 3,737.3 | -81.5% |
| Prairie Grove | 1,124.7 | 796.2 | +41.3% | 1,764.1 | 490.5 | 1,088.4 | +3.3% |
| Richmond | 2,868.3 | 743.0 | +286.0% | 1,986.5 | 3,655.2 | 2,855.1 | +0.5% |
| Spring Grove | 1,142.2 | 1,281.4 | -10.9% | 1,131.4 | 1,396.3 | 954.4 | +19.7% |
| Wonder Lake | 2,394.4 | 3,590.3 | -33.3% | 4,107.6 | 2,207.5 | 4,000.0 | -40.1% |
| Woodstock | 3,553.7 | 3,556.2 | -0.1% | 3,647.9 | 3,864.4 | 3,578.5 | -0.7% |
| Sheriff's Department | 1,540.1 | 1,473.2 | +4.5% | 1,538.8 | 1,466.9 | 1,612.6 | -4.5% |

Index Offenses include murder and manslaughter, criminal sexual assault, robbery, aggravated assault (including attempted murder, aggravated battery, and ritual mutilation), burglary, larceny/theft, motor vehicle theft, and arson.

¹Rate per 100,000 population.

²Multi-county law enforcement agency.

Figure 8.1: Select McHenry County Law Enforcement Agencies
Crime Index Offense Rates: 2008



Index Offenses include murder and manslaughter, criminal sexual assault, robbery, aggravated assault (including attempted murder, aggravated nattery, and ritual mutilation), burglary, larceny/theft, motor vehicle theft, and arson.

Source: Illinois State Police, Illinois Uniform Crime Reporting Program.

Table 8.2: McHenry County Number of Index Offenses: 1999-2008

| Trumbol of mask officiacs. 1000 2000 | | | | | | | | | | |
|--------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Offense | 2008 | 2007 | 2006 | 2005 | 2004 | 2003 | 2002 | 2001 | 2000 | 1999 |
| Total | 5,712 | 5,893 | 5,940 | 5,714 | 5,750 | 6,008 | 5,896 | 5,950 | 5,571 | 5,514 |
| Murder | 2 | 0 | 0 | 2 | 5 | 1 | 3 | 3 | 1 | 2 |
| Sexual assault | 84 | 86 | 76 | 70 | 79 | 92 | 70 | 75 | 78 | 70 |
| Robbery | 43 | 43 | 36 | 35 | 27 | 29 | 29 | 23 | 34 | 23 |
| Aggravated assault | 358 | 409 | 286 | 278 | 307 | 331 | 303 | 324 | 262 | 289 |
| Burglary | 823 | 851 | 825 | 665 | 638 | 701 | 799 | 672 | 605 | 729 |
| Theft | 4,229 | 4,328 | 4,549 | 4,474 | 4,532 | 4,658 | 4,519 | 4,677 | 4,385 | 4,196 |
| Motor Vehicle Theft | 155 | 151 | 147 | 159 | 137 | 159 | 128 | 149 | 173 | 170 |
| Arson | 18 | 25 | 21 | 31 | 25 | 37 | 45 | 27 | 33 | 35 |


^{*}Multi-county law enforcement agency.

Table 8.3: McHenry County Crime Rate¹ by Offense: 1999-2008

| Official | 2000 | 2007 | 2000 | 2005 | 2004 | 2002 | 2002 | 2004 | 2000 | 4000 | Illinois 2008 |
|---------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------------------|
| Offense | 2008 | 2007 | 2006 | 2005 | 2004 | 2003 | 2002 | 2001 | 2000 | 1999 | Rate ¹ |
| Total | 1,807.9 | 1,886.5 | 1,954.0 | 1,927.9 | 2,009.9 | 2,164.8 | 2,267.0 | 2,287.8 | 2,142.1 | 2,234.1 | 3,550.7 |
| Percent Rate Change | -4.2% | -3.5% | +1.4% | -4.1% | -7.2% | -4.5% | -0.9% | +6.8% | -4.1% | +11.1% | -0.3% |
| Murder | 0.6 | 0.0 | 0.0 | 0.7 | 1.7 | 0.4 | 1.2 | 1.2 | 0.4 | 0.8 | 6.1 |
| Sexual Assault | 26.6 | 27.5 | 25.0 | 23.6 | 27.6 | 33.1 | 26.9 | 28.8 | 30.0 | 28.4 | 43.7 |
| Robbery | 13.6 | 13.8 | 11.8 | 11.8 | 9.4 | 10.4 | 11.2 | 8.8 | 13.1 | 9.3 | 187.3 |
| Aggravated assault | 113.3 | 130.9 | 94.1 | 93.8 | 107.3 | 119.3 | 116.5 | 124.6 | 100.7 | 117.1 | 303.1 |
| Burglary | 260.5 | 272.4 | 271.4 | 224.0 | 223.0 | 252.6 | 307.2 | 258.4 | 232.6 | 295.4 | 614.4 |
| Theft | 1,338.5 | 1,385.5 | 1,496.4 | 1,509.5 | 1,584.1 | 1,678.4 | 1,737.6 | 1,798.3 | 1,686.0 | 1,700.1 | 2,123.4 |
| Motor vehicle theft | 49.1 | 48.3 | 48.4 | 53.6 | 47.9 | 57.3 | 49.2 | 57.3 | 66.5 | 68.9 | 256.5 |
| Arson | 5.7 | 8.0 | 6.9 | 10.5 | 8.7 | 13.3 | 17.3 | 10.4 | 12.7 | 14.2 | 16.4 |


¹Rate per 100,000 population. Crime Index Crimes: Murder and Manslaughter; Criminal Sexual Assault; Robbery; Aggravated Assault (including Attempted Murder, Aggravated Battery, Ritual mutilation); burglary; Larceny/Theft; Motor Vehicle Theft; Arson.

Figure 8.2: McHenry County
Distribution of Index Offenses: 2008



Source: Illinois State Police, Illinois Uniform Crime Reporting Program.

Figure 8.3: McHenry County Index Crimes¹ & Index Crime Rate: 1999-2008



¹Crime Index Crimes: Murder and Manslaughter; Criminal Sexual Assault; Robbery; Aggravated Assault (including Attempted Murder, Aggravated Battery, Ritual mutilation); burglary; Larceny/Theft; Motor Vehicle Theft; Arson.

Table 8.4: McHenry County Drug Offense Arrests: 1999-2008

| | Total I Arre | Drug | Canna | | Contro Substa | olled | Hypodermic Syringes/Needles | | Drug Paraphernalia | |
|---------------------------------|-----------------|-------------------|--------|-------------------|------------------|-------------------|--------------------------------|-------------------|-----------------------|-------------------|
| Year | Number | Rate ¹ | Number | Rate ¹ | Number | Rate ¹ | Number | Rate ¹ | Number | Rate ¹ |
| 2008 | 1,275 | 403.6 | 503 | 159.2 | 200 | 63.3 | 33 | 10.4 | 539 | 170.6 |
| 2007 | 1,252 | 400.8 | 521 | 166.8 | 232 | 74.3 | 26 | 8.3 | 473 | 151.4 |
| 2006 | 1,363 | 448.4 | 507 | 166.8 | 316 | 104.0 | 25 | 8.2 | 515 | 169.4 |
| 2005 | 1,518 | 512.2 | 573 | 193.3 | 393 | 132.6 | 18 | 6.1 | 534 | 180.2 |
| 2004 | 1,149 | 401.6 | 470 | 164.3 | 233 | 81.4 | 13 | 4.5 | 433 | 151.4 |
| 2003 | 1,166 | 420.1 | 470 | 169.4 | 229 | 82.5 | 9 | 3.2 | 458 | 165.0 |
| 2002 | 987 | 379.5 | 409 | 157.3 | 170 | 65.4 | 9 | 3.5 | 399 | 153.4 |
| 2001 | 967 | 371.8 | 417 | 160.3 | 161 | 61.9 | 8 | 3.1 | 381 | 146.5 |
| 2000 | 843 | 324.1 | 355 | 136.5 | 161 | 61.9 | 6 | 2.3 | 321 | 123.4 |
| 1999 | 903 | 365.9 | 422 | 171.0 | 130 | 52.7 | 4 | 1.6 | 347 | 140.6 |
| Percent Change 1999-2008 | +41.2% | _ | +19.2% | _ | +53.8% | _ | +725.0% | _ | +55.3% | - |
| Illinois Rate ¹ 2008 | 769 | .6 | 394 | .7 | 252 | .8 | 4.3 | } | 117.7 | |

Rate per 100,000 population.

Source: Illinois State Police, Illinois Uniform Crime Reporting Program.

Figure 8.4: McHenry County Drug Offense Crime Rates: 1999-2008




Table 8.5: McHenry County
Reports of Elder Abuse, Neglect &
Exploitation: 2000-2010

| Fiscal Year ¹ | Number | Percent Change From Prior Year |
|--------------------------|--------|--------------------------------------|
| 2009-2010 | 160 | +14.3% |
| 2008-2009 | 140 | -19.1% |
| 2007-2008 | 173 | +13.8% |
| 2006-2007 | 152 | +23.6% |
| 2005-2006 | 123 | +9.8% |
| 2004-2005 | 112 | +1.8% |
| 2003-2004 | 110 | +46.7% |
| 2002-2003 | 75 | -29.2% |
| 2001-2002 | 106 | +15.2% |
| 2000-2001 | 92 | _ |

¹Fiscal year is July-June

Source: Senior Protective Services, Senior

Services Associates, Inc.

Table 8.6: McHenry County & Illinois

Number and Rate of Child Abuse/Neglect Reported and Indicated Cases: 1999-2009


| | | Reporte | ed | | | | | |
|-------------|--------|--------------------|-------------------|-------------------------------|----------------|--------------------|-------------------|-------------------------------|
| | МсНе | nry County | 7 | | McHenry County | | | |
| Fiscal Year | Number | Unique Children | Rate ¹ | Illinois Rate ¹ | Number | Unique Children | Rate ² | Illinois Rate ² |
| 2009 | 2,017 | 1,824 | 21.2 | 30.8 | 553 | 518 | 6.0 | 8.7 |
| 2008 | 2,280 | 1,984 | 22.9 | 30.8 | 713 | 652 | 7.5 | 8.8 |
| 2007 | 2,114 | 1,881 | 21.6 | 30.6 | 603 | 573 | 6.6 | 8.3 |
| 2006 | 2,101 | 1,853 | 21.3 | 30.2 | 673 | 620 | 7.1 | 7.7 |
| 2005 | 1,887 | 1,659 | 19.2 | 30.3 | 560 | 506 | 5.9 | 7.9 |
| 2004 | 1,832 | 1,649 | 19.4 | 28.3 | 514 | 485 | 5.7 | 7.9 |
| 2003 | 1,608 | 1,431 | 17.1 | 26.4 | 505 | 474 | 5.6 | 7.9 |
| 2002 | 1,511 | 1,309 | 15.9 | 26.2 | 358 | 327 | 4.0 | 7.7 |
| 2001 | 1,611 | 1,416 | 17.6 | 26.4 | 436 | 403 | 5.0 | 8.0 |
| 2000 | 1,629 | 1,389 | 17.7 | 27.1 | 545 | 498 | 6.3 | 9.0 |
| 1999 | 1,631 | 1,357 | 18.9 | 28.1 | 665 | 603 | 8.4 | 9.5 |

¹Number of abuse/neglect reports of unique children per 1,000 children aged 0-17 in county/state, based on U.S. Census Bureau, Population Division, 1999 and 2001-2009 Census estimates and decennial Census for 2000.

Source: Illinois Department of Children & Family Services, Child Abuse and Neglect Statistics Annual Reports.

²Indicated cases of abuse/neglect of unique children per 1,000 children aged 0-17 in county/state, based on U.S. Census Bureau, Population Division, 1999 and 2001-2009 Census estimates and decennial Census for 2000.

Figure 8.5: McHenry County & Illinois
Rate of Reported and Indicated Child Abuse/Neglect Cases: 1999-2009



Source: Illinois Department of Children & Family Services, Child Abuse and Neglect Statistics Annual Reports and population denominators from U.S. Census Bureau, Population Division,1999 and 2001 - 2009 Census estimates and decennial Census for 2000.

Chapter 9: Natality

| | Chapter 9. Natality | |
|---|--|---------------------------------------|
| • | In 2008, there were 3,816 births to McHenry County mothers at a rate of 12.0 births per 1,000 population. This was the lowest number of births since 1994 and lowest birth rate in over 25 years. McHenry County had a lower birth rate in 2008 compared to Illinois and the U.S | Tables & Figures Table 9.1 Figure 9.1 |
| • | Among cities with populations over 5,000, Crystal Lake had the most births in 2008 followed closely by McHenry with 558 and 541, respectively. All selected cities saw a decrease in the number of births from 2004 to 2008, except Johnsburg and McHenry, despite overall population growth. | Table 9.2 |
| • | The County's fertility rate in 2008 decreased by 13% from 2000 and was lower than Illinois and the U.S. Since 1990, the fertility rate decreased by 79%. | Table 9.3 |
| • | Since 1980, over 90% of births to McHenry County mothers were White. The percent of White (of any ethnicity) births has decreased from 99.3% in 1980 to 93.0% in 2008, while the percent of non-White births increased from less than 1% to 7% in 2008. The percent of Hispanic (of any race) births has increased from 2.7% in 1980 to 19.7% in 2008 – a more than 6-fold increase. | Table 9.4 Figure 9.2 |
| • | When combining race and ethnicity, 74% of births were non-Hispanic Whites, 2% were non-Hispanic Blacks, 4% were non-Hispanic Asian and 20% were Hispanic of any race in 2008. | Table 9.5 |
| • | In 2008, women aged 30-34 years gave birth to the most children compared to other 5-year age groups; however, the highest fertility rates were among 25-29 year olds. This rate decreased by 6% since 2000 from 144.0 to 135.5 births per 1,000 females aged 25-29 years old. The lowest birth rates in 2008 were among those 10-14 years old and those 45-54 years old. Compared to the U.S., the fertility rates for females 15-19 years and 20-24 years were substantially lower in McHenry County while rates for groups 25 to 39 years old were substantially higher in McHenry County compared to the U.S. | Table 9.6 Figure 9.3 |
| • | Among racial/ethnic groups, the highest fertility rates were among non-Hispanic Blacks aged 25-29 years old, followed by non-Hispanic Asians aged 30-34 years old. The lowest fertility rates for groups withe more than five births was among non-Hispanic Whites aged 40-54 years old, followed by non-Hispanic Asians aged 40-54 years old. | Table 9.7 Figure 9.4 |

| • | The lowest fertility rates for all races were in the very young and the older (10-14 years and 40-54 years). The highest fertility rates were among 25-29 year olds for non-Hispanic Black, other non-Hispanic races and Hispanics and 30-34 year olds for non-Hispanic Whites and non-Hispanic Asians. | Table 9.7 Figure 9.4 |
|---|--|--------------------------|
| • | The median age of mothers in McHenry County of 30 years was older than Illinois and the U.S. by 2 years. Also in McHenry County, approximately 30% of births were to mothers 30-34 years old, which was the largest 5-year age group of mothers in 2008. The largest 5-year age group of mothers for Illinois and the U.S. was 25-29 year olds in 2008. | Table 9.8 |
| • | Since 1980, there has been a shift in the age of mothers. In 1980, 29.4% of mothers were 20-24 years old, 36.3% of mothers were 25-29 years old and 20% were 30-34 years old. In 2008, only 15.2% of mothers were 20-24 years old, 28.9% were 25-29 years old and 30.4% were 30-34 years old. This represents a decrease of 48% among 20-24 year old mothers, 20% decrease among 25-29 year old mothers and a 52% increase in the percent of mothers aged 30-34 years old. | Table 9.9 Figure 9.5 |
| • | The number of teen mothers peaked in 2000 with 240 births. The percent of births to teens has remained relatively constant between 5 and 6% from 1990 to 2008. Prior to 1985, the rate was higher. The percent of births to teens in Illinois and U.S. for every year between 1980 and 2008 has been approximately double the percent of McHenry County. | Table 9.10 Figure 9.6 |
| • | Of the 1,120 births to teen mothers between 2004 and 2008, just less than half (48.3%) were to non-Hispanic Whites and just less than half were to Hispanics (47.8%). | Table 9.11 |
| • | During 2008, the city of Harvard had the highest percent of births to teen mothers at 6.2% of all births, followed by Marengo at 2.9%. | Table 9.12 |
| • | The number and percent of births to unmarried mothers in McHenry County, Illinois and the U.S. has steadily increased from 1980 to 2008. The percent of births to unmarried mothers in 2008 is almost four-fold the 1980 figure of 5.6%. In 2008, 26.8% of births were to unmarried mothers in McHenry County, which was substantially less than Illinois and the U.S. at 40.7% and 40.6%, respectively. | Table 9.13 Figure 9.7 |
| • | Of the 4,866 unmarried women who gave birth between 2004 and 2008, just over half (51.9%) were non-Hispanic Whites and just under half (43.5%) were Hispanic. | Table 9.14 Figure 9.8 |
| • | Since 1980, the number and percent of low birthweight births (<2,500 grams or 5lbs 8oz) steadily increased from 5.1% in 1980 to 7.8% in 2008 – a increase of 53%. Compared to Illinois and the U.S., McHenry County had a lower low birthweight percentage for every year from 1980 to 2008. | Table 9.15 Figure 9.9 |

| • | Among select communities in 2008, Fox River Grove had the highest percent of low birthweight births, followed by Algonquin, Cary and Harvard with 12%, 11%, 10% and 10%, respectively. Marengo, Island Lake and Johnsburg had the lowest percent of low birthweight babies – each under 3%. | Table 9.16 |
|---|---|---------------------------|
| • | The number of births to women who received first trimester prenatal care peaked in 2004 at 4,364; however, the percent of births that received first trimester prenatal care peaked in 1998 at 89.6% and declined to 82.5% in 2008. From 2004 to 2008, a steady decline took place in the percent of McHenry County women receiving first trimester prenatal care. | Table 9.17 Figure 9.10 |
| • | Of the 3,147 births receiving first trimester prenatal care in 2008, Whites (of any ethnicity) had the highest rate at 88.4% followed by Blacks (of any ethnicity) and Hispanics. Compared to Illinois in 2008, the percent of Hispanics receiving early prenatal care was approximately 11% lower in McHenry County. | Table 9.18 Figure 9.11 |
| • | Among select communities in 2008, Fox River Grove had the highest percentage of mothers who received first trimester prenatal care at 92%, while Harvard had the lowest percent of mothers who received first trimester prenatal care at 62%. | Table 9.19 |
| • | According to the Kessner Index, 77.4% of births receive adequate prenatal care; above the State value of 74.7% and a smaller percentage receive inadequate prenatal care compared to Illinois. According to the Kotelchuck Index, 79.9% of births received adequate or "adequate plus" ratings in 2006 which was comparable to Illinois and a smaller percent of births received inadequate prenatal care compared to Illinois. | Table 9.20 |
| • | According to the Kessner Index, the percent of births receiving adequate prenatal care steadily decreased from 1995 to 2006, and the percent receiving inadequate care steadily increased during the same time period. Compared to Illinois, McHenry County generally had a higher percent of births receiving adequate prenatal care and a lower percent receiving inadequate care. | Table 9.21 |
| • | Measures of adequacy of prental care using the Kessner index varied by race/ethnic groups. From 2004 to 2008, Hispanics had the lowest percentage of births receiving prenatal care according to the Kessner Index; however, they had a much higher percent receiving intermediate care. Blacks had the highest percent of births receiving inadequate care, which was 86% greater than Whites receiving inadequate care. | Table 9.22 |
| • | According to the Kotelchuck Index for prenatal care, the percent of births that received "adequate plus" care peaked in 2002 at 39.3%, while the percent receiving adequate care decreased overall from 1990 to 2006. In general, | Table 9.23 |

the percent who received inadequate care in McHenry County remained

relatively steady and was consistently lower than the State's inadequate care percent.

 The percent of mothers who smoked tobacco during pregnancy has steadily declined since 1990 from 16.9% to 6.7% – a decrease of 40% and has been consistently lower than the percent for Illinois. The number of births to mothers who drank alcohol during pregnancy has been under 1% since 1995. Table 9.24

• The number of abortions to McHenry County females increased 39% since 1995. In 2008, there were 562 abortions with a rate of 147.3 terminations per 1,000 live births. The abortion rate gradually increased for McHenry County, while the rate gradually decreased for Illinois; however the abortion rate for Illinois was on average 96% greater than the rate for McHenry County from 1995 to 2008. Table 9.25 Figure 9.12

• In 2008, 35.4% of all births were by Cesarean section, which was greater than the percent for Illinois at 30.9%.

Table 9.26

 In 2008, McHenry County had a smaller percentage of mothers without a high school diploma (or the equivalent) at 12.8% compared to 18.5% for Illinois. Table 9.26

• In 2008, 29.2% of McHenry County's births were born to new mothers compared to 40% in Illinois.

Table 9.26

 The infant death rate in McHenry County generally declined from 1980 to 2007 where the rates were 10.7 deaths per 1,000 live births and 5.1, respectively. However, the infant death rate increased from 2004 to 2007. Compared to Illinois and the U.S., McHenry County has had a lower infant death rate for every year from 1980 to 2007. Table 9.27 Figure 9.13

 The five-year average annual infant death rate generally decreased from 1985 to 2007 in McHenry County and was lower for every five year interval compared to Illinois and the U.S. Table 9.28

Table 9.1: McHenry County, Illinois & U.S. Births and Birth Rate: 1980-2008


| | McHenry | | Illinois | |
|------|---------|-------------------|-------------------|-------------------|
| Year | Number | Rate ¹ | Rate ¹ | Rate ¹ |
| 2008 | 3,816 | 12.0 | 13.8 | 14.0^{2} |
| 2007 | 4,113 | 13.1 | 14.1 | 14.3 |
| 2006 | 4,224 | 13.7 | 14.1 | 14.2 |
| 2005 | 4,229 | 14.0 | 14.0 | |
| 2004 | 4,364 | 14.7 | 14.2 | |
| 2003 | 4,141 | 14.4 | 14.4 | 14.1 |
| 2002 | 4,200 | 15.1 | 14.3 | 13.9 |
| 2001 | 4,125 | 15.3 | 14.7 | 14.1 |
| 2000 | 4,056 | 15.6 | 14.9 | 14.4 |
| 1999 | 4,016 | 15.7 | 15.0 | 14.5 |
| 1998 | 3,822 | 15.4 | 15.3 | 14.6 |
| 1997 | 3,836 | 16.2 | 15.2 | 14.4 |
| 1996 | 3,894 | 16.9 | 15.5 | 14.8 |
| 1995 | 3,824 | 17.0 | 15.7 | 14.8 |
| 1994 | 3,684 | 16.9 | 16.1 | 15.3 |
| 1993 | 3,453 | 16.6 | 16.6 | |
| 1992 | 3,385 | 16.9 | 16.7 | |
| 1991 | 3,246 | 16.9 | 16.8 | 16.3 |
| 1990 | 3,365 | 18.4 | 17.1 | 16.7 |
| 1989 | 3,041 | 16.6 | 16.3 | 16.4 |
| 1988 | 2,841 | 16.6 | 15.9 | 16.0 |
| 1987 | 2,716 | 16.2 | 15.3 | 15.7 |
| 1986 | 2,552 | 15.7 | 15.3 | 15.6 |
| 1985 | 2,512 | 15.8 | 15.7 | 15.8 |
| 1984 | 2,406 | 15.4 | 15.6 | |
| 1983 | 2,339 | 15.3 | 15.6 | |
| 1982 | 2,405 | 16.0 | 16.0 | |
| 1981 | 2,358 | 15.7 | 16.4 | |
| 1980 | 2,435 | 16.4 | 16.6 | 15.9 |

¹Births per 1,000 population

Source: Illinois Department of Public Health and National Center for Health Statistics.

²2008 U.S. birth rate is preliminary.

Figure 9.1: McHenry County, Illinois & U.S. Births and Birth Rate: 1980-2008



Source: Illinois Department of Public Health; National Center for Health Statistics.

Table 9.2: Select McHenry County Communities
Number of Births: 2004-2008

| | Number of Births. 2004-2000 | | | | | | | | |
|-------------------------------|-----------------------------|------|------|------|------|------------------------------|--|--|--|
| Community | 2008 | 2007 | 2006 | 2005 | 2004 | Percent Change 2004- 2008 | | | |
| Algonquin Village (pt.) | 291 | 262 | 262 | 316 | 334 | -12.9% | | | |
| Cary Village | 244 | 309 | 281 | 319 | 352 | -30.7% | | | |
| Crystal Lake City | 558 | 588 | 602 | 624 | 638 | -12.5% | | | |
| Fox River Grove Village (pt.) | 51 | 60 | 56 | 61 | 60 | -15.0% | | | |
| Harvard City | 226 | 276 | 260 | 246 | 257 | -12.1% | | | |
| Huntley Village (pt.) | 242 | 321 | 265 | 297 | 294 | -17.7% | | | |
| Island Lake Village (pt.) | 56 | 61 | 74 | 40 | 58 | -3.4% | | | |
| Johnsburg Village | 60 | 60 | 53 | 46 | 21 | +185.7% | | | |
| Lake In The Hills Village | 423 | 495 | 521 | 532 | 561 | -24.6% | | | |
| McHenry City | 541 | 486 | 517 | 560 | 511 | +5.9% | | | |
| Marengo City | 136 | 132 | 144 | 141 | 138 | -1.4% | | | |
| Spring Grove Village | 60 | 67 | 83 | 79 | 90 | -33.3% | | | |
| Woodstock City | 379 | 412 | 432 | 380 | 391 | -3.1% | | | |
| | • | | | | | U | | | |

⁽pt.) indicates that only part of the community is within McHenry County and only the portion of the community within McHenry County is described.

Source: Illinois Department of Public Health.

Table 9.3: McHenry County, Illinois & U.S. Fertility Rates: 1990, 2000 & 2008

| | N | AcHenry County | / | Illinois | 116 | | | | | |
|-------------------|--------|------------------------|-------------------|-------------------|------|--|--|--|--|--|
| Year | Births | Females 15-44 Years | Rate ¹ | Rate ¹ | | | | | | |
| 2008 ² | 3,816 | 62,616 | 60.9 | 66.6 | 68.7 | | | | | |
| 2000 | 4,056 | 58,052 | 69.9 | 67.4 | 65.9 | | | | | |
| 1990 | 3,365 | 43,586 | 77.2 | 72.9 | 70.9 | | | | | |
| | | | | | | | | | | |

¹Number of births per 1,000 females of childbearing ages, defined as 15-44 years.

Source: Illinois Department of Public Health and

National Center for Health Statistics.

²2008 U.S. birth rate is preliminary.


Table 9.4: McHenry County Births by Race & Ethnicity: 1980-2008

| | Birtilo by Rube & Etimoky: 1000 2000 | | | | | | | | |
|------|--------------------------------------|--------|---------|--------|-----------------|--------|---------|-----------------------|------------------|
| | | | | Ra | ce ¹ | | | Lliona | nio ² |
| | | Wh | ite | Bla | ıck | Other | | Hispanic ² | |
| Year | Total | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 2008 | 3,816 | 3,548 | 93.0% | 88 | 2.3% | 180 | 4.7% | 750 | 19.7% |
| 2000 | 4,056 | 3,939 | 97.1% | 21 | 0.5% | 96 | 2.4% | 648 | 16.0% |
| 1995 | 3,824 | 3,760 | 98.3% | 12 | 0.3% | 52 | 1.4% | 324 | 8.5% |
| 1990 | 3,365 | 3,341 | 99.3% | 2 | 0.1% | 22 | 0.7% | 183 | 5.4% |
| 1985 | 2,512 | 2,490 | 99.1% | 6 | 0.2% | 16 | 0.6% | 71 | 2.8% |
| 1980 | 2,435 | 2,419 | 99.3% | 6 | 0.2% | 10 | 0.4% | 65 | 2.7% |

¹Race may be of any ethnicity.

Source: Illinois Department of Public Health.

Figure 9.2: McHenry County
Percent of Births by Race and Ethnicity: 1980-2008



²Hispanic may be of any race.

Table 9.5: McHenry County Births by Race/Ethnicity¹: 2004-2008

| | Total | Wh | ite | Bla | nck | As | ian | Oth | ner | Hisp | anic |
|------|-------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|
| Year | | Number | Percent |
| 2008 | 3,816 | 2,805 | 73.5% | 87 | 2.3% | 161 | 4.2% | 13 | 0.3% | 750 | 19.7% |
| 2007 | 4,113 | 2,994 | 72.8% | 78 | 1.9% | 169 | 4.1% | 12 | 0.3% | 860 | 20.9% |
| 2006 | 4,224 | 3,137 | 74.3% | 60 | 1.4% | 191 | 4.5% | 8 | 0.2% | 828 | 19.6% |
| 2005 | 4,229 | 3,119 | 73.8% | 62 | 1.5% | 181 | 4.3% | 9 | 0.2% | 858 | 20.3% |
| 2004 | 4,364 | 3,315 | 76.0% | 65 | 1.5% | 187 | 4.3% | 9 | 0.2% | 788 | 18.1% |

¹Except for Hispanic, all races are non-Hispanic. Hispanic may be of any race.

Source: Illinois Department of Public Health.

Table 9.6: McHenry County & Illinois Age-Specific Fertility: 2000 & 2008


| Age opeome retuinty. 2000 & 2000 | | | | | | |
|----------------------------------|---------|-------------------|-------------------|---------|-------------------|-------------------|
| | 2008 | | | | 2000 | |
| | McHenry | County | Illinois | McHenry | County | Illinois |
| Age Group | Births | Rate ¹ | Rate ¹ | Births | Rate ¹ | Rate ¹ |
| Total | 3,816 | 28.1 | 31.2 | 4,056 | 37.5 | 33.9 |
| 10-14 years | 1 | 0.1 | 0.6 | 2 | 0.2 | 0.9 |
| 15-17 years | 62 | 9.2 | 21.0 | 66 | 12.8 | 27.6 |
| 18-19 years | 128 | 28.4 | 65.3 | 172 | 50.0 | 78.5 |
| 20-24 years | 579 | 68.0 | 86.4 | 574 | 98.9 | 103.5 |
| 25-29 years | 1,104 | 135.5 | 108.9 | 1,104 | 144.0 | 112.6 |
| 30-34 years | 1,161 | 129.3 | 105.9 | 1,407 | 128.8 | 99.2 |
| 35-39 years | 635 | 52.8 | 50.5 | 603 | 47.0 | 43.2 |
| 40-44 years | 140 | 10.2 | 10.3 | 123 | 10.1 | 8.3 |
| 45-49 years | 5 | 0.4 | 0.7 | 4 | 0.4 | 0.4 |
| 50 years and older | 1 | 0.0 | 0.0 | 0 | 0.0 | 0.0 |

¹Births per 1,000 females in specified age group.

Source: Illinois Department of Public Health; for population denominator: U.S.

Census Bureau 2000 bicennial estimates and 2009 estimates.

Figure 9.3: McHenry County & Illinois Age-Specific Fertility Rates: 2000 & 2008



Source: Illinois Department of Public Health; for population demoninator U.S. Census Bureua 2000 bicennial counts and 2009 estimates.

Table 9.7: McHenry County


| Age-Specific Fertility by Race/ | Ethnicity ¹ : 2 | 2004-2008 |
|---------------------------------|----------------------------|-----------|
|---------------------------------|----------------------------|-----------|

| | Tota | I | White | | Blac | k | Asia | n | Othe | r | Hispai | nic |
|-------------|--------|-------------------|--------|-------------------|--------|-------------------|--------|-------------------|--------|-------------------|--------|-------------------|
| Age Group | Number | Rate ² |
| Total | 20,746 | 41.4 | 15,370 | 36.5 | 352 | 63.7 | 889 | 64.4 | 51 | 10.4 | 4,084 | 74.4 |
| 10-14 years | 7 | 0.1 | 2 | 0.0 | 1 | 1.1 | 0 | 0.0 | 0 | 0.0 | 4 | 0.5 |
| 15-19 years | 1,113 | 18.1 | 539 | 10.5 | 32 | 34.4 | 4 | 2.9 | 7 | 7.8 | 531 | 75.7 |
| 20-24 years | 3,112 | 57.7 | 1,860 | 40.4 | 70 | 112.7 | 59 | 56.3 | 11 | 18.2 | 1,124 | 199.5 |
| 25-29 years | 5,858 | 143.9 | 4,390 | 128.3 | 88 | 352.0 | 249 | 296.1 | 15 | 37.8 | 1,116 | 222.4 |
| 30-34 years | 6,555 | 170.7 | 5,218 | 171.1 | 98 | 275.3 | 369 | 313.8 | 9 | 28.3 | 861 | 142.4 |
| 35-39 years | 3,423 | 71.3 | 2,788 | 74.4 | 53 | 84.9 | 185 | 87.3 | 7 | 15.9 | 390 | 52.9 |
| 40-54 years | 678 | 3.4 | 573 | 3.3 | 10 | 5.4 | 23 | 4.1 | 2 | 1.8 | 70 | 4.7 |

¹Except for Hispanic, all races are non-Hispanic. Hispanic may be of any race.

Source: Illinois Department of Public Health.

Figure 9.4: McHenry County
Age-Specific Fertility Rates by Race/Ethnicity¹: 2004-2008



¹Except for Hispanic, all races are Non-Hispanic. Hispanic may be of any race.

²Births per 1,000 females in specified age group.

Table 9.8: McHenry County, Illinois & U.S. Births by Age of Mother: 2008

| | McHenry | County | Illinois | U.S. |
|---------------------------------|---------|---------|----------|---------|
| Age Group | Number | Percent | Percent | Percent |
| Total | 3,816 | 100.0% | 100.0% | 100.0% |
| Under 18 years | 63 | 1.7% | 3.3% | 3.2% |
| 18-19 years | 128 | 3.4% | 6.6% | 7.0% |
| 20-24 years | 579 | 15.2% | 21.7% | 24.8% |
| 25-29 years | 1,104 | 28.9% | 27.9% | 28.2% |
| 30-34 years | 1,161 | 30.4% | 25.0% | 22.5% |
| 35-39 years | 635 | 16.6% | 12.6% | 11.5% |
| 40 years & older | 146 | 3.8% | 2.8% | 2.7% |
| Median Age of Mother (Years) | 30 | 0 | 28 | 28 |

Source: Illinois Department of Public Health and National Center for Health Statistics.

Table 9.9: McHenry County Births by Detailed Age of Mother: 1980-2006

| | Number of Births | | | | | | | |
|--|---|---|---|--|---|---|---|--|
| | | | Age (| Group of Mother (Years) | | | | |
| Year | Total | 10-14 | | 20-24 | | | | 40+ |
| 2008 | 3,816 | 1 | 190 | 579 | 1,104 | 1,161 | 635 | 146 |
| 2007 | 4,113 | | 235 | | | 1,250 | | 115 |
| 2006 | 4,224 | 2 | 223 | 665 | 1,202 | 1,313 | 681 | 138 |
| 2005 | 4,229 | 2 | 231 | | | 1,388 | | 129 |
| 2004 | 4,364 | | 234 | | | 1,443 | | |
| 2003 | 4,141 | 2 | 208 | | | 1,415 | | 116 |
| 2002 | 4,200 | 3 | 214 | 610 | 1,204 | 1,393 | 649 | 127 |
| 2001 | 4,125 | 3 | 226 | 622 | 1,066 | 1,415 | 692 | 102 |
| 2000 | 4,056 | 2 | 238 | 574 | 1,104 | 1,407 | 603 | 127 |
| 1999 | 4,016 | 1 | 224 | 607 | 1,132 | 1,345 | 612 | 95 |
| 1998 | 3,822 | 2 | 189 | 517 | 1,127 | 1,356 | 541 | 89 |
| 1997 | 3,836 | 2 | 189 | 543 | 1,156 | 1,323 | 550 | 73 |
| 1996 | 3,894 | 3 | 212 | 486 | 1,214 | 1,372 | 527 | 80 |
| 1995 | 3,824 | 1 | 200 | 522 | 1,244 | 1,345 | 449 | 63 |
| 1990 | 3,265 | 0 | 175 | 466 | 1,282 | 1,025 | 286 | 31 |
| 1985 | 2,512 | 0 | 169 | 604 | 933 | 601 | 190 | 15 |
| 1980 | 2,435 | 0 | 195 | 715 | 884 | 487 | 133 | 21 |
| | | Percent of Births | | | | | | |
| | | | Perc | ent of I | | | | |
| | | | | ent of I Group | Births | | | |
| Year | Total | 10-14 | Age (| | Births of Motl | ner (Ye | ars) | |
| Year 2008 | Total 100.0% | | Age (15-19 | Group | Births of Motl 25-29 | ner (Ye 30-34 | ars) 35-39 | 40+ |
| | | 0.0% | Age (15-19 5.0% | 3roup (20-24 | Births of Motl 25-29 28.9% | ner (Ye 30-34 30.4% | ars) 35-39 16.6% | 40+ 3.8% |
| 2008 | 100.0% | 0.0% 0.0% | Age (15-19) 5.0% 5.7% | 3roup (20-24 15.2% | Births of Moth 25-29 28.9% 28.8% | ner (Ye 30-34 30.4% 30.4% | ars) 35-39 16.6% 17.0% | 40+ 3.8% 2.8% |
| 2008 2007 | 100.0% 100.0% | 0.0% 0.0% 0.0% | Age (15-19) 5.0% 5.7% 5.3% | 20-24 15.2% 15.2% | Births of Moth 25-29 28.9% 28.8% 28.5% | ner (Ye 30-34 30.4% 30.4% 31.1% | ars) 35-39 16.6% 17.0% 16.1% | 40+ 3.8% 2.8% 3.3% |
| 2008 2007 2006 | 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% | 20-24 15.2% 15.2% 15.7% | Births of Motl 25-29 28.9% 28.8% 28.5% 27.6% | ner (Ye 30-34 30.4% 30.4% 31.1% 32.8% | ars) 35-39 16.6% 17.0% 16.1% 17.2% | 40+ 3.8% 2.8% 3.3% 3.1% |
| 2008 2007 2006 2005 | 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% | 20-24 15.2% 15.2% 15.7% 13.9% | Births of Moth 25-29 28.9% 28.8% 28.5% 27.6% 27.5% | ner (Ye 30-34 30.4% 30.4% 31.1% 32.8% 33.1% | ars) 35-39 16.6% 17.0% 16.1% 17.2% 15.6% | 40+ 3.8% 2.8% 3.3% 3.1% 3.4% |
| 2008 2007 2006 2005 2004 | 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.0% | 20-24 15.2% 15.2% 15.7% 13.9% 15.0% | Births of Motl 25-29 28.9% 28.8% 28.5% 27.6% 27.5% 27.1% | 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% | ars) 35-39 16.6% 17.0% 16.1% 17.2% 15.6% 16.1% | 40+ 3.8% 2.8% 3.3% 3.1% 3.4% 2.8% |
| 2008 2007 2006 2005 2004 2003 | 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.0% 5.1% | 20-24 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% | Births of Moth 25-29 28.9% 28.8% 27.6% 27.5% 27.1% 28.7% | 30.4% 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 33.2% | ars) 35-39 16.6% 17.0% 16.1% 15.6% 16.1% 15.5% | 40+ 3.8% 2.8% 3.3% 3.1% 3.4% 2.8% 3.0% |
| 2008 2007 2006 2005 2004 2003 2002 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.0% 5.1% 5.5% 5.9% | 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% | 25-29 28.9% 28.8% 28.5% 27.6% 27.5% 27.1% 28.7% 25.8% | 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 33.2% 34.3% | 16.6% 17.0% 16.1% 17.2% 15.6% 16.1% 15.5% 16.8% | 40+ 3.8% 2.8% 3.3% 3.1% 3.4% 2.8% 3.0% 2.5% |
| 2008 2007 2006 2005 2004 2003 2002 2001 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.0% 5.1% 5.5% 5.9% | 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% 14.5% 15.1% | 25-29 28.9% 28.5% 27.6% 27.5% 27.1% 28.7% 25.8% 27.2% | 30.4% 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 34.2% 34.3% | ars) 35-39 16.6% 17.0% 16.1% 15.6% 16.1% 15.5% 16.8% 14.9% | 40+ 3.8% 2.8% 3.3% 3.1% 2.8% 3.0% 2.5% 3.1% |
| 2008 2007 2006 2005 2004 2003 2002 2001 2000 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.0% 5.1% 5.5% 5.5% 5.6% | 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% 14.5% 14.5% 14.2% | 25.2% 28.9% 28.8% 28.5% 27.6% 27.5% 27.1% 25.8% 27.2% 28.2% | 30.4% 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 34.2% 34.2% 34.3% 34.5% | 16.6% 17.0% 16.1% 17.2% 15.6% 16.1% 15.5% 16.8% 14.9% 15.2% | 40+ 3.8% 2.8% 3.3% 3.1% 3.4% 2.8% 3.0% 2.5% 3.1% 2.4% |
| 2008 2007 2006 2005 2004 2003 2002 2001 2000 1999 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% 0.0% | 5.0% 5.7% 5.3% 5.5% 5.4% 5.0% 5.1% 5.5% 5.6% 4.9% | 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% 14.5% 14.5% 15.1% | 25-29 28.9% 28.5% 27.6% 27.1% 25.8% 27.2% 28.2% 29.5% | 30.4% 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 34.3% 34.3% 34.5% 35.5% | ars) 35-39 16.6% 17.0% 16.1% 15.6% 16.1% 15.5% 16.8% 14.9% 15.2% 14.2% | 3.8% 2.8% 3.3% 3.1% 2.8% 3.0% 2.5% 3.1% 2.4% 2.3% |
| 2008 2007 2006 2005 2004 2003 2002 2001 2000 1999 1998 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% 0.0% | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.1% 5.5% 5.6% 4.9% 4.9% | 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% 14.5% 15.1% 15.1% 15.1% | 28.9% 28.8% 28.5% 27.6% 27.5% 27.1% 25.8% 27.2% 28.2% 29.5% 30.1% | 30.4% 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 34.2% 34.3% 34.5% 35.5% 34.5% | 16.6% 17.0% 16.1% 17.2% 15.6% 16.1% 15.5% 16.8% 14.9% 14.2% 14.2% | 3.8% 2.8% 3.3% 3.1% 3.4% 2.8% 3.0% 2.5% 3.1% 2.4% 2.3% 1.9% |
| 2008 2007 2006 2005 2004 2003 2002 2001 2000 1999 1998 1997 1996 1995 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% 0.1% 0.1 | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.5% 5.6% 4.9% 4.9% 5.4% 5.2% | 15.2% 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% 14.5% 14.5% 15.1% 14.2% 13.5% 14.2% 12.5% 13.7% | 28.9% 28.8% 28.5% 27.6% 27.5% 27.1% 25.8% 27.2% 28.2% 29.5% 30.1% 31.2% | 30.4% 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 34.2% 34.3% 34.5% 35.5% 35.5% 35.2% | 16.6% 17.0% 16.1% 17.2% 15.6% 15.5% 16.1% 15.5% 14.2% 14.2% 14.3% 13.5% 11.7% | 40+ 3.8% 2.8% 3.3% 3.1% 2.8% 3.0% 2.5% 3.1% 2.4% 2.3% 1.9% 2.1% 1.6% |
| 2008 2007 2006 2005 2004 2003 2002 2001 2000 1999 1998 1997 1996 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% 0.1% 0.1 | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.0% 5.1% 5.5% 5.6% 4.9% 4.9% 5.4% 5.2% 5.4% | 15.2% 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% 14.5% 15.1% 14.2% 15.1% 14.2% 13.5% 14.2% 13.5% 14.2% | 25-29 28.9% 28.8% 27.6% 27.5% 27.1% 25.8% 27.2% 29.5% 30.1% 31.2% 32.5% 39.3% | 30.4% 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 34.3% 34.3% 35.5% 35.5% 35.5% 35.2% 35.2% | ars) 16.6% 17.0% 16.1% 17.2% 15.6% 16.1% 15.5% 14.9% 14.2% 14.3% 11.7% 8.8% | 40+ 3.8% 2.8% 3.3% 3.1% 2.8% 3.0% 2.5% 3.1% 2.4% 2.3% 1.9% 2.1% 1.6% 0.9% |
| 2008 2007 2006 2005 2004 2003 2002 2001 2000 1999 1998 1997 1996 1995 | 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% 100.0% | 0.0% 0.0% 0.0% 0.0% 0.0% 0.1% 0.0% 0.1% 0.1 | Age (15-19) 5.0% 5.7% 5.3% 5.5% 5.4% 5.5% 5.6% 4.9% 4.9% 5.4% 5.2% 5.4% 6.7% | 15.2% 15.2% 15.2% 15.7% 13.9% 15.0% 14.8% 14.5% 14.5% 15.1% 14.2% 13.5% 14.2% 12.5% 13.7% | 28.9% 28.9% 28.5% 27.6% 27.5% 27.1% 25.8% 27.2% 28.2% 29.5% 30.1% 31.2% 32.5% 39.3% 37.1% | 30.4% 30.4% 31.1% 32.8% 33.1% 34.2% 34.3% 34.3% 34.5% 35.5% 35.5% 35.2% 35.2% 31.4% 23.9% | 16.6% 17.0% 16.1% 17.2% 15.6% 16.1% 15.5% 16.8% 14.9% 14.2% 14.3% 13.5% 11.7% 8.8% 7.6% | 3.8% 2.8% 3.3% 3.1% 3.4% 2.8% 3.0% 2.5% 3.1% 2.4% 2.3% 1.9% 2.1% 1.6% 0.9% |

Figure 9.5: McHenry County
Percent of Births by Mother's Age Group: 1980-2008





Table 9.10: McHenry County, Illinois & U.S. Births to Teen Mothers¹: 1980-2008

| | McHenry County | | Illinois | U.S. |
|------|----------------|---------|----------|---------|
| Year | Number | Percent | Percent | Percent |
| 2008 | 191 | 5.0% | 10.0% | 10.4% |
| 2007 | 237 | 5.8% | 10.1% | 10.4% |
| 2006 | 225 | 5.3% | 10.0% | 10.4% |
| 2005 | 233 | 5.5% | 9.7% | 10.2% |
| 2004 | 234 | 5.4% | 9.9% | 10.1% |
| 2003 | 210 | 5.1% | 9.7% | 10.3% |
| 2002 | 217 | 5.2% | 10.3% | 10.8% |
| 2001 | 228 | 5.5% | 10.9% | 11.3% |
| 2000 | 240 | 5.9% | 11.4% | 11.8% |
| 1999 | 225 | 5.6% | 12.0% | 12.3% |
| 1998 | 191 | 5.0% | 12.4% | 12.5% |
| 1997 | 191 | 5.0% | 12.5% | 12.8% |
| 1996 | 215 | 5.5% | 12.7% | 12.9% |
| 1995 | 201 | 5.3% | 13.0% | 13.2% |
| 1990 | 175 | 5.2% | 13.1% | 12.8% |
| 1985 | 169 | 6.7% | 12.5% | 12.7% |
| 1980 | 195 | 8.0% | 15.7% | 15.6% |

¹Women under 20 years of age.

Source: Illinois Department of Public Health and National Center for Health Statistics.

Figure 9.6: McHenry County, Illinois & U.S. Births to Teen¹ Mothers: 1980-2008



¹Women under 20 years of age.

Source: Illinois Department of Public Health; National Center for Health Statistics.

Table 9.11: McHenry County Births to Teen¹ Mothers by Race/Ethnicity: 2004-2008

| Race/Ethnicity ² | Number | Percent |
|-----------------------------|--------|---------|
| All Teen Births | 1,120 | 100.0% |
| White | 541 | 48.3% |
| Black | 33 | 2.9% |
| Asian | 4 | 0.4% |
| Other | 7 | 0.6% |
| Hispanic | 535 | 47.8% |

¹Women under 20 years of age.

Hispanic. Hispanic may be of any race.

²Except for Hispanic, all races are non-

Table 9.12: Select McHenry County Communities, McHenry County & Illinois Teen¹ Births: 2008

| Community | Number | Percent |
|---------------------------|--------|---------|
| Algonquin Village (pt.) | 5 | 1.7% |
| Cary Village | 1 | 0.4% |
| Crystal Lake City | 4 | 0.7% |
| Fox Lake Village (pt.) | 0 | 0.0% |
| Harvard City | 14 | 6.2% |
| Huntley Village (pt.) | 1 | 0.4% |
| Island Lake Village (pt.) | 1 | 1.8% |
| Johnsburg Village | 0 | 0.0% |
| Lake In The Hills Village | 2 | 0.5% |
| McHenry City | 9 | 1.7% |
| Marengo City | 4 | 2.9% |
| Spring Grove Village | 0 | 0.0% |
| Woodstock City | 6 | 1.6% |
| McHenry County | 191 | 5.0% |
| Illinois | 10.0 |)% |

¹Women under 20 years of age.


(pt.) indicates that only part of the community is within McHenry County and only the portion of the community within McHenry County is described.

Table 9.13: McHenry County, Illinois & U.S. Births To Unmarried Mothers: 1980-2008

| | McHenry County | | Illinois | U.S. |
|------|----------------|---------|----------|---------|
| Year | Number | Percent | Percent | Percent |
| 2008 | 1,024 | 26.8% | 40.7% | 40.6% |
| 2007 | 1,035 | 25.2% | 40.1% | 39.7% |
| 2006 | 978 | 23.2% | 38.7% | 38.5% |
| 2005 | 923 | 21.8% | 37.1% | 36.8% |
| 2004 | 906 | 20.8% | 36.3% | 35.7% |
| 2003 | 752 | 18.2% | 35.3% | 34.6% |
| 2002 | 778 | 18.5% | 34.8% | 34.0% |
| 2001 | 704 | 17.1% | 34.5% | 34.0% |
| 2000 | 679 | 16.7% | 34.5% | 33.5% |
| 1999 | 679 | 16.9% | 34.1% | 33.2% |
| 1998 | 521 | 13.6% | 34.1% | 33.0% |
| 1997 | 545 | 14.2% | 33.4% | 32.8% |
| 1996 | 524 | 13.5% | 33.7% | 32.4% |
| 1995 | 489 | 12.8% | 33.8% | 32.2% |
| 1990 | 367 | 10.9% | 31.7% | 28.0% |
| 1985 | 237 | 9.4% | 25.7% | 22.0% |
| 1980 | 137 | 5.6% | 22.5% | 18.4% |

Source: Illinois Department of Public Health and National Center for Health Statistics.

Figure 9.7: McHenry County, Illinois & U.S. Births to Unmarried Mothers: 1980-2008



Source: Illinois Department of Public Health; National Center for Health Statistics.


Table 9.14: McHenry County Births to Unmarried Mothers by Race/Ethnicity: 2004-2008

| Race/Ethnicity ¹ | Number | Percent |
|-----------------------------|--------|---------|
| Total | 4,866 | 100.0% |
| White | 2524 | 51.9% |
| Black | 148 | 3.0% |
| Asian | 56 | 1.2% |
| Other | 23 | 0.5% |
| Hispanic | 2115 | 43.5% |
| | | |

¹Except for Hispanic, all races are non-Hispanic. Hispanic may be of any race. Source: Illinois Department of Public

Health.

Figure 9.8: McHenry County
Births to Unmarried Mothers by Race/Ethnicity¹: 2004-2008



¹Except for Hispanic, all races are Non-Hispanic. Hispanic may be of any race. Source: Illinois Department of Public Health.

Table 9.15: McHenry County, Illinois & U.S. Low Birthweight Births¹: 1980-2008

| | McHenry | County | Illinois | U.S. |
|------|---------|---------|----------|---------|
| Year | Number | Percent | Percent | Percent |
| 2008 | 299 | 7.8% | 8.4% | 8.2% |
| 2007 | 279 | 6.8% | 8.5% | 8.2% |
| 2006 | 284 | 6.7% | 8.6% | 8.3% |
| 2005 | 283 | 6.7% | 8.6% | 8.2% |
| 2004 | 316 | 7.2% | 8.4% | 8.1% |
| 2003 | 287 | 6.9% | 8.3% | 7.9% |
| 2002 | 256 | 6.1% | 8.2% | 7.8% |
| 2001 | 293 | 7.1% | 8.0% | 7.6% |
| 2000 | 224 | 5.5% | 8.0% | 7.6% |
| 1999 | 246 | 6.1% | 8.0% | 7.6% |
| 1998 | 189 | 4.9% | 8.0% | 7.7% |
| 1997 | 242 | 6.3% | 7.9% | 7.9% |
| 1996 | 231 | 5.9% | 8.0% | 7.4% |
| 1995 | 199 | 5.2% | 7.8% | 7.3% |
| 1990 | 175 | 5.2% | 7.6% | 7.0% |
| 1985 | 122 | 4.9% | 7.1% | 6.7% |
| 1980 | 125 | 5.1% | 7.4% | 6.9% |

¹Weight of birth of less than 5 lbs., 8 oz. (2,500 grams).

Source: Illinois Department of Public Health and National Center for Health Statistics.

—McHenry County - Percent McHenry County - Births --- Illinois - Percent U.S. Percent 400 10.0% 9.0% 350 8.0% 300 293 7.0% 287 284 279 250 256 Percent of births 6.0% Births 224 200 5.0% 199 189 4.0% 150 3.0% 125 122 100 2.0% 50 1.0% 0.0% 0 1980 1985 1990 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008

Figure 9.9: McHenry County, Illinois & U.S. Low Birthweight Births (<2,500 grams or 5lbs, 8oz): 1980-2008

Source: Illinois Department of Public Health; National Center for Health Statistics.

Table 9.16: Select McHenry County Communities, McHenry County & Illinois Low Birthweight Births¹: 2008

| Community | Number | Percent |
|-------------------------------|--------|---------|
| Algonquin Village (pt.) | 33 | 11% |
| Cary Village | 24 | 10% |
| Crystal Lake City | 38 | 7% |
| Fox River Grove Village (pt.) | 6 | 12% |
| Harvard City | 22 | 10% |
| Huntley Village (pt.) | 20 | 8% |
| Island Lake Village (pt.) | 1 | 2% |
| Johnsburg Village | 1 | 2% |
| Lake In The Hills Village | 33 | 8% |
| McHenry City | 37 | 7% |
| Marengo City | 1 | 1% |
| Spring Grove Village | 5 | 8% |
| Woodstock City | 26 | 7% |
| McHenry County | 299 | 8% |
| Illinois | | 8% |

Weight of birth of less than 5 lbs., 8 oz. (2,500 grams).

(pt.) indicates that only part of the community is within McHenry County and only the portion of the community within McHenry County is described. .

Table 9.17: McHenry County
First Trimester Prenatal Care Received:
1980-2008

| | First Trimester Care | | | | | |
|------|----------------------|--------|---------|--|--|--|
| Year | Total Births | Number | Percent | | | |
| 2008 | 3,816 | 3,147 | 82.5% | | | |
| 2007 | 4,113 | 3,396 | 82.6% | | | |
| 2006 | 4,224 | 3,445 | 81.6% | | | |
| 2005 | 4,229 | 3,468 | 82.0% | | | |
| 2004 | 4,364 | 3,667 | 84.0% | | | |
| 2003 | 4,141 | 3,586 | 86.6% | | | |
| 2002 | 4,200 | 3,614 | 86.0% | | | |
| 2001 | 4,125 | 3,599 | 87.2% | | | |
| 2000 | 4,056 | 3,549 | 87.5% | | | |
| 1999 | 4,016 | 3,539 | 88.1% | | | |
| 1998 | 3,822 | 3,423 | 89.6% | | | |
| 1997 | 3,836 | 3,391 | 88.4% | | | |
| 1996 | 3,894 | 3,416 | 87.7% | | | |
| 1995 | 3,824 | 3,327 | 87.0% | | | |
| 1990 | 3,365 | 2,844 | 84.5% | | | |
| 1985 | 2,512 | 2,121 | 84.4% | | | |
| 1980 | 2,435 | 1,960 | 80.5% | | | |

Source: Illinois Department of Public Health.

Figure 9.10: McHenry County
First Trimester Prenatal Care Received: 1980-2008





Table 9.18: McHenry County & Illinois First Trimester Prenatal Care by Race/Ethnicity: 2008

| | Мо | cHenry County Illinois | | | | |
|--------------------|-----------------|---------------------------------------|-------|--------------------------------|--|--|
| | | First Trimester Care | | | | |
| Race/ Ethnicity | Total Births | Number Percent of Births ² | | Percent of Births ² | | |
| All Births | 3,816 | 3,147 | 82.5% | 86.3% | | |
| White | 3,331 | 2,945 | 88.4% | 88.3% | | |
| Black | 77 | 60 | 77.9% | 76.8% | | |
| Hispanic | 693 | 513 | 74.0% | 83.5% | | |

¹Race may be of any ethnicity; Hispanic may be of any race.

Figure 9.11: McHenry County
First Trimester Prenatal Care Received by Race/Ethnicity: 2008



¹Race may be of any ethnicity; Hispanic may be fo any race. Source: Illinois Department of Public Health.

²Percent of race/ethnicity-specific births

Table 9.19: Select McHenry County Communities

First Trimester Prenatal Care: 2008

| Community | Number | Percent |
|-------------------------------|--------|---------|
| Algonquin Village (pt.) | 257 | 88% |
| Cary Village | 213 | 87% |
| Crystal Lake City | 449 | 80% |
| Fox River Grove Village (pt.) | 47 | 92% |
| Harvard City | 141 | 62% |
| Huntley Village (pt.) | 211 | 87% |
| Island Lake Village (pt.) | 47 | 84% |
| Johnsburg Village | 52 | 87% |
| Lake In The Hills Village | 369 | 87% |
| McHenry City | 445 | 82% |
| Marengo City | 105 | 77% |
| Spring Grove Village | 46 | 77% |
| Woodstock City | 307 | 81% |
| McHenry County | 3,147 | 82% |
| Illinois | 86 | % |

(pt.) indicates that only part of the community is within McHenry County and only the portion of the community within McHenry County is described.

Source: Illinois Department of Public Health.

Table 9.20: McHenry County & Illinois Indices of Prenatal Care: 2006

| | McHer | Illinois | |
|------------------|------------------|----------|---------|
| Indicator | Number of Births | Percent | Percent |
| Kessner Index | | | |
| Adequate | 3,269 | 77.4% | 74.7% |
| Intermediate | 564 | 13.4% | 15.7% |
| Inadequate | 243 | 5.8% | 8.4% |
| Kotelchuck Index | x | | |
| Adequate | | | |
| Plus | 1,370 | 32.4% | 31.4% |
| Adequate | 2,007 | 47.5% | 48.8% |
| Intermediate | 263 | 6.2% | 10.9% |
| Inadequate | 275 | 6.5% | 8.1% |
| Unknown | 309 | 7.3% | 5.8% |

Source: Illinois Department of Public Health, IPLAN Data System.

Table 9.21: McHenry County & Illinois Kessner Index Outcomes: 1990-2006

| | Percent of Births | | | | | | | |
|------|-------------------|----------------|------------|----------|--------------|------------|--|--|
| | | McHenry County | | | Illinois | | | |
| Year | Adequate | Intermediate | Inadequate | Adequate | Intermediate | Inadequate | | |
| 2006 | 77.4% | 13.4% | 5.8% | 74.7% | 15.7% | 8.4% | | |
| 2005 | 77.2% | 13.8% | 5.9% | 74.4% | 15.2% | 9.1% | | |
| 2004 | 79.8% | 12.6% | 4.8% | 73.1% | 15.9% | 9.7% | | |
| 2003 | 80.5% | 12.7% | 3.4% | 74.4% | 16.3% | 8.2% | | |
| 2002 | 83.6% | 12.0% | 2.6% | 75.1% | 17.0% | 7.0% | | |
| 2001 | 83.9% | 11.9% | 3.5% | 74.5% | 17.5% | 7.3% | | |
| 2000 | 83.8% | 12.1% | 3.8% | 73.1% | 18.6% | 7.6% | | |
| 1999 | 85.6% | 11.3% | 2.8% | 73.8% | 17.6% | 8.0% | | |
| 1998 | 85.7% | 10.9% | 3.0% | 74.2% | 17.6% | 7.6% | | |
| 1997 | 84.4% | 12.1% | 3.0% | 73.7% | 18.1% | 7.6% | | |
| 1996 | 83.5% | 13.0% | 2.7% | 72.2% | 19.1% | 7.9% | | |
| 1995 | 83.3% | 12.3% | 3.2% | 71.9% | 19.3% | 8.0% | | |
| 1990 | 77.0% | 17.8% | 4.5% | 66.9% | 23.7% | 8.8% | | |

Source: Illinois Department of Public Health, IPLAN Data System.

Table 9.22: McHenry County
Kessner Index Outcomes by Race/Ethnicity: 2004-2008

| Percent of Births | | | | | | |
|-------------------|----------------------------------|---|--|--|--|--|
| Adequate | Intermediate | Inadequate | | | | |
| 83.2% | 9.2% | 4.9% | | | | |
| 70.5% | 14.5% | 9.1% | | | | |
| 77.6% | 11.1% | 8.2% | | | | |
| 76.5% | 13.7% | 5.9% | | | | |
| 59.2% | 28.0% | 7.4% | | | | |
| | 83.2% 70.5% 77.6% 76.5% | AdequateIntermediate83.2%9.2%70.5%14.5%77.6%11.1%76.5%13.7% | | | | |

¹Race may be of any ethnicity; Hispanic may be of any race.

Table 9.23: McHenry County & Illinois Kotelchuck Index Outcomes: 1990-2006

| | | | | | Percent of | Births | | | | |
|------|------------------|----------|--------------|------------|------------|------------------|----------|--------------|------------|---------|
| | | M | cHenry Coun | ty | | | | Illinois | | |
| Year | Adequate Plus | Adequate | Intermediate | Inadequate | Unknown | Adequate Plus | Adequate | Intermediate | Inadequate | Unknown |
| 2006 | 32.4% | 47.5% | 6.2% | 6.5% | 7.3% | 31.4% | 43.8% | 10.9% | 8.1% | 5.8% |
| 2005 | 33.6% | 46.1% | 6.6% | 7.1% | 6.6% | 31.2% | 43.7% | 10.3% | 8.2% | 6.6% |
| 2004 | 38.3% | 43.6% | 6.0% | 6.9% | 5.2% | 30.5% | 42.8% | 10.9% | 8.8% | 7.0% |
| 2003 | 36.9% | 45.6% | 7.6% | 6.4% | 3.5% | 29.7% | 44.4% | 11.8% | 8.9% | 5.3% |
| 2002 | 39.3% | 47.0% | 4.9% | 6.7% | 2.1% | 30.1% | 44.6% | 12.4% | 9.3% | 3.7% |
| 2001 | 36.5% | 49.3% | 5.8% | 6.4% | 1.9% | 29.9% | 44.6% | 12.1% | 10.2% | 3.3% |
| 2000 | 32.7% | 52.0% | 7.4% | 6.3% | 1.5% | 30.6% | 43.1% | 12.0% | 11.5% | 2.8% |
| 1999 | 30.7% | 56.0% | 6.3% | 6.2% | 7.0% | 29.8% | 45.1% | 11.1% | 11.5% | 3.0% |
| 1998 | 27.2% | 57.4% | 9.0% | 5.2% | 1.2% | 29.1% | 46.1% | 11.3% | 11.3% | 2.6% |
| 1997 | 27.2% | 57.7% | 8.0% | 5.8% | 1.4% | 28.5% | 46.4% | 11.6% | 11.6% | 2.4% |
| 1996 | 24.5% | 59.6% | 8.6% | 6.0% | 1.4% | 26.9% | 46.2% | 12.4% | 12.2% | 2.7% |
| 1995 | 23.9% | 59.1% | 8.6% | 6.9% | 1.5% | 26.2% | 46.4% | 12.4% | 12.8% | 2.6% |
| 1990 | 18.1% | 51.9% | 19.9% | 8.9% | 1.3% | 21.4% | 44.2% | 17.6% | 16.0% | 1.3% |

Source: Illinois Department of Public Health, IPLAN Data System.

Table 9.24: McHenry County & Illinois Mothers Who Use Tobacco Or Alcohol During Pregnancy: 1990-2008

| | Smoke Tobacco | | | Dr | ink Alcol | nol |
|------|---------------|---------|----------|-----------------------|-----------|----------|
| | McHenry | County | Illinois | McHenry County | | Illinois |
| Year | Number | Percent | Percent | Number | Percent | Percent |
| 2008 | 256 | 6.7% | 7.9% | 16 | 0.4% | 0.3% |
| 2007 | 271 | 6.6% | 8.4% | 6 | 0.1% | 0.3% |
| 2006 | 290 | 6.9% | 8.6% | 14 | 0.3% | 0.3% |
| 2005 | 278 | 6.6% | 8.6% | 8 | 0.2% | 0.3% |
| 2004 | 327 | 7.5% | 10.2% | 12 | 0.3% | 1.5% |
| 2003 | 330 | 8.0% | 9.6% | 14 | 0.3% | 0.4% |
| 2002 | 355 | 8.5% | 10.0% | 13 | 0.3% | 0.4% |
| 2001 | 367 | 8.9% | 10.6% | 12 | 0.3% | 0.4% |
| 2000 | 372 | 9.2% | 10.9% | 11 | 0.3% | 0.5% |
| 1999 | 410 | 10.2% | 11.5% | 28 | 0.7% | 0.8% |
| 1998 | 380 | 9.9% | 12.0% | 25 | 0.7% | 0.8% |
| 1997 | 444 | 11.6% | 12.3% | 21 | 0.5% | 0.9% |
| 1996 | 457 | 11.7% | 12.7% | 32 | 0.8% | 1.1% |
| 1995 | 485 | 12.7% | 13.1% | 62 | 1.6% | 1.3% |
| 1990 | 569 | 16.9% | 16.4% | 54 | 1.6% | 1.9% |

Table 9.25: McHenry County & Illinois Induced Pregnancy Terminations (Abortions): 1995-2008

| | McHenry | County | Illinois |
|------|---------|-------------------|-------------------|
| Year | Number | Rate ¹ | Rate ¹ |
| 2008 | 562 | 147.3 | 241.8 |
| 2007 | 564 | 137.1 | 217.6 |
| 2006 | 531 | 125.7 | 223.9 |
| 2005 | 486 | 114.9 | 214.7 |
| 2004 | 462 | 105.9 | 211.2 |
| 2003 | 451 | 108.9 | 212.2 |
| 2002 | 490 | 116.7 | 236.2 |
| 2001 | 510 | 123.6 | 225.6 |
| 2000 | 548 | 135.1 | 220.3 |
| 1999 | 560 | 139.4 | 228.0 |
| 1998 | 430 | 112.5 | 245.6 |
| 1997 | 390 | 101.7 | 255.3 |
| 1996 | 442 | 113.5 | 270.1 |
| 1995 | 404 | 105.6 | 261.1 |

¹Per 1,000 births

Source: Illinois Department of Public

Health.

Figure 9.12: McHenry County & Illinois Induced Pregnancy Terminations (Abortions): 1995-2008




Table 9.26: McHenry County & Illinois Selected Birth & Deliver Characteristics: 2008

| | McHenry | Illinois | |
|---------------------------------|---------|----------|---------|
| Characteristic | Number | Percent | Percent |
| All Births | 3,816 | 100.0% | 100.0% |
| Cesarean section delivery | 1,350 | 35.4% | 30.9% |
| Mother not high school graduate | 489 | 12.8% | 18.5% |
| First birth | 1,115 | 29.2% | 40.0% |
| At least second birth | 2,701 | 70.8% | 60.0% |

Source: Illinois Department of Public Health.

Table 9.27: McHenry County & Illinois Infant Deaths: 1980-2007


| | McHenry County | | Illinois | U.S. |
|------|----------------|-------------------|-------------------|-------------------|
| Year | Number | Rate ¹ | Rate ¹ | Rate ¹ |
| 2007 | 21 | 5.1 | 6.6 | 6.8 |
| 2006 | 21 | 5.0 | 7.4 | 6.7 |
| 2005 | 16 | 3.8 | 7.2 | 6.9 |
| 2004 | 14 | 3.3 | 7.3 | 6.8 |
| 2003 | 20 | 4.8 | 7.6 | 6.9 |
| 2002 | 14 | 3.3 | 7.2 | 7.0 |
| 2001 | 15 | 3.6 | 7.5 | 6.8 |
| 2000 | 22 | 5.4 | 8.3 | 6.9 |
| 1999 | 23 | 5.7 | 8.3 | 7.1 |
| 1998 | 23 | 6.0 | 8.2 | 7.2 |
| 1997 | 25 | 6.5 | 8.2 | 7.1 |
| 1996 | 13 | 3.3 | 8.4 | 7.2 |
| 1995 | 16 | 4.2 | 9.3 | 7.5 |
| 1990 | 22 | 6.5 | 10.7 | 9.2 |
| 1985 | 23 | 9.2 | 11.6 | 10.6 |
| 1980 | 26 | 10.7 | 14.7 | 12.6 |

¹Per 1,000 live births

Source: Illinois Department of Public Health and National Center for Health

Statistics.

Figure 9.13: McHenry County, Illinois & U.S. Infant Death Rate: 1980-2007



Source: Illinois Department of Public Health; National Center for Health Statistics.

Table 9.28: McHenry County,
Illinois & U.S.
Five-Year Average Annual Infant
Death Rates¹: 1985-2007

| Year | McHenry County | Illinois | U.S. |
|-----------|-------------------|----------|------|
| 2005-2007 | 4.6 | 7.1 | 6.8 |
| 2000-2004 | 4.1 | 7.6 | 6.9 |
| 1995-1999 | 5.2 | 8.5 | 7.2 |
| 1990-1994 | 5.8 | 10.0 | 8.6 |
| 1985-1989 | 8.9 | 11.6 | 10.2 |

¹Per 1,000 births

Source: Illinois Department of Public Health and National Center for Health Statistics

Chapter 10: Mortality

| | onaptor 10: Mortanty | |
|---|---|---|
| • | McHenry County recorded 1,820 deaths in 2007 - a rate of 5.8 deaths per 1,000 population. This rate was substantially lower than Illinois at 7.8 and the U.S. at 8.0. | Tables & Figures Table 10.1 Figure 10.1 |
| • | From 1980 to 2007, the annual number of deaths increased, while the death rate decreased reflecting an increase in the population of McHenry County. The death rate for McHenry County was consistently lower than Illinois and the U.S. since 1980. | Table 10.1 Figure 10.1 |
| • | McHenry County's age-adjusted death rate for 2007 was 7.2 deaths per 1,000 population, which was lower than both Illinois and the U.S. at 7.6. | Table 10.2 |
| • | Compared to the U.S., McHenry County reported lower death rates for all age groups except 5-14 years, 75-84 years and 85 years and older. Among these age groups, those 85 years and older have the highest death rate at 14,960.2 deaths per 100,000 population. | Table 10.3 |
| • | In 2007, people 75 years and older comprised 59% of all deaths in McHenry County, while 65-75 year olds comprised 17% of the deaths followed by 55-64 year olds at 12%. | Figure 10.2 |
| • | In 2007, cardiovascular diseases, which include heart disease, cerebrovascular disease (stroke), atherosclerosis and aortic aneurysm/dissection, recorded the highest number of deaths with 568 followed by malignant neoplasms (cancer) with 493 deaths. | Table 10.4 |
| • | The top five leading causes of death for 2007 in McHenry County were cancer (156.7 deaths per 1,000), heart disease (132.8), accidents (38.1), stroke (35.0), and chronic lower respiratory diseases (29.9). | Table 10.6 Figure 10.3 |
| • | Compared to Illinois and the U.S. in 2007, McHenry County had lower death rates for cancer, heart disease, accidents, stroke, chronic lower respiratory disease (formerly COPD), Alzheimer's disease, kidney disease, diabetes, influenza and pneumonia, suicide, septicemia, perinatal conditions, atherosclerosis, homicide and HIV infection. McHenry County had a higher death rate for chronic liver disease and cirrhosis, and congenital malformation than Illinois, but lower than the national rate. | Table 10.6 |
| • | In 2007 in McHenry County, the top six causes of death by age-adjusted death rate include cancer, heart disease, stroke, chronic lower respiratory diseases, accidents and Alzheimer's disease. Compared to 1997, all six age-adjusted death rates were higher in 2007. | Table 10.7 |

| • | The age-adjusted death rate in 2007 was higher in McHenry County for cancer, stroke, chronic lower respiratory diseases (formerly COPD), and Alzheimer's disease compared to Illinois. Illinois had higher age-adjusted mortality rates for heart disease and accidents. | Table 10.7 |
|---|---|----------------------------|
| • | Comparing 2006-2007 to 1996-1997, a higher percentage of deaths in 2006-2007 were from cancer, while a lower percentage of deaths were due to heart disease and stroke. | Table 10.8 |
| • | For 2005-2007, 2,755 McHenry County women and 2,568 men died. The age-adjusted death rate was higher for men at 839.9 compared to 646.2 for women. For women, the top cause of death was cancer followed by heart disease. Among men, more died from cancer than heart disease, but the age-adjusted death rate was higher for heart disease compared to cancer. For both cancer and heart disease, men had a higher age-adjusted death rate. For leading causes of death, Alzheimer's disease was the only cause where women had a higher age-adjusted death rate. | Table 10.9 Figure 10.4 |
| • | In McHenry County during 2007, 450 (24.7%) deaths were premature (before age 65), which was lower than the percent in Illinois at 26.4%. Two causes of death claimed more than half prematurely: suicide (90.3% of suicide deaths were under 65 years old) and accidents (67.4%). The percent of premature of suicide deaths was higher in McHenry County than Illinois. | Table 10.10 Figure 10.5 |
| • | Cancer accounted for the most years of potential life lost (YPLL) in 2006 followed by accidents and perinatal conditions, with YPLL values equal to 1,849, 1,536, and 1,035 respectively. | Table 10.11 |
| • | In 2007, the age-adjusted death rate for non-Hispanic Whites was 90% greater than the age-adjusted death rate for Hispanics. For Whites and Hispanics, the age-adjusted death rate in McHenry County was lower than Illinois and the U.S. | Table 10.13 Figure 10.6 |
| • | For 2005-2007, the age-adjusted cancer mortality rate was highest among Blacks at 417.7 per 100,000 population, followed by Whites at 193.9 in McHenry County. Hispanics had the lowest cancer mortality rate at 75.1. | Table 10.14 Figure 10.7 |
| • | For 2005-2007, the age-adjusted heart disease mortality rate was highest among Blacks at 285.8 per 100,000 population, followed by Whites at 186.1 and Hispanics at 116.1 in McHenry County. | Table 10.14 Figure 10.7 |

 The five leading causes of death among non-Hispanic Whites in McHenry County in 2003-2007 were lung cancer, stroke, heart attack, chronic lower respiratory disease (formerly COPD) and Alzheimer's disease. Among Hispanics, the five leading causes of death were motor vehicle accidents, perinatal conditions, congenital malformations, heart attack and lung cancer. Table 10.15

 In 2005-2007, almost two-thirds of the deaths among Blacks and Hispanics in McHenry County occurred prematurely (before age 65) at 66.7% and 60.7% respectively, compared to 24.5% among whites.

Table 10.16 Figure 10.8

Causes of death varied greatly by from 2003 to 2007. For infants, over half (55.6%) of the deaths were perinatal conditions and 27.3% from congenital malformations. For those 15 to 44 years old, the leading cause of death was motor vehicle accidents. For adults 45-74 years old, the leading cause of death was lung cancer, which accounted for the deaths of 12.3% of 45-64 year olds and 13.4% for 65-74 year olds. The leading cause of death for adults 75 years old and older was stroke (8.2%) followed by Alzheimer's disease (5.4%).

Table 10.17

 During 2003-2007, the site-specific cancer mortality rates among men in McHenry County were highest for lung cancer at 63.8 deaths per 100,000 men, followed by prostate cancer (24.8) and colorectal cancer (20.8).
 Among women in McHenry County, cancer mortality rates were highest for lung cancer at 46.2 deaths per 100,000 women, followed by breast cancer (27.0) and colorectal cancer (15.3). Table 10.18

• The number of births has exceeded the number deaths for every year since 1980 by an average of 2.6 times. For 2007, the number of births was 2.38 times the number of deaths.

Table 10.19 Figure 10.9

Table 10.1: McHenry County, Illinois & U.S.

Total Resident Deaths and Death Rates: 1980-2007

| McHenry | | | | | | | |
|---------|---|---|--|--|--|--|--|
| Cou | nty | Illinois | U.S. | | | | |
| Deaths | Rate ¹ | Rate ¹ | Rate ¹ | | | | |
| 1,820 | 5.8 | 7.8 | 8.0 | | | | |
| 1,794 | 5.8 | 8.0 | 8.1 | | | | |
| 1,709 | 5.7 | 8.2 | 8.3 | | | | |
| 1,662 | 5.6 | 8.1 | 8.2 | | | | |
| 1,706 | 5.9 | 8.4 | 8.4 | | | | |
| 1,625 | 5.8 | 8.5 | 8.5 | | | | |
| 1,507 | 5.6 | 8.4 | 8.5 | | | | |
| 1,521 | 5.8 | 8.6 | 8.5 | | | | |
| 1,548 | 6.1 | 8.8 | 8.6 | | | | |
| 1,487 | 6.0 | 8.5 | 8.5 | | | | |
| 1,448 | 6.0 | 8.4 | 8.5 | | | | |
| 1,449 | 6.1 | 8.8 | 8.6 | | | | |
| 1,387 | 6.1 | 9.0 | 8.7 | | | | |
| 1,377 | 6.3 | 9.0 | 8.7 | | | | |
| 1,337 | 6.4 | 9.1 | 8.7 | | | | |
| 1,237 | 6.2 | 8.7 | 8.5 | | | | |
| 1,309 | 6.8 | 9.0 | 8.6 | | | | |
| 1,170 | 6.4 | 9.0 | 8.6 | | | | |
| 1,175 | 6.7 | 9.0 | 8.7 | | | | |
| 1,190 | 7.0 | 9.2 | 8.9 | | | | |
| 1,178 | 7.1 | 9.0 | 8.8 | | | | |
| 1,255 | 7.8 | 9.1 | 8.8 | | | | |
| 1,137 | 7.2 | 9.0 | 8.8 | | | | |
| 1,148 | 7.4 | 8.8 | 8.6 | | | | |
| 1,102 | 7.3 | 9.0 | 8.6 | | | | |
| 1,110 | 7.4 | 8.8 | 8.5 | | | | |
| 1,077 | 7.2 | 8.9 | 8.6 | | | | |
| 1,035 | 7.0 | 9.0 | 8.8 | | | | |
| | Deaths 1,820 1,794 1,709 1,662 1,706 1,625 1,507 1,521 1,548 1,447 1,448 1,449 1,387 1,377 1,337 1,337 1,237 1,309 1,170 1,175 1,190 1,178 1,255 1,137 1,148 1,102 1,110 1,077 1,035 | County Deaths Rate¹ 1,820 5.8 1,794 5.8 1,709 5.7 1,662 5.6 1,706 5.9 1,625 5.8 1,507 5.6 1,521 5.8 1,548 6.1 1,487 6.0 1,448 6.0 1,449 6.1 1,337 6.3 1,337 6.4 1,237 6.2 1,309 6.8 1,170 6.4 1,175 6.7 1,190 7.0 1,178 7.1 1,255 7.8 1,137 7.2 1,148 7.4 1,007 7.2 | County Illinois Deaths Rate¹ 1,820 5.8 7.8 1,794 5.8 8.0 1,709 5.7 8.2 1,662 5.6 8.1 1,706 5.9 8.4 1,625 5.8 8.5 1,507 5.6 8.4 1,521 5.8 8.6 1,548 6.1 8.8 1,548 6.1 8.8 1,449 6.1 8.8 1,387 6.1 9.0 1,377 6.3 9.0 1,337 6.4 9.1 1,237 6.2 8.7 1,309 6.8 9.0 1,170 6.4 9.0 1,175 6.7 9.0 1,178 7.1 9.0 1,137 7.2 9.0 1,148 7.4 8.8 1,007 7.2 8.9 1,005 7.0 | | | | |

¹Deaths per 1,000 population

Figure 10.1: McHenry County, Illinois & U.S. Total Resident Deaths & Death Rates: 1980-2007




Table 10.2: McHenry County, Illinois & U.S.

Age-Adjusted Death Rate: 2007

| Area | Crude Rate | Age-Adjusted Rate ¹ |
|----------------|---------------|-----------------------------------|
| McHenry County | 5.8 | 7.2 |
| Illinois | 7.8 | 7.6 |
| U.S. | 8.0 | 7.6 |

¹Deaths per 1,000 population adjusted to 2000 U.S. Standard Population.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

Table 10.3: McHenry County & U.S Death and Death Rates by Age Group: 2007

| Death and Death Rates by Age Group. 2007 | | | | | | | | |
|--|---------|-------------------|-------------------|--|--|--|--|--|
| | McHenry | y County | U.S. | | | | | |
| Year | Deaths | Rate ¹ | Rate ¹ | | | | | |
| All Deaths | 1,820 | 578.4 | 803.6 | | | | | |
| < 1 year | 21 | 491.6 | 684.5 | | | | | |
| 1-4 years | 2 | *11.3 | 28.6 | | | | | |
| 5-14 years | 8 | *16.5 | 15.3 | | | | | |
| 15-24 years | 32 | 75.6 | 79.9 | | | | | |
| 25-34 years | 15 | *35.2 | 104.9 | | | | | |
| 35-44 years | 40 | 80.3 | 184.4 | | | | | |
| 45-54 years | 118 | 241.5 | 420.9 | | | | | |
| 55-64 years | 214 | 703.1 | 877.7 | | | | | |
| 65-74 years | 303 | 1,819.2 | 2,011.3 | | | | | |
| 75-84 years | 522 | 5,243.6 | 5,011.6 | | | | | |
| 85 years & older | 545 | 14,960.2 | 12,946.5 | | | | | |
| 1D th - m - m 400 000 m - m - d - th - m | | | | | | | | |

¹Deaths per 100,000 population

^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less.

Figure 10.2: McHenry County Deaths by Age Group: 2007




Table 10.4: McHenry County Deaths by Cause: 2000-2007

| 0 | Deaths b | | | | 0000 | 0000 | 0004 | 0000 |
|-----------------------------------|----------|---------|---------|---------|---------|---------|---------|---------|
| Cause | 2007 | 2006 | 2005 | 2004 | 2003 | 2002 | 2001 | 2000 |
| All Deaths | 1,820 | 1,711 | 1,643 | 1,621 | 1,639 | 1,625 | 1,507 | 1,521 |
| Infectious and parasite diseases | 44 | 40 | 29 | 27 | 36 | 44 | 34 | 22 |
| Septicemia | 29 | 27 | 19 | 19 | 28 | 31 | 27 | 14 |
| Viral hepatitis | 2 | 3 | 2 | 2 | 1 | 7 | 2 | 2 |
| HIV disease | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 3 |
| Malignant neoplasms | 493 | 501 | 428 | 441 | 446 | 429 | 410 | 396 |
| Colorectal | 41 | 43 | 41 | 35 | 50 | 54 | 51 | 37 |
| Bronchus and lung | 145 | 125 | 118 | 128 | 123 | 116 | 105 | 110 |
| Female breast | 41 | 43 | 36 | 25 | 42 | 35 | 34 | 30 |
| Cervical | 0 | 1 | 4 | 1 | 3 | 4 | 1 | 1 |
| Prostate | 29 | 23 | 12 | 11 | 24 | 19 | 22 | 18 |
| Central nervous system | 12 | 12 | 8 | 21 | 13 | 6 | 8 | 9 |
| Diabetes mellitus | 40 | 47 | 49 | 50 | 49 | 43 | 56 | 37 |
| Alzheimer's disease | 66 | 54 | 50 | 57 | 54 | 44 | 30 | 35 |
| Major cardiovascular diseases | 568 | 588 | 605 | 542 | 610 | 581 | 535 | 592 |
| Heart disease | 418 | 439 | 444 | 413 | 451 | 427 | 402 | 447 |
| Cerebrovascular disease | 110 | 93 | 99 | 95 | 119 | 109 | 85 | 104 |
| Atherosclerosis | 6 | 4 | 10 | 5 | 8 | 11 | 12 | 8 |
| Aortic aneurysm/dissection | 9 | 14 | 14 | 11 | 9 | 5 | 16 | 10 |
| Respiratory diseases | 158 | 146 | 160 | 146 | 130 | 128 | 121 | 127 |
| Influenza & pneumonia | 31 | 29 | 36 | 26 | 26 | 35 | 36 | 30 |
| Chronic lower respiratory disease | 94 | 77 | 91 | 83 | 74 | 76 | 59 | 73 |
| Chronic liver disease & cirrhosis | 26 | 18 | 16 | 18 | 24 | 14 | 15 | 14 |
| Nephritis, nephrotic syndrome, | 43 | | | | | | | |
| nephrosis | | 33 | 20 | 33 | 33 | 32 | 18 | 19 |
| Perinatal conditions | 0 | 16 | 10 | 13 | 7 | 7 | 7 | 8 |
| Congenital malformations | 10 | - | 11 | 8 | 13 | 9 | 11 | 8 |
| External causes | 128 | | 122 | 121 | 93 | 105 | 107 | 111 |
| Accidents | 89 | | 87 | 85 | 72 | 74 | 75 | 82 |
| Motor vehicle accidents | 39 | 35 | 37 | 38 | 39 | 36 | 35 | 34 |
| Suicide | 31 | 24 | 25 | 22 | 14 | 18 | 21 | 19 |
| Homicide | 3 | 5 | 3 | 8 | 2 | 6 | 3 | 2 |
| Population (for reference) | 314,669 | 309,779 | 302,621 | 296,260 | 288,559 | 279,015 | 270,110 | 260,062 |

Note: Some disease definitions changed from ICD-9 to ICD-10 adopted in 1999. Minor terminology changes also occurred.

Table 10.5: McHenry County Deaths by Cause: 1980-1999

| | | | aacc. it | | | | | |
|-------------------------------|---------|---------|----------|---------|---------|---------|---------|---------|
| Cause | 1999 | 1998 | 1997 | 1996 | 1995 | 1990 | 1985 | 1980 |
| All Deaths | 1,549 | 1,485 | 1,440 | 1,445 | 1,382 | 1,160 | 1,134 | 1,013 |
| Heart Disease | 424 | 421 | 402 | 412 | 408 | 376 | 428 | 416 |
| Malignant Neoplasms | 391 | 385 | 359 | 341 | 358 | 289 | 245 | 221 |
| Lung | 102 | 105 | 103 | 102 | 92 | 69 | 55 | 53 |
| Colorectal | 40 | 41 | 42 | 34 | 43 | 42 | 42 | 32 |
| Female breast | 39 | 38 | 30 | 24 | 41 | 29 | 27 | 21 |
| Leukemia, Lymphoma & | | | | | | | | |
| Hematopoietic | 44 | 32 | 32 | 37 | 32 | 23 | 29 | 21 |
| Cerebrovascular disease | 120 | 119 | 116 | 108 | 94 | 96 | | 93 |
| Accidents | 76 | 4 | 56 | 72 | 67 | 54 | 59 | 46 |
| Motor vehicle accidents | 43 | 26 | 34 | 51 | 42 | 32 | 45 | 34 |
| Chronic obstructive pulmonary | | | | | | | | |
| disease | 74 | 67 | 69 | 73 | 68 | 50 | 43 | 17 |
| Pneumonia & influenza | 39 | 52 | 49 | 63 | 37 | 46 | 33 | 32 |
| Diabetes mellitus | 39 | 23 | 44 | 44 | 32 | 13 | 22 | 14 |
| Cirrhosis of liver | 20 | 19 | 18 | 13 | 18 | 14 | 12 | 21 |
| Arteriosclerosis | 17 | 10 | 14 | 14 | 20 | 15 | 16 | 14 |
| Nephritis & nephrosis | 21 | 25 | 18 | 15 | 17 | 11 | 6 | 6 |
| Septicemia | 21 | 11 | 11 | 15 | 9 | 10 | 4 | 3 |
| Suicide | 14 | 27 | 23 | 31 | 22 | 15 | 18 | 14 |
| Homicide | 3 | 2 | 5 | 5 | 2 | 2 | 1 | 2 |
| Perinatal Conditions | 14 | 13 | 8 | 6 | 11 | 9 | 11 | 14 |
| Congenital anomalies | 12 | 11 | 12 | 7 | 3 | 6 | 11 | 12 |
| HIV infection | 2 | 1 | 3 | 4 | 7 | 2 | - | - |
| Population (for reference) | 255,448 | 248,529 | 242,449 | 235,954 | 228,762 | 183,241 | 158,600 | 147,897 |

Note: Format and terminology follow Illinois Department of Public Health reports.


Table 10.6: McHenry County, Illinois & U.S. Deaths by Cause: 2007

| | McHenry | Illinois | U.S. | |
|---|---------|-------------------|-------------------|-------------------|
| Cause | Number | Rate ¹ | Rate ¹ | Rate ¹ |
| All Causes | 1,820 | 578.4 | 783.6 | 803.6 |
| Cancer (malignant neoplasms) | 493 | 156.7 | 188.0 | 186.6 |
| Heart disease | 418 | 132.8 | 201.3 | 204.3 |
| Accidents (unintentional injuries) | 120 | 38.1 | 42.3 | 51.9 |
| Stroke (cerebrovascular disease) | 110 | 35.0 | 45.7 | 45.1 |
| Chronic lower respiratory diseases ² | 94 | 29.9 | 37.0 | 42.4 |
| Alzheimer's disease | 66 | 21.0 | 21.3 | 24.7 |
| Nephritis, nephrotic syndrome and nephrosis | 43 | 13.7 | 19.8 | 15.4 |
| Diabetes mellitus | 40 | 12.7 | 22.2 | 23.7 |
| Influenza & pneumonia | 31 | 9.9 | 19.9 | 17.5 |
| Suicide | 31 | 9.9 | 8.6 | 11.5 |
| Septicemia | 29 | 9.2 | 16.4 | 11.5 |
| Chronic liver disease & cirrhosis | 26 | 8.3 | 8.1 | 9.7 |
| Perinatal conditions | 11 | *3.5 | 5.4 | 4.8 |
| Congenital malformations | 10 | *3.2 | 3.1 | 3.5 |
| Atherosclerosis | 6 | *1.9 | 2.4 | 2.7 |
| Homicide | 3 | *1.0 | 6.7 | 6.1 |
| HIV infection | 1 | *0.3 | 2.4 | 3.7 |

¹Rate per 100,000 population, not age-adjusted.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

Figure 10.3: McHenry County, Illinois & U.S. Death Rate for Top Five Leading Causes of Death: 2007



²Previously known as chronic obstructive pulmonary disease (COPD)

^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less.

Changes in the classifying death by International Classification of Disease (ICD) ICD-9 to ICD-10 alter interpretation and comparison of rates. **Comparability Ratio** ICD-10:ICD-9 Cause Stroke (Cerebrovascular disease) 1.06 Chronic Lower Respiratory Disease 1.05 Pneumonia & Influenza 0.7 Kidney disease 1.23 Septicemia 1.19

Table 10.7: McHenry County, Illinois & U.S. Age-Adjusted Death Rates¹ for Six Leading Causes: 1997 & 2007

| | McHenry | / County | Illinois | U.S. |
|---|---------|----------|----------|-------|
| Cause | 2007 | 1997 | 2007 | 2007 |
| Cancer (malignant neoplasms) | 190.8 | 147.2 | 186.0 | 178.4 |
| Heart disease | 169.1 | 161.3 | 192.9 | 190.9 |
| Stroke (cerebrovascular disease) | 45.5 | 47.4 | 43.9 | 42.2 |
| Chronic lower respiratory diseases ² | 39.1 | 27.2 | 36.7 | 40.8 |
| Accidents (unintentional injuries) | 30.3 | 20.6 | 33.1 | 39.4 |
| Alzheimer's disease | 28.8 | *5.8 | 19.9 | 22.7 |

¹Rate per 100,000 population using 2000 U.S. standard population.

²Previously known as chronic obstructive pulmonary disease (COPD).

^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less.

Table 10.8: McHenry County Deaths for Leading Causes as Percent of All: 2006-2007 Compared To 1996-1997

| | 2006- | 2007 | 1996-1997 | | |
|---|--------|---------|-----------|---------|--|
| Cause | Number | Percent | Number | Percent | |
| All Causes | 3,614 | 100% | 2,897 | 100% | |
| Cancer (malignant neoplasms) | 994 | 27.5% | 702 | 24.2% | |
| Heart disease | 857 | 23.7% | 773 | 26.7% | |
| Stroke (cerebrovascular disease) | 203 | 5.6% | 217 | 7.5% | |
| Accidents (unintentional injury) | 174 | 4.8% | 117 | 4.0% | |
| Chronic lower respiratory diseases ¹ | 171 | 4.7% | 136 | 4.7% | |
| Alzheimer's disease | 120 | 3.3% | 34 | 1.2% | |
| Diabetes mellitus | 87 | 2.4% | 91 | 3.1% | |
| Nephritis, nephrotic syndrome & nephrosis | 77 | 2.1% | 31 | 1.1% | |
| Influenza & pneumonia | 60 | 1.7% | 113 | 3.9% | |
| Septicemia | 56 | 1.5% | 27 | 0.9% | |
| Suicide | 55 | 1.5% | 42 | 1.4% | |
| Chronic liver disease & cirrhosis | 44 | 1.2% | 33 | 1.1% | |
| Parkinson's disease | 34 | 0.9% | 24 | 0.8% | |
| In situ & benign neoplasms | 28 | 0.8% | 10 | 0.3% | |
| Perinatal conditions | 27 | 0.7% | 16 | 0.6% | |


Also referred to as chronic obstructive pulmonary disease (COPD). Beginning in 1999, this cause of death is classified as chronic lower respiratory diseases.

Table 10.9: McHenry County Selected Death Causes by Gender: 2005-2007

| | | Fema | le | Male | | | |
|---|--------|----------------------------|---------------------------------------|--------|----------------------------|---------------------------------------|--|
| Cause | Number | Crude Rate ¹ | Age- Adjusted Rate ² | Number | Crude Rate ¹ | Age- Adjusted Rate ² | |
| All Causes | 2,755 | 597.9 | 646.2 | 2,568 | 522.3 | 839.9 | |
| Cancer (malignant neoplasms) | 733 | 159.1 | 174.5 | 689 | 148.2 | 214.6 | |
| Heart disease | 661 | 143.4 | 153.0 | 640 | 137.6 | 217.1 | |
| Stroke (cerebrovascular disease) | 184 | 39.9 | 43.1 | 118 | 25.4 | 44.8 | |
| Chronic lower respiratory diseases ³ | 147 | 31.9 | 36.0 | 115 | 24.7 | 44.0 | |
| Alzheimer's disease | 122 | 26.5 | 27.9 | 48 | 10.3 | 20.8 | |
| Accidents (unintentional injuries) | 74 | 16.1 | 16.9 | 187 | 40.2 | 46.2 | |
| Diabetes mellitus | 69 | 15.0 | 16.8 | 67 | 14.4 | 21.5 | |
| Influenza & pneumonia | 53 | 11.5 | 12.3 | 43 | 9.2 | 15.8 | |
| Nephritis, nephrotic syndrome, & nephrosis | 45 | 9.9 | 10.9 | 51 | 11.0 | 18.0 | |
| Suicide | 17 | *3.7 | *3.6 | 63 | 13.5 | 13.6 | |

Rate per 100,000 population, not age-adjusted.

Figure 10.4: McHenry County Leading Causes of Death by Gender: 2005-2007



^{*}Adjusted to 2000 U.S. Standard Population Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

²Deaths per 1,000 population adjusted to 2000 U.S. Standard Population.

³Also referred to as chronic obstructive pulmonary disease (COPD). Beginning in 1999, this cause of death is classified as chronic lower respiratory diseases.

^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less.

Table 10.10: McHenry County & Illinois
Deaths Before 65 Years Old for Selected Causes: 2007

| | Mc | McHenry County | | | |
|---|-----------------|------------------|------------------------------|------------------------------|--|
| Cause | Total Deaths | Before Age 65 | Percent Under 65 Years | Percent Under 65 Years | |
| All Causes | 1,820 | 450 | 24.7% | 26.4% | |
| Cancer (malignant neoplasms) | 493 | 140 | 28.4% | 30.2% | |
| Heart disease | 418 | 74 | 17.7% | 20.3% | |
| Stroke (cerebrovascular disease) | 110 | 13 | 11.8% | 13.4% | |
| Chronic lower respiratory diseases ¹ | 94 | 10 | 10.6% | 13.7% | |
| Accidents (unintentional injuries) | 92 | 62 | 67.4% | 67.7% | |
| Nephritis, nephrotic syndrome, & nephrosis | 43 | 9 | 20.9% | 16.1% | |
| Diabetes mellitus | 40 | 13 | 32.5% | 26.4% | |
| Influenza & pneumonia | 31 | 5 | 16.1% | 13.5% | |
| Suicide | 31 | 28 | 90.3% | 85.2% | |
| Septicemia | 29 | 3 | 10.3% | 24.0% | |

¹Also referred to as chronic obstructive pulmonary disease (COPD). Beginning in 1999, this cause of death is classified as chronic lower respiratory diseases.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

Figure 10.5: McHenry County & Illinois
Percent of Deaths Before Age 65 Years for Select Causes: 2007




Table 10.11: McHenry County Years of Potential Life Lost¹ for Select Causes of Death: 2006

| Cause | Total |
|------------------------------------|-------|
| Cancer (malignant neoplasms) | 1,849 |
| Accidents (unintentional injuries) | 1,536 |
| Perinatal conditions | 1,035 |
| Heart disease | 916 |
| Suicide | 459 |
| Congenital malformations | 194 |

¹Before age 65

Source: Illinois Department of Public

Health, IPLAN Data System

Table 10.12: McHenry County Number of Deaths by Race/Ethnicity¹: 1999-2007

| Year | White | Black | Other | Hispanic |
|------|-------|-------|-------|----------|
| 2007 | 1,750 | 9 | 15 | 37 |
| 2006 | 1,725 | 12 | 13 | 37 |
| 2005 | 1,633 | 6 | 17 | 48 |
| 2004 | 1,596 | 8 | 9 | 46 |
| 2003 | 1,659 | 5 | 9 | 30 |
| 2002 | 1,565 | 9 | 14 | 32 |
| 2001 | 1,454 | 9 | 6 | 29 |
| 2000 | 1,484 | 4 | 6 | 21 |
| 1999 | 1,508 | 1 | 9 | 28 |

¹Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race.

Table 10.13: McHenry County, Illinois & U.S. Crude and Age-Adjusted Death Rates by Race/Ethnicity¹: 2007

| | Total | | White | | Black | | Asian/ Pac | ific Islander | Hispanic | |
|----------------|----------------------------|---------------------------------------|----------------------------|---------------------------------------|----------------------------|---------------------------------------|----------------------------|---------------------------------------|----------------------------|---------------------------------------|
| Area | Crude Rate ² | Age- Adjusted Rate ³ |
| McHenry County | 578.4 | 719.3 | 654.7 | 735.1 | *234.7 | *861.8 | *139.8 | *243.9 | 110.0 | 386.0 |
| Illinois | 783.6 | 760.3 | 944.1 | 747.7 | 811.0 | 1,019.8 | 220.1 | 340.3 | 191.9 | 434.4 |
| U.S. | 803.6 | 760.2 | 964.1 | 763.3 | 750.7 | 978.6 | 313.7 | 415.2 | 297.8 | 546.1 |

Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

Figure 10.6: McHenry County, Illinois & U.S. Death Rate by Race/Ethnicity: 2007 ■McHenry County
■Illinois
■U.S.

Age-adjusted* deaths per 1,000 1,400.0 1,200.0 1,000.0 800.0 600.0 400.0 1,019.8 978.6 861.8 763.3 600.0 735.1 747.7 400.0 546. 434 386. 200.0 5 White Black Asian Hispanic Race/Ethnicity¹

¹Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race.

²Rate per 100,000 population, not age-adjusted.

³Deaths per 1,000 population adjusted to 2000 U.S. Standard Population.

^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less.

^{*}Adjusted to 2000 U.S. Standard Population

Table 10.14: McHenry County, Illinois & U.S.


Age-Adjusted Death Rates¹ for Two Leading Causes of Death by Race/Ethnicity²: 2005-2007

| | | McHen | ry Count | :y | | II | linois | | | | U.S. | |
|------------------------------|-------|--------|-------------------|----------|-------|-------|-------------------|----------|-------|-------|-------------------|----------|
| | | | Asian/ Pacific | | | | Asian/ Pacific | | | | Asian/ Pacific | |
| Cause | White | Black | Islander | Hispanic | White | Black | Islander | Hispanic | White | Black | Islander | Hispanic |
| Cancer (malignant neoplasms) | 193.9 | *417.7 | *97.1 | 75.1 | 188.8 | 243.9 | 66.8 | 99.0 | 184.6 | 222.8 | 108.0 | 118.9 |
| | | | | | | | | | | 263.1 | | 145.3 |

¹Deaths per 1,000 population adjusted to 2000 U.S. Standard Population.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

Figure 10.7: McHenry County, Illinois & U.S. Top Two Leading Causes of Death by Race/Ethnicity: 2005-2007



¹Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race.

²Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race.

^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less.

^{*}Adjusted to 2000 U.S. Standard Population

Table 10.15: McHenry County
Leading Causes of Death by Race/Ethnicity: 2003-2007

| | | | O al a | Age- |
|-----|--|--------|---------------|------------------|
| Ra | ce/Ethnicity ¹ & Leading Causes of Death ² | Number | Crude Rate | Adjusted Rate |
| Wh | | | | |
| 1. | Lung cancer | 626 | 48.1 | 55.2 |
| 2. | Cerebrovascular disease (stroke) | 505 | 38.8 | 48.8 |
| 3. | Acute myocardial infarction (heart attack) | 417 | 32.1 | 38.0 |
| 4. | Chronic lower respiratory diseases ³ | 349 | 26.8 | 33.5 |
| 5. | Alzheimer's disease | 275 | 21.1 | 27.2 |
| 6. | Heart failure | 242 | 18.6 | 23.6 |
| 7. | Diabetes mellitus | 222 | 17.1 | 20.5 |
| 8. | Colorectal cancer | 207 | 15.9 | 18.3 |
| 9. | Breast cancer | 182 | 14.0 | 15.5 |
| 10. | Motor vehicle accidents | 157 | 12.1 | 12.8 |
| Oth | er Races | | - | |
| 1. | Lung cancer | 6 | *10.7 | *19.9 |
| His | panic | | | |
| 1. | Motor vehicle accidents | 25 | 16.5 | 19.1 |
| 2. | Perinatal conditions | 17 | *11.3 | *5.7 |
| 3. | Congenital malformations | 8 | *5.3 | *3.1 |
| 4. | Acute myocardial infarction (heart attack) | 7 | *4.6 | *23.0 |
| 5. | Lung cancer | 6 | *4.6 | *23.0 |
| 6. | Diabetes mellitus | 6 | *4.6 | *18.7 |

Note: Deaths were only listed for causes with more than 5 deaths.

¹Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race.

²Leading causes of death are defined by ICD 113 groups. Top five causes of death are listed where there are 5 or more deaths from that cause.

³Also referred to as chronic obstructive pulmonary disease (COPD). Beginning in 1999, this cause of death is classified as chronic lower respiratory diseases.


^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less.

Table 10.16: McHenry County
Deaths Before Age 65 by Race/Ethnicity:
2005-2007

| Race/Ethnicity ¹ | Total Deaths | Before Age 65 | Percent Under 65 Years |
|-----------------------------|-----------------|------------------|---------------------------|
| All Deaths | 5,323 | _ | |
| White | 5,108 | 1,253 | 24.5% |
| Black | 27 | 18 | 66.7% |
| Asian | 42 | 17 | 40.5% |
| Hispanic | 122 | 74 | 60.7% |

¹Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race.

Figure 10.8: McHenry County
Percent of Deaths Before Age 65 by Race/Ethnicity: 2005-2007



¹Except for Hispanic, all races are non-Hispanic and Hispanic can be of any race. Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

Table 10.17: McHenry County Leading Causes of Death by Age Group: 2003-2007

| Leading Causes of Death by Age Group. 200 | | |
|---|--------|-------------|
| | | Percent in |
| Age Group/Leading Causes of Death | Number | Age Group |
| 0-11 Months | | |
| Perinatal conditions | 55 | 55.6% |
| 2. Congenital malformations | 27 | 27.3% |
| 1-14 Years | | |
| Congenital malformations | 5 | 10.6% |
| 15-24 Years | • | |
| Motor vehicle accidents | 69 | 48.9% |
| 2. Accidental poisoning/exposure to noxious substances | 17 | 12.1% |
| 25-44 Years | | |
| Motor vehicle accidents | 43 | 10.9% |
| 2. Accidental poisoning/exposure to noxious substances | 41 | |
| 3. Suicide | 32 | 8.1% |
| 4. Breast cancer | 14 | 3.5% |
| 5. Diabetes mellitus | 11 | 2.8% |
| 45-64 Years | | |
| 1. Lung cancer | 196 | 12.3% |
| 2. Heart attack | 97 | 6.1% |
| 3. Breast cancer | 68 | 4.3% |
| 4. Colorectal cancer | 61 | 3.8% |
| 5. Diabetes mellitus | 42 | 2.6% |
| 65-74 Years | - | |
| 1. Lung cancer | 200 | 13.4% |
| 2. Chronic respiratory diseases ² | 78 | 5.2% |
| 3. Heart attack | 69 | 4.6% |
| Cerebrovascular disease (stroke) | 69 | 4.6% |
| 5. Diabetes mellitus | 50 | 3.4% |
| 75 Years & Older | | |
| Cerebrovascular disease (stroke) | 401 | 8.2% |
| 2. Alzheimer's disease | 267 | 5.4% |
| 3. Heart attack | 249 | 5.1% |
| 4. Chronic respiratory diseases ² | 243 | 4.9% |
| 5. Lung cancer | 234 | |
| I poding appear of death are defined by ICD 112 groups. Top | • | oo of dooth |

¹Leading causes of death are defined by ICD 113 groups. Top five causes of death are listed where there are 5 or more deaths from that cause.

²Previously known as chronic obstructive pulmonary disease (COPD).

Table 10.18: McHenry County & Illinois
Age-Adjusted Site-Specific Cancer Mortality Rates: 2003-2007

| rigo riajacioù dito d | Male | | | Female | | | |
|------------------------------|-----------|-------------------|-----------------------|-----------|-------------------|-------------------|--|
| | McHenry (| County | Illinois ¹ | McHenry (| County Illinois | | |
| Cancer site | Number | Rate ² | Rate ² | Number | Rate ² | Rate ² | |
| All Sites | 1,183 | 233.7 | 234.0 | 1,194 | 177.8 | 164.6 | |
| Lip, Oral Cavity and Pharynx | 16 | *2.9 | 3.4 | 12 | *1.8 | 1.4 | |
| Esophagus | 52 | 9.9 | 8.4 | 10 | *1.5 | 1.7 | |
| Stomach | 25 | 4.7 | 5.1 | 19 | *2.8 | 2.5 | |
| Colon, Rectum and Anus | 106 | 20.8 | 22.8 | 104 | 15.3 | 15.7 | |
| Liver | 25 | 4.4 | 6.8 | 26 | 4.0 | 3.1 | |
| Pancreas | 57 | 10.6 | 12.5 | 72 | 11.0 | 9.5 | |
| Larynx | 0 | *0.0 | 2.0 | 2 | *0.2 | 0.5 | |
| Trachea, Bronchus and Lung | 333 | 63.8 | 68.8 | 306 | 46.2 | 41.9 | |
| Melanoma of the skin | 24 | 4.2 | 4.2 | 11 | *1.6 | 2.0 | |
| Breast | 1 | *0.2 | 0.3 | 186 | 27.0 | 23.8 | |
| Cervix uteri | _ | | | 9 | *1.3 | 2.3 | |
| Corpus uteri and Uterus | _ | | | 28 | 4.2 | 4.1 | |
| Ovary | _ | l | _ | 69 | 10.4 | 9.0 | |
| Prostate | 99 | 24.8 | 23.1 | | _ | _ | |
| Bladder | 38 | 8.3 | 8.2 | 20 | *3 | 2.4 | |
| Kidney | 26 | 6.6 | 6.3 | 10 | *1.5 | 2.8 | |
| Brain and Nervous System | 38 | 6.0 | 4.9 | 28 | 3.9 | 3.7 | |
| Hodgkin's Disease | 3 | *0.8 | 0.5 | 6 | 0.*9 | 0.4 | |
| Non-Hodgkin's Lymphomas | 38 | 7.7 | 9.6 | 38 | 5.6 | 6.1 | |
| Multiple Myeloma | 23 | 4.5 | 4.3 | 24 | 3.6 | 2.9 | |
| Leukemias | 77 | 16.2 | 10.7 | 37 | 5.4 | 5.9 | |

¹Whites only

²Age-adjusted rate per 100,000 population


^{*}Rate is unreliable, which is defined as a rate with a numerator of 20 or less (20 or less events). Source: Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database.

Table 10.19: McHenry County Birth: Death Index: 1980-2007

| | III.Deat | II IIIGEA. | 1900-2001 |
|------|----------|------------|-------------|
| | | | Birth:Death |
| Year | Births | Deaths | Index |
| 2007 | 4,113 | 1,820 | 2.26 |
| 2006 | 4,224 | 1,794 | 2.35 |
| 2005 | 4,229 | 1,709 | 2.47 |
| 2004 | 4,364 | 1,662 | 2.63 |
| 2003 | 4,141 | 1,706 | 2.43 |
| 2002 | 4,200 | 1,625 | 2.58 |
| 2001 | 4,125 | 1,507 | 2.74 |
| 2000 | 4,056 | 1,521 | 2.67 |
| 1999 | 4,016 | 1,548 | 2.59 |
| 1998 | 3,822 | 1,487 | 2.57 |
| 1997 | 3,836 | 1,448 | 2.65 |
| 1996 | 3,894 | 1,449 | 2.69 |
| 1995 | 3,824 | 1,387 | 2.76 |
| 1990 | 3,365 | 1,170 | 2.88 |
| 1985 | 2,512 | 1,137 | 2.21 |
| 1980 | 2,435 | 1,035 | 2.35 |

Source: Illinois Department of Public Health for birth data; Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database for death data.

Figure 10.9: McHenry County Birth: Death Index: 1980-2007



Source: Illinois Department of Public Health for birth data; Centers for Disease Control and Prevention, National Center for Health Statistics, CDC WONDER database for death data.

Chapter 11: Health Status & Behaviors

| | | Tables & Figures |
|---|--|------------------|
| • | In 2007, 60% of McHenry County adults considered themselves in excellent or very good health, compared to 51% for the State. Approximately 3% said they were in poor health. These rates are comparable to previous surveys. | Table 11.1 |
| • | Over half (57%) of adults in McHenry County reported that they had all good mental health days during the past month, which was lower than the previous three studies in 1997, 2001 and 2004. Approximately 30% of adults experienced poor mental health days for less than a week during the last month and 14% experienced more than a week of poor mental health, which was up from the last three surveys. | Table 11.1 |
| • | The percent of adults in McHenry County experiencing poor physical health days for more than a week during the past month (12.1%) was higher than the previous survey (6.9%), while approximately two-thirds (66.8%) of adults experience good physical health days all month which remained relatively constant over the past three surveys. | Table 11.1 |
| • | The percent of people in McHenry County who perceived their general health as being excellent or very good in 2007 was greater than the percent of adults who had good mental health, but lower than the percent of adults who had good physical health. | Table 11.1 |
| • | Three out of ten McHenry County adults reported being diagnosed each with high cholesterol (31.2%) and high blood pressure (28.1%). One in four (23.8%) McHenry County adults reported being diagnosed with arthritis. A diagnosis of asthma was reported by 15.5% of adults and only 5.4% of adults reported being diagnosed with diabetes. | Table 11.2 |
| • | The adult prevalence of arthritis, asthma, and high blood pressure were higher in McHenry County than Illinois for 2007, while the prevalence of diabetes (types I and II) and high cholesterol were lower. | Table 11.2 |
| • | When applying national estimates to the McHenry County population, lower back pain, chronic joint symptoms, hypertension, arthritis, and migraines or severe headaches topped the list of chronic conditions affecting the County residents in 2008, all of which affected more than 67,000 adults. | Table 11.3 |
| • | Three in five (59.2%) adults in McHenry County in 2007 were overweight or obese, which was slightly lower than the State (62.0%). | Table 11.4 |
| • | One in five (20.7%) McHenry County adults were at risk for acute/binge drinking in 2007, which was slightly higher than Illinois (19.9%). | Table 11.4 |

Tables & Figures

| • | One in five (19.8%) of McHenry County adults in 2007 smoked, while one third (32.9%) of adults used to smoke. Compared to Illinois, McHenry County had proportionately fewer adults who have never smoked, while the County had proportionately more people who have quit smoking. | Table 11.4 |
|---|--|------------|
| • | The percent of McHenry County women 40 years and older that had a mammogram at some time during their life was slightly lower than Illinois, at 87.4% and 90.8%, respectively. However, McHenry County had a higher percentage of women who had a mammogram within the past year, at 69.5%, compared to Illinois at 64.0%. | Table 11.5 |
| • | In 2007, 95.0% of McHenry County women reported having a Pap smear at some point in their life and 82.8% reported having one within the past year. | Table 11.5 |
| • | In 2007, over half (57.4%) of McHenry County men 40 years and older had a PSA test to screen for prostate cancer and almost three quarters (74.1%) reported having a digital rectal exam to screen for colorectal cancers. | Table 11.5 |
| • | In 2007, three in five (60.0%) McHenry County adults 50 years old and older reported having a colon/sigmoidoscopy to screen for colon cancers, which was higher than the State percent at 55.4%. | Table 11.5 |
| • | In 2007, three-quarters (76.9%) of McHenry County adults reported visiting a dentist within the last year, compared to 10.6% who saw one within the past 1 to 2 years and 12.5% who saw a dentist 2 or more years ago. Overall, McHenry County adults frequented the dentist more often than the State in 2007. | Table 11.6 |
| • | Almost three-quarters (73.5%) of McHenry County adults reported having dental insurance in 2007, which was above levels reported in 2004 and 2002. | Table 11.6 |
| • | For the five-year period from 2003-2007, the cancer incidence for all cancers was higher among men at 522.6 new cancers per 100,000 men than to women at 430.3 new cancers per 100,000 women. Cancer incidence rates among men and women in McHenry County were lower than the gender-specific incidence rates for Illinois. | Table 11.7 |
| • | Among men in 2003-2007, the highest cancer incidence rate was for prostate cancer at 156.1 per 100,000 men, followed by lung cancer at 79.4. Among females, the highest cancer incidence rate was for invasive breast cancer at 120.6 per 100,000 women, followed by lung cancer at 60.6. | Table 11.8 |

| • | Among men, liver and pancreatic cancer incidence rates were significantly lower in McHenry County compared to Illinois, while testicular cancer was significantly higher. Among women, the bladder cancer incidence rate was significantly higher in McHenry County than Illinois, while the in situ breast cancer incidence rate was significantly lower. | Table 11.9 |
|---|---|----------------------------|
| • | During 2003-2007, cancer incidence was significantly higher among men for oral cavity and pharynx, esophagus, stomach, lung and bronchus, skin melanoma, bladder, kidney and non-Hodgkin's lymphomas compared to females. Females had a significantly higher invasive breast cancer incidence than men during the same 5-year period in McHenry County. | Table 11.10 |
| • | In 2009, the most commonly reported communicable disease was chronic or resolved hepatitis C, varicella (chickenpox), pertussis (whooping cough), and salmonellosis. | Table 11.11 |
| • | Sexually transmitted disease (STD) rates for McHenry County were much lower than Illinois. | Table 11.12 |
| • | In McHenry County, the rate of reported chlamydia cases generally increased from 1990 to 2008, although 2008 saw a 12% decrease from the previous year. The rate of reported gonorrhea cases in 2008 decreased from the previous year – going from 17.7 cases per 100,000 population to 9.6. | Table 11.12 Figure 11.1 |
| • | Two fewer cases of AIDS and HIV (non-AIDS) were reported in 2009 from the previous year and there were 82 people living with AIDS in McHenry County in 2009. | Table 11.13 |
| • | Overall, there was an increase in the number of children tested for lead and a decrease in the percent of high blood lead levels in McHenry County from 1995 to 2008. In 2008, the blood lead level that required further investigation was decreased from 15 μ g/dL to10 μ g/dL. In 2008, the percent of children with elevated blood lead levels was <1% regardless of which cutoff value was used. | Table 11.14 Figure 11.2 |
| • | In 2002, only 42% of two year olds received their basic series of immunizations in McHenry County, which was much lower than the State percentage (excluding Chicago) at 57.8%. For every year from 1994 to 2002, the percent of two year olds with the basic series of immunizations was lower in McHenry County compared to Illinois (excluding Chicago). | Table 11.14 |

For the 3-year period of 2005-2007, approximately 10% of children 5 years and younger had at least one disability, which was lower than the U.S. rate. Of the population 5-15 years old, approximately 5.3% had at least one disability and 4.6% had a mental disability, which was slightly lower than the U.S. Among adults 16-64 years old, 7.3% had at least one disability, with physical disabilities being the most common followed by employment disabilities. Of the population of 65 years and older in McHenry County, approximately one-third have a disability and one-quarter have a physical disability from 2005-2007.

Table 11.17

 When applying national estimates to the 2009 population of McHenry County, 48,487 adults in McHenry County suffered from at least one mental disorder and approximately 2 in 5 adults between 18-54 year olds and those 55 years and older suffered from a mental disorder. Simple phobias, major depressive episodes, unipolar major depressive disorder, agoraphobia and severe cognitive impairments top the list and each disorder affected over 6,500 adults in the County during 2009. Table 11.18 Figure 11.3

 When applying national estimates to the 2009 population of McHenry County, approximately 22,369 residents 12 years and older have used an illicit substance in the past month and 9,437 residents have used an illicit substance other than marijuana in the past month. Marijuana, pain relievers (used nonmedically), tranquilizers, cocaine (including crack), and stimulants (including methamphetamine) topped the list of most commonly used illicit drugs in 2009. Table 11.19

 When applying national estimates to the 2009 population of McHenry County, the prevalence of illicit drug use was highest among 18 to 25 year olds, where approximately one in five (21.2%) used any illicit drug in the past month and 8.3% used any illicit drug other than marijuana in the past month. Table 11.19

When applying national estimates to the 2009 population of McHenry County, an estimated 71,984 residents 12 years old and older smoked tobacco during the past month. Of those who smoked, cigarettes (84% of tobacco users) were the most commonly smoked followed by cigars (18.9% of tobacco users). The highest prevalence of tobacco users was among 18 to 25 year olds where two in five (41.6%) used tobacco in the past month.

Table 11.19

 When applying national estimates to the 2009 population of McHenry County, it was estimated that 135,432 residents 12 years and older drank alcohol during the past month. Of those who drank alcohol, 45.1% are considered binge alcohol users and 12.9% are considered heavy drinkers. Table 11.19

| • | When applying national estimates to the 2009 population of McHenry County, 14,366 males aged 12 and older used illicit drugs in the past month compared to 8,735 women. Among racial/ethnic groups, 20,153 of non-Hispanic Whites used an illicit drug in the past month, followed by 2,024 Hispanics and 287 non-Hispanic Blacks. | Table 11.20 |
|---|---|----------------------------|
| • | In 2008, over half (54%) of high school seniors in McHenry County drank alcohol and one in five smoked cigarettes and used marijuana. This can be compared to 6 th graders where only 2% smoked cigarettes, 7% drank alcohol and 2% used marijuana. All of these rates for high school seniors decreased from the previous survey done in 2006. | Table 11.21 Figure 11.4 |
| • | For 2008, 9% of high school seniors used over-the-counter performance enhancing drugs and uppers, such as Ritalin, and 8% reported using cocaine (including crack), psychedelics, such as LSD, other prescription narcotics, such as OxyContin and Ketamine in the past year. These rates were higher for McHenry County seniors compared to Illinois for 2008. | Table 11.22 |
| • | During 2008, 8% of 8 th graders reported using inhalants during the past month – this rate was higher than any other grade level in McHenry County and higher than the rate for Illinois 8 th graders. | Table 11.22 |
| • | During 2008, 18% of 8th graders and 14% of 12 th graders carried a weapon. | Table 11.23 |
| • | During 2008, 11% of McHenry County 12 th graders reported selling illegal drugs, 16% reported being drunk or high at school, 20% reported drinking and driving, and 21% drove while high. | Table 11.23 |
| • | In 2008, Driving Under the Influence (DUI) arrests number 1,259 in McHenry County - a rate of 520.9 arrests per 100,000 people 16 years and older. This rate was 8.5% higher than the Illinois rate, at 479.9. Since 1998, the DUI arrest rate declined, but remained higher than the Illinois. | Table 11.24 Figure 11.5 |

Table 11.1: McHenry County & Illinois Percent of Health Status: 1997-2007

| | Percent of Population 18 Years & Older | | | | | | | |
|----------------------------------|--|----------------|--------|-------|----------|--|--|--|
| | N | 1cHenry | County | / | Illinois | | | |
| Response | 2007 | 2004 | 2001 | 1997 | 2007 | | | |
| Rating of General Health | | | | | | | | |
| Excellent/Very good | 60.4% | 61.2% | 58.6% | 66.8% | 50.8% | | | |
| Good/Fair | 36.9% | 37.7% | 38.7% | 31.9% | 45.4% | | | |
| Poor | 2.8% | 1.1% | 2.7% | 1.3% | 3.8% | | | |
| Days Mental Health Not Good With | in Past N | /lonth | | | | | | |
| None | 57.0% | 62.5% | 68.1% | 59.5% | 62.1% | | | |
| 1-7 days | 29.3% | 27.4% | 23.5% | 27.4% | 25.8% | | | |
| 8-30 days | 13.7% | 10.1% | 8.5% | 13.1% | 12.1% | | | |
| Days Physical Health Not Good Wi | thin Past | Month | | | | | | |
| None | 66.8% | 66.0% | 65.4% | 69.1% | 61.5% | | | |
| 1-7 days | 21.1% | 27.1% | 21.3% | 22.1% | 26.1% | | | |
| 8-30 days | 12.1% | 6.9% | 13.3% | 8.8% | 12.4% | | | |

Source: Illinois Department of Public Health, Behavioral Risk Factor Survey.

Table 11.2: McHenry County & Illinois Prevalence of Selected Conditions: 2007

| | Percent of Population 18 Years & Older | | | | | |
|------------------------|--|----------|--|--|--|--|
| Condition ¹ | McHenry County | Illinois | | | | |
| Arthritis | 23.8% | 19.3% | | | | |
| Asthma | 15.5% | 12.8% | | | | |
| Diabetes | 5.4% | 8.8% | | | | |
| High blood pressure | 28.1% | 27.9% | | | | |
| High cholesterol | 31.2% | 36.7% | | | | |

¹Self-reported existence of conditions which were diagnosed by respondent's health professional.

Source: Illinois Department of Public Health, Illinois Behavioral Risk Factor Survey.

Table 11.3: McHenry County
Estimated Number of Adults with Select Diseases/Conditions: 2009

| | 18-44 | | 45-64 | | 65-74 | Years | 75 Years | & Older | All A | dults |
|-------------------------------|---------|--------|---------|--------|---------|--------|----------|---------|-------|--------|
| Disease/ Condition | Percent | Number | Percent | Number | Percent | Number | Percent | | | Number |
| Selected Circulatory Diseases | | • | | | | | | • | | |
| Heart Disease | 4.4% | | 13.1% | 11,524 | 25.8% | 5,090 | 36.9% | 5,496 | 11.5% | 27,048 |
| Hypertension | 8.7% | 9,765 | 32.6% | 28,677 | 53.8% | 10,613 | 59.3% | 8,833 | 24.7% | 57,888 |
| Stroke | 0.6% | 673 | 2.5% | 2,199 | 6.4% | 1,263 | 12.1% | 1,802 | 2.5% | 5,937 |
| Selected Respiratory Diseases | | | | | | | | | | |
| Emphysema | 0.3% | 337 | 2.6% | 2,287 | 5.8% | 1,144 | 7.4% | 1,102 | 2.1% | 4,870 |
| Asthma | 7.6% | 8,530 | 7.8% | 6,861 | 8.4% | 1,657 | 6.9% | 1,028 | 7.7% | 18,076 |
| Hay fever | 6.4% | 7,183 | 10.0% | 8,797 | 7.9% | 1,558 | 6.2% | 923 | 7.9% | 18,461 |
| Sinusitis | 10.3% | 11,561 | 16.2% | 14,250 | 14.7% | 2,900 | 12.4% | 1,847 | 13.0% | 30,558 |
| Chronic bronchitis | 2.8% | 3,143 | 5.6% | 4,926 | 6.5% | 1,282 | 6.2% | 923 | 4.4% | 10,274 |
| Selected Sensory Problems | | | | | | | | | | |
| Hearing trouble | 6.4% | 7,183 | 17.6% | 15,482 | 28.4% | 5,602 | 44.6% | 6,643 | 14.9% | 34,910 |
| Vision trouble | 5.3% | 5,949 | 10.8% | 9,500 | 10.3% | 2,032 | 16.5% | 2,458 | 8.5% | 19,939 |
| Absence of all natural teeth | 2.2% | 2,469 | 7.3% | 6,422 | 20.8% | 4,103 | 28.0% | 4,171 | 7.3% | 17,165 |
| Other Diseases and Conditions | | | | | | | | | | |
| Diabetes | 3.0% | 3,367 | 12.7% | 11,172 | 20.5% | 4,044 | 19.2% | 2,860 | 9.1% | 21,443 |
| Ulcers | 4.8% | 5,387 | 9.7% | 8,533 | 13.1% | 2,584 | 11.7% | 1,743 | 7.8% | 18,247 |
| Kidney disease | 1.0% | 1,122 | 2.0% | 1,759 | 3.7% | 730 | 6.5% | 968 | 1.9% | 4,579 |
| Liver disease | 0.8% | 898 | 2.3% | 2,023 | 1.6% | 316 | 1.3% | 194 | 1.5% | 3,431 |
| Arthritis | 8.1% | ,091 | 30.2% | 26,566 | 48.4% | 9,548 | 54.2% | 8,073 | 22.7% | 53,278 |
| Chronic joint symptoms | 16.8% | 8,856 | 36.9% | 32,459 | 43.2% | 8,522 | 48.9% | 7,284 | 28.6% | 67,121 |
| Migraines or severe headaches | 19.7% | 22,111 | 15.0% | 13,195 | 6.9% | 1,361 | 5.6% | 834 | 16.0% | 37,501 |
| Neck pain | 13.0% | 14,591 | 19.1% | 16,802 | 15.2% | 2,999 | | | 15.5% | 36,433 |
| Lower back pain | 24.5% | 27,498 | 32.6% | 28,677 | 30.1% | | | | | 67,162 |
| Face or jaw pain | 5.2% | 5,836 | 5.6% | 4,926 | 3.9% | 769 | 3.2% | 477 | 5.1% | 12,008 |
| POPULATION (for reference) | 112, | 238 | 87,9 | 966 | 19, | 727 | 14,8 | 395 | 234 | ,826 |

Source: Estimates based on U.S. rates from National Center for Health Statistics, *Summary Health Statistics for U.S. Adults: National Health Interview Survey, 2009*, Series 10: Number 249, 2010. U.S. rates have been applied to U.S. Census Bureau, Population Division, 2009 Census estimates for McHenry County.

Table 11.4: McHenry County & Illinois Self-Reported Health Behaviors: 2007

| | Percent of Populations 18 Years & Older McHenry | | |
|---|---|----------|--|
| Health Behaviors | County | Illinois | |
| Obesity | | | |
| Underweight/Normal | 40.8% | 38.0% | |
| Overweight | 35.7% | 37.6% | |
| Obese | 23.5% | 24.4% | |
| Drinking | | | |
| At risk for acute/binge drinking ¹ | 20.7% | 19.9% | |
| Smoking Status | | | |
| Current smoker | 19.8% | 20.2% | |
| Former smoker | 32.9% | 23.5% | |
| Non-smoker | 47.4% | 56.3% | |

¹Consumed five or more drinks on at least one occasion within past month.

Source: Illinois Department of Public Health, Illinois Behavioral Risk Factor Survey.

Table 11.5: McHenry County & Illinois Utilization of Cancer Screening Procedures: 2007

| | Percent of Populations 18 Years & Older McHenry | | |
|------------------------------------|---|----------|--|
| Procedure | County | Illinois | |
| Women | | | |
| Had a mammogram, ages 40+ | 87.4% | 90.8% | |
| Within past year | 69.5% | 64.0% | |
| Had a Pap smear | 95.0% | 93.4% | |
| Within past year | 82.8% | 79.3% | |
| Men, Ages 40 Years & Older | | | |
| Had PSA test | 57.4% | 55.0% | |
| Had digital rectal exam | 74.1% | 73.4% | |
| All Adults , Ages 50 Years & Older | | | |
| Had colon/sigmoidoscopy | 60.0% | 55.4% | |

Source: Illinois Department of Public Health, Illinois

Behavioral Risk Factor Survey.

Table 11.6: McHenry County & Illinois
Percent of Adults by Reported Oral Health Indicators:
2002-2007

| | МсНе | Illinois | | |
|---------------------------|-------|----------|-------|-------|
| Indicator | 2007 | 2004 | 2002 | 2004 |
| Last Dental Visit | | | | |
| Within the last year | 76.9% | 76.5% | 77.4% | 71.4% |
| Within the last 1-2 years | 10.6% | 9.7% | 9.8% | 11.3% |
| More than 2 years ago | 12.5% | 13.8% | 12.9% | 17.2% |
| Has Dental Insurance | | | | |
| Yes | 73.5% | 72.7% | 67.7% | NA |
| No | 26.5% | 27.3% | 32.3% | NA |

Source: Illinois Department of Public Health, Illinois Behavioral Risk Factor Survey.

Table 11.7: McHenry County & Illinois Cancer Incidence¹, All Sites: 2003-2007

| · | Gender | | |
|------------------------|--------|--------|--|
| Area | Male | Female | |
| McHenry County | 522.6 | 430.3 | |
| Illinois | 576.7 | 446.8 | |
| Illinois (Whites only) | 562.3 | 432.5 | |

Age-adjusted rate per 100,000 population

Source: Illinois Department of Public Health, Illinois Cancer Registry.

Table 11.8: McHenry County & Illinois
Age-Adjusted Cancer Incidence by Site: 2003-2007

| Age-Aujusteu Can | 1 | Male | | Female | | |
|------------------------------------|-----------|---------------------------|-------------------|--------|-------------------|-----------------------|
| | McHenry (| McHenry County Illinois 1 | | | County | Illinois ¹ |
| Cancer site | Number | Rate ² | Rate ² | Number | Rate ² | Rate ² |
| All Sites | 3,140 | | 562.3 | 3,117 | 446.8 | 432.5 |
| Oral cavity and pharynx | 101 | 16.3 | 15.8 | 48 | 6.9 | 6.1 |
| Esophagus | 56 | 10.3 | 9.5 | 15 | 2.2 | 2.0 |
| Stomach | 46 | 8.7 | 9.5 | 23 | 3.4 | 4.5 |
| Colon and rectum | 324 | 59.0 | 63.8 | 335 | 49.5 | 45.6 |
| Liver | 28 | 4.6 | 7.4 | 17 | 2.7 | 2.3 |
| Pancreas | 54 | 9.8 | 14.1 | 64 | 9.9 | 10.5 |
| Lung and bronchus | 422 | 79.4 | 88.9 | 402 | 60.6 | 59.7 |
| Bones and joints | 3 | 0.4 | 1.1 | 6 | 0.8 | 0.8 |
| Melanoma of the skin | 141 | 22.7 | 20.9 | 115 | 15.5 | 14.2 |
| Breast-invasive only | 9 | 1.6 | 1.2 | 867 | 120.6 | 123.6 |
| Cervix | _ | _ | _ | 45 | 6.3 | 8.0 |
| Corpus and uterus | _ | _ | _ | 223 | 31.4 | 26.9 |
| Ovary | _ | _ | _ | 99 | 14.0 | 13.8 |
| Prostate | 888 | 156.1 | 144.1 | l | _ | _ |
| Testis | 63 | 8.3 | 5.9 | | _ | _ |
| Urinary bladder (includes in situ) | 221 | 42.0 | 42.5 | 92 | 14.4 | 10.9 |
| Kidney and renal pelvis | 149 | 24.6 | 22.3 | 78 | 11.2 | 11.8 |
| Brain and nervous system | 55 | 7.6 | 8.1 | 57 | 7.9 | 6.1 |
| Hodgkin's disease | 25 | 3.6 | 3.4 | 12 | 1.6 | 2.6 |
| Non-Hodgkin's lymphomas | 144 | 24.1 | 25.1 | 110 | 15.9 | 17.0 |
| Multiple myeloma | 35 | 6.4 | 6.5 | 36 | 5.2 | 4.2 |
| Leukemias | 83 | 15.3 | 17.7 | 83 | 11.9 | 10.1 |
| All other sites | 293 | 51.9 | 54.7 | 390 | 55.0 | 51.9 |

¹Whites only

Source: Illinois Department of Public Health, Illinois Cancer Registry.

²Age-adjusted rate per 100,000 population

Table 11.9: McHenry County & Illinois
Cancer Incidence Rates That Vary Significantly
from State: 2003-2007

| | Incidence | | |
|------------------------|-------------------|----------|------------|
| Gender/ Cancer Site | McHenry County | Illinois | Comparison |
| Male | | | |
| Liver | 4.6 | 7.4 | Lower |
| Pancreas | 9.8 | 14.1 | Lower |
| Testis | 8.3 | 5.9 | Higher |
| Female | | | |
| Bladder | 14.4 | 10.9 | Higher |
| Breast, in situ | 24.4 | 31.0 | Lower |

¹Age-adjusted rate per 100,000 population

Source: Illinois Department of Public Health, Illinois Cancer Registry.

Table 11.10: McHenry County
Cancer Incidence Rates that Vary Significantly Between
Genders: 2003-2007

| | Inciden | ce Rate ¹ | Gender With | | | | | | |
|------------------------|---------|----------------------|---------------------|--|--|--|--|--|--|
| Cancer Site | Male | Female | Highest Rate | | | | | | |
| Oral Cavity & Pharynx | 16.3 | 6.9 | Males | | | | | | |
| Esophagus | 10.3 | 2.2 | Males | | | | | | |
| Stomach | 8.7 | 3.4 | Males | | | | | | |
| Lung & Bronchus | 79.4 | 60.6 | Males | | | | | | |
| Skin Melanomas | 22.7 | 15.5 | Males | | | | | | |
| Invasive Breast | 1.6 | 120.6 | Females | | | | | | |
| Bladder | 42.0 | 14.4 | Males | | | | | | |
| Kidney | 24.6 | 11.2 | Males | | | | | | |
| Non-Hodgkin's Lymphoma | 24.1 | 15.9 | Males | | | | | | |

Age-adjusted rate per 100,000 population

Source: Illinois Department of Public Health, Illinois Cancer Registry.

Table 11.11: McHenry County Leading Reported Communicable Diseases¹: 2004-2009

| Disease | 2009 | 2008 | 2007 | 2006 | 2005 | 2004 |
|---|------|------|------|------|------|------|
| Hepatitis C, Chronic or Resolved | 86 | 60 | 99 | 97 | 94 | 2 |
| Pertussis | 51 | 23 | 8 | 11 | 28 | 170 |
| Salmonellosis | 47 | 34 | 44 | 35 | 47 | 30 |
| Rabies, Potential Human Exposure | 26 | 92 | 57 | 24 | 8 | 27 |
| Campylobacteriosis ² | NA | 5 | 43 | 35 | 41 | 36 |
| Non-Bacterial Aseptic Meningitis | 0 | 3 | 52 | 25 | 44 | 29 |
| Varicella (Chicken Pox) | 53 | 68 | 5 | 1 | 4 | 0 |
| Hepatitis B, Chronic & Acute | 12 | 15 | 23 | 22 | 17 | 0 |
| Giardiasis | 8 | 10 | 16 | 12 | 9 | 6 |
| Shigellosis | 9 | 8 | 6 | 8 | 7 | 12 |
| Lyme Disease | 6 | 3 | 6 | 8 | 7 | 6 |
| Streptococcal Disease, Invasive Group A | 7 | 6 | 2 | 8 | 6 | 4 |
| Cryptosporidiosis | 7 | 7 | 7 | 4 | 3 | 2 |
| Blastomycosis ² | NA | 1 | 3 | 6 | 5 | 7 |
| Shiga Toxin-Producing E. coli O157:H7 | 5 | 3 | 4 | 3 | 0 | 4 |
| Hepatitis A, Acute | 5 | 3 | 4 | 2 | 3 | 4 |
| Legionellosis | 2 | 4 | 5 | 3 | 1 | 2 |

¹Except sexually transmitted diseases, number of confirmed cases

Source: McHenry County Department of Health, Illinois Notifiable Disease Surveillance System (INEDSS).

²Removed from the Nationally Notifiable Diseases List in 2009.


Table 11.12: McHenry County & Illinois
Sexually Transmitted Diseases, Number and Rate of Chlamydia and Gonorrhea: 1990-2008

| | | | Chlamydia | | Gonorrhea | | | | | |
|------|--------|-------------------|-------------------|-------------------|-------------------------------|-------------------|-------------------|-------------------|----------------------------------|----------|
| | | | McHenry County | | Illinois excluding Chicago | | McHenry | County | Illinois excluding Chicago | Illinois |
| Year | Number | Rate ¹ | Rate ¹ | Rate ¹ | Number | Rate ¹ | Rate ¹ | Rate ¹ | | |
| 2008 | 317 | 121.9 | 353.9 | 476.4 | 25 | 9.6 | 106.7 | 166.5 | | |
| 2007 | 358 | 137.7 | 349.6 | 446.6 | 46 | 17.7 | 120.0 | 167.6 | | |
| 2006 | 290 | 111.5 | | 431.5 | 46 | 17.7 | 108.1 | 162.5 | | |
| 2005 | 219 | 84.2 | 290.9 | 407.1 | 34 | 13.1 | 106.4 | 161.2 | | |
| 2004 | 193 | 74.2 | | | | 16.1 | 101.5 | | | |
| 2003 | 192 | 73.8 | | 388.9 | | 19.2 | 101.8 | | | |
| 2002 | 178 | 68.4 | | 387.3 | | 10.8 | 107.2 | | | |
| 2001 | 148 | 56.9 | 223.6 | 352.0 | 24 | 9.2 | 101.8 | 193.4 | | |
| 2000 | 156 | 60.0 | | 324.9 | 19 | 7.3 | 104.4 | 199.8 | | |
| 1999 | 119 | 64.9 | | | | 8.7 | 103.7 | 211.2 | | |
| 1998 | 92 | 50.2 | | 287.5 | | 13.6 | 96.6 | | | |
| 1997 | 79 | 43.1 | 162.1 | 255.3 | 9 | 4.9 | 83.4 | | | |
| 1996 | 52 | 28.4 | | 230.8 | | 3.8 | 81.1 | 169.1 | | |
| 1995 | 41 | 22.4 | 149.8 | 216.3 | 14 | 7.6 | 105.9 | 179.5 | | |
| 1994 | 55 | 30.0 | | 204.1 | 13 | 7.1 | 112.2 | | | |
| 1993 | 62 | 33.8 | | | | 8.2 | 107.5 | | | |
| 1992 | 51 | 27.8 | | | | 4.9 | 125.1 | 256.1 | | |
| 1991 | 58 | | | | | 3.8 | 141.3 | | | |
| 1990 | 43 | 23.5 | 156.3 | 211.2 | 13 | 7.1 | 159.6 | 334.1 | | |

¹Cases per 100,000 population

Source: Illinois Department of Public Health.

Figure 11.1: McHenry County & Illinois Rate of Reported Chlamydia Cases: 1990-2008



Source: Illinois Department of Public Health.

Table 11.13: McHenry County & Illinois AIDS and HIV Cases: 2008 & 2009

| 700 G 2003 | |
|------------|------------------------|
| McHenry | |
| County | Illinois |
| | |
| 5 | 764 |
| 7 | 1,221 |
| 82 | 17,878 |
| 139 | 36,781 |
| | |
| 6 | 1,386 |
| 8 | 1,686 |
| 44 | 15,649 |
| | McHenry County 5 |

¹January 1981 through December 2009.

Source: Illinois Department of Public Health, Illinois AIDS/HIV Surveillance Reports.

Table 11.14: McHenry County Childhood Blood Lead Levels: 1999-2008


| | Number | Level | ls (µg/dL)¹ | | 10+ | Percent | 15+ | Percent |
|------|--------|-------|-------------|-----|--------|---------|--------|---------|
| Year | Tested | 10-14 | 15-19 | 20+ | Number | Tested | Number | Tested |
| 2008 | 2,439 | 12 | 2 | 4 | 18 | 0.7% | 6 | 0.2% |
| 2007 | 2,709 | 11 | 5 | 7 | 23 | 0.8% | 12 | 0.4% |
| 2006 | 2,294 | 16 | 5 | 2 | 23 | 1.0% | 7 | 0.3% |
| 2005 | 1,756 | 10 | 4 | 5 | 19 | 1.1% | 9 | 0.5% |
| 2004 | 1,734 | 16 | 3 | 2 | 21 | 1.2% | 5 | 0.3% |
| 2003 | 1,600 | 32 | 8 | 1 | 41 | 2.6% | 9 | 0.6% |
| 2002 | 1,668 | 27 | 8 | 4 | 39 | 2.3% | 12 | 0.7% |
| 2001 | 1,353 | 33 | 11 | 9 | 53 | 3.9% | 20 | 1.5% |
| 2000 | 1,059 | 31 | 8 | 2 | 41 | 3.9% | 10 | 0.9% |
| 1999 | 925 | 28 | 9 | 7 | 44 | 4.8% | 16 | 1.7% |

¹Blood lead levels are measured in micrograms per deciliter (µg/dL or mcg/dL)

Note: In 2008, the cutoff for required investigation of elevated childhood blood lead levels was decreased to 10 μg /dL from 15 μg /dL.

Source: Illinois Department of Public Health, Illinois Lead Program Surveillance Report.

Figure 11.2: McHenry County
Percent of Childhood Blood Lead Tests That Were Elevated: 1999-2008



Source: Illinois Department of Public Health, Illinois Lead Program Surveillance Report.

Table 11.15: McHenry County & Illinois Immunization Levels at Age Two¹: 1994-2002

| Year | McHenry County | Illinois Excluding Chicago |
|------|-------------------|----------------------------------|
| 2002 | 42.0% | 57.8% |
| 2001 | 51.0% | 72.4% |
| 2000 | 38.0% | 78.8% |
| 1999 | 42.0% | 77.6% |
| 1998 | 42.0% | 80.8% |
| 1997 | 55.0% | 77.5% |
| 1996 | 64.0% | 67.0% |
| 1995 | 64.0% | 58.9% |
| 1994 | 57.0% | 51.0% |

¹Reflects percent of two-year olds who received the basic series of vaccinations (initial and most critical doses of diphtheria, tetanus, and pertussis; polio; measles, mumps and rubella). State figures represent assessments conducted at public clinics in downstate Illinois.

Source: Illinois Department of Public Health, IPLAN Data System.

Table 11.16: McHenry County & Illinois Immunization Rates Among Three-Year Olds: 2005

| | Percent Imm | unized ² |
|---|-------------------|---------------------|
| Series ¹ | McHenry County | Illinois |
| DTP, Polio, MMR (4:3:1) | 65.5% | 54.4% |
| DTP, Polio, Hib, MMR (4:3:3:1) | 64.5% | 53.4% |
| DTP, Polio, Hib, MMR, Hep B (4:3:3:1:3) | 63.2% | 53.4% |

Series are as follows:

- 4:3:1 =4 doses of diphtheria, tetanus, and pertussis (DTP), 3 doses of polio (IPV), 1 dose of measles, mumps and rubella (MMR).
- 4:3:3:1 =Includes all above plus 3 doses of Haemophilus influenza type b (Hib).
- 4:3:3:1:3 =Includes all above plus 3 doses of Hepatitis B (Hep B).

²Based on a sample of 2,685 children ages 24-36 months seen in McHenry County Health Department public health clinics.

Source: Illinois Department of Public Health.

Table 11.17: McHenry County & U.S. Disability Status by Age Group: 2005-2007

| | McHenry | County | U.S. |
|--------------------------------|---------|---------|---------|
| Disability Status by Age Group | Number | Percent | Percent |
| Population 5 Years & Older | | | |
| With a disability | 27,521 | 9.6% | 15.1% |
| Population 5 to 15 Years Old | | | |
| With a disability | 2,851 | 5.3% | 6.3% |
| Sensory | 377 | 0.7% | 1.2% |
| Physical | 430 | 0.8% | 1.1% |
| Mental | 2,474 | 4.6% | 5.1% |
| Self-care | 430 | 0.8% | 0.9% |
| Population 16 to 64 Years Old | | | |
| With a disability | 14,946 | 7.3% | 12.3% |
| Sensory | 3,481 | 1.7% | 2.8% |
| Physical | 8,804 | 4.3% | 7.3% |
| Mental | 5,119 | 2.5% | 4.7% |
| Self-care | 2,457 | 1.2% | 2.2% |
| Going outside home | 3,481 | 1.7% | 3.2% |
| Employment disability | 7,985 | 3.9% | 7.1% |
| Population 65 Years & Older | | | |
| With a disability | 9,597 | 34.1% | 40.9% |
| Sensory | 3,771 | 13.4% | 16.5% |
| Physical | 7,064 | 25.1% | 31.3% |
| Mental | 2,336 | 8.3% | 12.3% |
| Self-care | 2,055 | 7.3% | 10.4% |
| Going outside home | 4,503 | 16.0% | 17.6% |

Note: Individuals could report more than one disability.

Clarification: disability status reported most recently in 2005-2007 ACS, not reported for 2005-2009 or 2006-2008 ACS.

Source: U.S Census Bureau, 2005-2007 American Community Survey 3-Year Estimates.

DISABILITY DEFFINITIONS Difficulty with-

Sensory: Blindness, deafness, or a severe vision or hearing impairment.

Physical: A condition that substantially limits one or more basic physical activities, such as walking,

climbing stairs, reaching, lifting or carrying.

Mental: Learning, remembering or concentration.

Self-care: Dressing, bathing or getting around inside the home.

Outside home: Going outside the home alone to shop or visit a doctor's office.

Employment: Working at a job or business.

Table 11.18: McHenry County

Estimated One-Year Prevalence of Select Mental Disorders in Adults (18 Year and Older) by Age Group: 2009


| | Total Age Group | | | | | | | | | |
|------------------------------------|-----------------|---------|-------------------------|---------|--------|--|--|--|--|--|
| | Adults | 18-54 | 4 Years 55 Years & Olde | | | | | | | |
| Mental Disorder ¹ | Number | Percent | Number | Percent | Number | | | | | |
| Any DIS disorder | 48,487 | 21.0% | 34,835 | 19.8% | 13,652 | | | | | |
| Schizophrenia | 2,570 | 1.3% | 2,156 | 0.6% | 414 | | | | | |
| Any mood disorder | 14,811 | 7.1% | 11,777 | 4.4% | 3,034 | | | | | |
| Unipolar major depressive disorder | 11,343 | 5.3% | 8,792 | 3.7% | 2,551 | | | | | |
| Major depressive episode | 13,402 | 6.5% | 10,782 | 3.8% | 2,620 | | | | | |
| Dysthymia | 3,757 | 1.6% | 2,654 | 1.6% | 1,103 | | | | | |
| Bipolar I | 1,963 | 1.1% | 1,825 | 0.2% | 138 | | | | | |
| Bipolar II | 1,064 | 0.6% | 995 | 0.1% | 69 | | | | | |
| Any anxiety disorder | 35,064 | 16.4% | 27,204 | 11.4% | 7,860 | | | | | |
| Simple phobia | 18,801 | 8.3% | 13,768 | 7.3% | 5,033 | | | | | |
| Social phobia | 4,007 | 2.0% | 3,318 | 1.0% | 689 | | | | | |
| Agoraphobia | 10,955 | 4.9% | 8,128 | 4.1% | 2,827 | | | | | |
| Panic disorder | 2,999 | 1.6% | 2,654 | 0.5% | 345 | | | | | |
| Post-traumatic stress disorder | 5,972 | 3.6% | 5,972 | _ | _ | | | | | |
| Obsessive-compulsive disorder | 5,015 | 2.4% | 3,981 | 1.5% | 1,034 | | | | | |
| Nonaffective psychosis | 332 | 0.2% | 332 | _ | _ | | | | | |
| Somatization | 539 | 0.2% | 332 | 0.3% | 207 | | | | | |
| Antisocial personality | 3,483 | 2.1% | 3,483 | 0.0% | _ | | | | | |
| Anorexia nervosa | 166 | 0.1% | 166 | 0.0% | _ | | | | | |
| Severe cognitive impairment | 6,542 | 1.2% | 1,991 | 6.6% | 4,551 | | | | | |
| POPULATION | 234,826 | 165, | 879 | 68,9 | 47 | | | | | |

¹Individuals may have multiple disorders concurrently.

Note: DIS = Diagnostic Interview Schedule.

Source: Derived from *Mental Health: A Report of the Surgeon General, 1999*, as applied to U.S. Census Bureau, Population Division, 2009 Census estimates for McHenry County. Addictive disorders not included.

Figure 11.3: McHenry County
Estimated One-Year Prevalence of Select Mental Disorders in Adults by Age Group: 2009



^{*}Individuals may have multiple disorders concurrently.

Source: Derived from *Mental Health: A Report of the Surgeon General, 1999*, as applied to U.S. Census Bureau, Population Division, 2009 Census estimates for McHenry County. Addictive disorders not included.

Table 11.19: McHenry County

Estimated Number of People with Past Month Substance Use by Age Group: 2009

| | • | | | Age G | roups | • | |
|---------------------------------|--------------|-------|-------------------------|---------|--------|---------|---------|
| | Total Number | 12-17 | 12-17 Years 18-25 Years | | | | & Older |
| Substance | Ages 12+ | | Number | Percent | Number | Percent | Number |
| Any Illicit drug ¹ | 22,369 | 10.0% | 3,066 | 21.2% | 6,384 | 6.3% | 12,919 |
| Any illicit drug except | | | | | | | |
| marijuana ² | 9,437 | 4.5% | 1,389 | 8.3% | 2,503 | 2.7% | 5,545 |
| Marijuana | 17,027 | 7.3% | 2,233 | 18.1% | 5,450 | 4.6% | 9,344 |
| Cocaine | 1,670 | 0.3% | 86 | 1.4% | 415 | 0.6% | 1,169 |
| Crack | 514 | 0.0% | 10 | 0.1% | 35 | 0.2% | 469 |
| Heroin | 197 | 0.1% | 16 | 0.2% | 58 | 0.1% | 123 |
| Hallucinogens | 1,270 | 0.9% | 269 | 1.8% | 553 | 0.2% | 448 |
| LSD | 150 | 0.1% | 43 | 0.3% | 86 | 0.0% | |
| PCP | 57 | 0.0% | 15 | 0.0% | 4 | 0.0% | 38 |
| Ecstasy | 764 | 0.5% | 144 | 1.1% | 338 | 0.1% | 282 |
| Inhalants | 614 | 1.0% | 304 | 0.4% | 133 | | |
| Psychotherapeutics ³ | 7,152 | | | | | | |
| Pain relievers | 5,421 | 2.7% | 810 | 4.8% | 1,435 | 1.6% | 3,176 |
| OxyContin® | 524 | 0.3% | | 0.5% | | 0.1% | |
| Tranquilizers | 2,051 | 0.6% | 177 | 1.8% | 552 | 0.6% | 1,322 |
| Stimulants | 1,321 | 0.5% | 160 | 1.3% | 377 | 0.4% | 784 |
| Methamphetamine | 524 | 0.1% | 45 | 0.2% | 74 | 0.2% | 405 |
| Sedatives | 383 | 0.2% | 48 | 0.3% | 75 | 0.1% | 260 |
| Tobacco ⁴ | 71,984 | 11.6% | 3,550 | 41.6% | 12,528 | 27.3% | 55,906 |
| Cigarettes | 60,490 | 8.9% | 2,719 | 35.8% | 10,782 | 23.0% | 46,989 |
| Smokeless Tobacco | 8,825 | | 715 | 6.1% | 1,841 | 3.1% | 6,269 |
| Cigars | 13,592 | 4.0% | 1,215 | 11.4% | 3,439 | 4.4% | 8,938 |
| Pipe Tobacco | 2,155 | 0.9% | 287 | 1.7% | 523 | 0.7% | 1,345 |
| Alcohol | 135,432 | 14.7% | 4,496 | | | 54.9% | 112,325 |
| Binge alcohol use ⁵ | 61,121 | 8.8% | 2,700 | 41.7% | 12,544 | 22.4% | 45,877 |
| Heavy alcohol use ⁶ | 17,463 | 2.1% | 642 | 13.7% | 4,133 | 6.2% | 12,688 |
| POPULATION | 265,364 | 30, | 538 | 30,0 | 093 | 204 | ,733 |

¹Illicit drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: Substance Abuse and Mental Health Services Administration (SAMHSA), Office of Applied Studies, National *Survey on Drug Use and Health*, 2009. Local estimates derived from U.S. Census Bureau, Population Division, 2009 Census estimates for McHenry County applied to national proportions.

²Illicit drugs other than marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizer, stimulants or sedatives and does not include over-the-counter drugs.

⁴Tobacco Products include cigarettes, smokeless tobacco, cigars or pipe tobacco.

⁵Binge alcohol use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

⁶Heavy alcohol use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Table 11.20: McHenry County

Estimated Number of People 12 Years and Older with Past Month Substance Use by Race/Ethnicity and Gender: 2009

| | Race/Ethnicity ¹ | | | | | | | | der | |
|---------------------------------|-----------------------------|---------|---------|--------|----------|--------|---------|--------|---------|--------|
| | White | | Black | | Hispanic | | Male | | Female | |
| Substance | Percent | Number | Percent | Number | Percent | Number | Percent | Number | Percent | Number |
| Any Illicit drug ² | 8.8% | 20,153 | 9.6% | 287 | 7.9% | 2,024 | 10.8% | 14,366 | 6.6% | 8,735 |
| Marijuana | 6.8% | 15,573 | 7.8% | 233 | 5.8% | 1,486 | 8.6% | 11,440 | 4.8% | 6,352 |
| Cocaine | 0.6% | 1,374 | 0.9% | 27 | 0.6% | 154 | 0.9% | 1,197 | 0.4% | 529 |
| Crack | 0.1% | 229 | 0.6% | 18 | 0.2% | 51 | 0.3% | 399 | 0.1% | 132 |
| Hallucinogens | 0.5% | 1,145 | 0.5% | 15 | 0.6% | 154 | 0.6% | 798 | 0.4% | 529 |
| Inhalants | 0.2% | 458 | 0.2% | 6 | 0.4% | 102 | 0.3% | 399 | 0.2% | 265 |
| Psychotherapeutics ³ | 3.0% | 6,870 | 2.0% | 60 | 2.4% | 615 | 3.1% | 4,124 | 2.4% | 3,176 |
| Pain relievers | 2.2% | 5,038 | 1.6% | 48 | 1.8% | 461 | 2.4% | 3,193 | 1.8% | 2,382 |
| Tobacco ⁴ | 29.6% | 67,788 | 26.5% | 791 | 23.2% | 5,945 | 33.5% | 44,562 | 22.2% | 29,380 |
| Cigarettes | 24.5% | 56,108 | 22.8% | 681 | 21.2% | 5,432 | 25.3% | 33,654 | 21.4% | 28,321 |
| Smokeless Tobacco | 4.5% | 10,306 | 0.9% | 27 | 1.0% | 256 | 6.7% | 8,912 | 0.3% | 397 |
| Cigars | 5.2% | 11,909 | 7.2% | 215 | 4.7% | 1,204 | 8.7% | 11,573 | 2.0% | 2,647 |
| Alcohol | 56.7% | 129,850 | 42.8% | 1,278 | 41.7% | 10,685 | 57.6% | 76,620 | 46.5% | 61,539 |
| Binge alcohol use ⁵ | 24.8% | 56,795 | 19.8% | 591 | 25.0% | 6,406 | 31.6% | 42,035 | 16.1% | 21,307 |
| Heavy alcohol use ⁶ | 7.9% | 18,092 | 4.5% | 134 | 5.2% | 1,332 | 10.3% | 13,701 | 3.5% | 4,632 |
| POPULATION 1Days (attacks) | | ,013 | • | 985 | | 624 | 133, | 021 | 132 | ,343 |

¹Race/ethnicity is based on people 12 years and older. White and Black are non-Hispanic.

Source: Substance Abuse and Mental Health Services Administration (SAMHSA), Office of Applied Studies, National *Survey on Drug Use and Health, 2009.* Local estimates derived from U.S. Census Bureau, Population Division, 2009 Census estimates applied to national proportions.

²Illicit drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

³Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizer, stimulants or sedatives and does not include over-the-counter drugs.

⁴Tobacco Products include cigarettes, smokeless tobacco, cigars or pipe tobacco.

⁵Binge alcohol use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

⁶Heavy alcohol use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.


Table 11.21: McHenry County
Youth Substance Use of "Gateway Drugs¹" by Grade Level: 2006 & 2008

| | Pe | Percent Reporting Using During the Past Month | | | | | | | | |
|------------|-------|---|-------|------|--------|-------|--------|------|--|--|
| | 6th G | ade | 8th G | rade | 10th 0 | 3rade | 12th G | rade | | |
| Substance | 2008 | 2006 | 2008 | 2006 | 2008 | 2006 | 2008 | 2006 | | |
| Cigarettes | 2% | 0% | 8% | 11% | 13% | 16% | 23% | 25% | | |
| Alcohol | 7% | 11% | 23% | 24% | 35% | 40% | 54% | 56% | | |
| Marijuana | 2% | 1% | 8% | 9% | 17% | 18% | 24% | 26% | | |

¹Gateway drugs include cigarettes, alcohol and marijuana. Their use does not always lead to other drugs but a connection exists between use/abuse of other drugs and first using cigarettes, alcohol and/or marijuana.

Source: Illinois Youth Survey (IYS). (2010). County Report: McHenry County, Illinois. Chestnut Health Systems: Normal, IL.

Figure 11.4: McHenry County
Youth Substance Use of "Gateway Drugs" By Grade Level: 2008



Source: Illinois Youth Survey (IYS). (2010). County Report: McHenry County, Illinois. Chestnut Health Systesm: Normal, IL.

Table 11.22: McHenry County & Illinois
Use of Select Substances by Grade Level: 2008

| | Percent Reporting Use Past Year | | | | | |
|----------------------------------|---------------------------------|------|------|-------------|------|------|
| | McHenry County | | | Illinois | | |
| | Grade Level | | | Grade Level | | |
| Substance | 8th | 10th | 12th | 8th | 10th | 12th |
| Cocaine/Crack | 4% | 4% | 8% | 2% | 3% | 6% |
| Psychedelics (LSD) | 0% | 3% | 8% | 1% | 2% | 3% |
| Weight loss, over-the-counter | 2% | 4% | 5% | 2% | 3% | 5% |
| Performance enhancing (OTC) | 4% | 6% | 9% | 3% | 5% | 8% |
| Steroids | 0% | 0% | 0% | 1% | 0% | 1% |
| Methamphetamines | 0% | 0% | 0% | 1% | 0% | 1% |
| Ecstasy (MDMA) | 1% | 1% | 3% | 2% | 2% | 3% |
| Heroin | 1% | 1% | 0% | 1% | 1% | 1% |
| Other Prescription Drugs | | | | | | |
| OxyContin, Ketamine, etc. | 4% | 4% | 8% | 3% | 5% | 6% |
| Uppers (Ritalin, etc.) | 2% | 5% | 9% | 1% | 3% | 4% |
| Downers (Valium, etc.) | 1% | 4% | 6% | 1% | 3% | 5% |
| Percent Reporting Use Past Month | | | | | | |
| Inhalants | 8% | 3% | 2% | 6% | 3% | 2% |

Source: Illinois Youth Survey (IYS). (2010). County Report: McHenry County, Illinois. Chestnut Health Systems: Normal, IL.

Table 11.23: McHenry County Student Characteristics by Grade Level: 2008

| | Percent Reporting Use Past Year | | |
|--|---------------------------------|------|------|
| | Grade Level | | |
| Characteristic | 8th | 10th | 12th |
| Carried a weapon | 18% | 16% | 14% |
| Sold illegal drugs | 2% | 9% | 11% |
| Been drunk or high at school | 8% | 11% | 16% |
| Gambled for money or anything of value | 24% | 38% | 43% |
| Drove car when drinking alcohol | NA | 8% | 20% |
| Drove car when using marijuana or other illegal drug | NA | 8% | 21% |

Source: Illinois Youth Survey (IYS). (2010). County Report: McHenry

County, Illinois. Chestnut Health Systems: Normal, IL.


Table 11.24: McHenry County & Illinois Driving Under the Influence (DUI) Arrests: 1998-2008

| | McHenry | Illinois | |
|------|---------|-------------------|-------------------|
| Year | Number | Rate ¹ | Rate ¹ |
| 2008 | 1,259 | 520.9 | 479.9 |
| 2007 | 1,414 | 594.4 | 494.9 |
| 2006 | 1,372 | 590.1 | 499.8 |
| 2005 | 1,375 | 610.6 | 510.6 |
| 2004 | 1,294 | 592.4 | 510.1 |
| 2003 | 1,349 | 637.0 | 497.2 |
| 2002 | 1,337 | 653.3 | 410.4 |
| 2001 | 1,195 | 604.2 | 396.9 |
| 2000 | 1,137 | 599.6 | 412.9 |
| 1999 | 1,230 | 674.5 | 400.6 |
| 1998 | 1,185 | 667.1 | 410.5 |

¹Number of arrests per 100,000 population ages 16 years old and older using Census estimates.

Source: Illinois Secretary of State, Illinois DUI Fact Books.

Figure 11.5: McHenry County & Illinois
Driving Under the Influence (DUI) Arrests: 1998-2008



Source: Illinois Secretary of State, Illinois DUI Fact Books.

Chapter 12: Health Resources & Utilization

| | | Tables & Figures |
|---|--|------------------|
| • | Nine in ten (92.4%) McHenry County adults had some kind of health care coverage in 2007, which was more than Illinois at 85%. Fewer reported that they had a usual health care provider, at 84.8%. About 8% of adults avoided going to the doctor because of cost, which was slightly higher than the percent in the previous two surveys conducted in 2004 and 2001, but lower than the State at 12.8%. | Table 12.1 |
| • | In 2007, 28,455 people 65 years and older and 4,211 disabled people in McHenry County were enrolled in Medicare Part A, Medicare Part B or both. | Table 12.2 |
| • | Compared to the U.S., McHenry County residents in 2009 were hospitalized at a slightly lower rate of 1,157.0 per 10,000 population compared to 1,168.7 for the U.S. The discharge rate among women was 39.7% higher than among men in McHenry County. | Table 12.3 |
| • | The highest rate of hospitalization by age of McHenry County residents occurred among those 75 years and older at 5,008.4 discharges per 10,000 population in 2009, which was 8.6% higher than Illinois at 4,611.5. | Table 12.4 |
| • | The leading reasons for hospitalization in 2009 (excluding birth-related reasons) were psychoses, joint replacement/reattachment of a lower extremity, digestive disorders, alcohol/drug abuse and dependence, and chest pain. | Table 12.5 |
| • | Of the leading twenty-five reasons for hospitalization in 2009, psychoses resulted in the most number of patient days with 14,271, while rehabilitation without complication or comorbid conditions resulted in the longest average stay at 12.7 days. | Table 12.5 |
| • | Of the leading twenty-five reasons for hospitalization in 2009, major joint replacement/reattachment of a lower extremity had the highest total charges at \$47,537,478; while percutaneous cardiovascular procedure with drug-eluting stent resulted in the highest average cost per discharge at \$55,535. | Table 12.5 |

• Each of the top five leading reasons for hospitalization among McHenry County residents decreased by 2% or more from 2008 to 2009. The top five leading reasons for hospitalization in 2009 were normal newborn, vaginal delivery without complications, psychoses, major joint replacement/reattachment of a lower extremity, and digestive disorders. The number of discharges increased for each of the following reasons: alcohol/drug abuse and dependence (1.1%), rehabilitation (5.0%), nutritional/metabolic disorders (4.8%), percutaneous cardiovascular procedure with drug-eluting stent (7.7%), and heart failure /shock with and without complications (9.3%).

Table 12.6

Excluding birth-related reasons, the discharge rate for McHenry County
was higher than Illinois for the following reasons: joint
replacement/reattachment of a lower extremity, percutaneous
cardiovascular procedure with drug-eluting stent, circulatory disorders
(excluding heart attack) and medical back problems. Illinois had a higher
discharge rate than McHenry County for the following top reasons:
psychoses, digestive disorders, alcohol/drug abuse and dependence,
chest pain, and rehabilitation.

Table 12.7

 Among women in 2009, the top five reasons for hospitalization (excluding birth-related reasons) included psychoses, joint replacement/ reattachment of a lower extremity, digestive disorders, uterine and adnexa procedures for a nonmalignancy, and nutritional and metabolic disorders, each with over 280 discharges in 2009.

Table 12.8

 Among men in 2009, the top five reasons for hospitalization, (excluding birth-related reasons) included psychoses, joint replacement/reattachment of a lower extremity, alcohol/drug abuse or dependence, digestive disorders, and percutaneous cardiovascular procedure with drug-eluting stent, each with over 280 discharges in 2009. **Table 12.9**

Besides birth-related diagnoses, McHenry County infants and toddlers (0-4 years) were most often hospitalized for bronchitis and asthma, nutritional and metabolic disorders, and simple pneumonia and pleurisy during 2009. Among McHenry County children 5 to 17 years old in 2009, the leading reasons for hospitalization included psychoses, appendectomy, vaginal delivery, digestive disorders, and depression.

Table 12.10

• Among McHenry County adults aged 18-44 during 2009, the top five reasons for hospitalization excluding birth-related reasons included psychoses, alcohol/drug abuse or dependence, digestive disorders, uterine and adnexa procedures for a nonmalignancy, and poisoning/toxic effects of drugs. Among older McHenry County adults aged 45-64 years during 2009, the top five reasons for hospitalization included joint replacement/reattachment of a lower extremity, psychoses, digestive disorders, alcohol/drug abuse or dependence, and chest pain. Table 12.10

 Among McHenry County residents 65-74 years old during 2009, the top five reasons for hospitalizations included joint replacement/reattachment of a lower extremity, digestive disorders, rehabilitation, percutaneous cardiovascular procedure with drug-eluting stent, and circulatory disorders (excluding heart attack) in 2009. Among residents 75 years and older, the leading causes of hospitalization included joint replacement/reattachment of a lower extremity, heart failure and shock, rehabilitation, digestive disorders, and nutritional and metabolic disorders during 2009.

Table 12.10

There were four hospitals located in McHenry County-Centegra Hospital-McHenry (formerly Northern Illinois Medical Center (NIMC)), Centegra Hospital-Woodstock (formerly Memorial Medical Center (MMC)), Centegra Specialty Hospital-Woodstock, and Mercy Harvard Memorial Hospital during 2009. Among the four hospitals, there were 20,766 admissions and 95,509 patient days for an average stay of 4.6 days. Of the four hospitals, Centegra Hospital-McHenry had the most admissions at 11,225 and Mercy Harvard Memorial Hospital had the fewest admissions with 751. The average stay was longest at Mercy Harvard Memorial Hospital with 15.7 days.

Table 12.11

• In 2009, among the four hospitals in McHenry County, Centegra Hospital-McHenry had the most outpatient visits (292,107) and emergency room patients (29,130), as well as the most inpatient (2,130) and outpatient surgeries (5,676). Centegra Hospital-McHenry also performed the most CT scans (28,126), MRI scans (7,026), ultrasounds (18,026), and mammography (23,710) compared to other hospitals in the County, and was the only hospital to do PET scans. Centegra Hospital-Woodstock delivered the most babies in 2009 of all the hospitals with 1,105 births.

Table 12.11

In McHenry County the eleven registered long-term care facilities (LTCF) reported 861 residents at the end of 2009. During 2009, there were a total of 2,875 admissions to LTCF and 2,859 discharges. Of the eleven LTCF, Alden-Terrace of McHenry Rehab had the most residents at the end of 2009 with 190, as well as the most admissions and discharges in 2009 with 794 and 767, respectively.

Table 12.12

 In 2009, the most common primary diagnosis among LTCF residents in McHenry County was circulatory system diagnoses, which accounted for 22.8% followed by mental illness at 13.5%. Approximately 20.6% of all residents in 2009 were diagnosed with at least one mental illness. Table 12.13

• The majority (84.9%) of LTCF residents were in nursing homes compared to intermediate care facilities for individuals with developmental disabilities (ICF/DD) or sheltered care. Among nursing home residents, 77.6% are 75 years or older, 72.6% are women, 99.0% are White, and 98.4% are non-Hispanic. Among nursing care residents, 55.0% pay with Medicaid, 24.6% pay with private funds, and 17.1% pay with Medicare. Almost all residents of ICF/DD pay with Medicaid (89.9%), while 90.0% of those in sheltered care pay with private funds.

Table 12.14

 As of December 2010 in McHenry County, there were seven licensed assisted living and shared housing facilities, which totaled 506 units and 120 Alzheimer's disease units. Table 12.15

According to the American Medical Association in 2008, there were 348 physicians practicing in McHenry County. Of those physicians, 12.6% were family medicine/general practice, 36.8% were medical specialties and 21.3% were surgical specialties. The population per physician for all patient care and for each of its divisions was substantially higher than the U.S. rate. The population per physician in McHenry County (914.1) was more than double that of the U.S. (410.9) during 2008.

Table 12.16

 As of May 2010, a total of 476 physicians were practicing in McHenry County according to the American Medical Association. Of those, 19.5% specialized in internal medicine, 13.7% in family medicine and 9.5% in pediatrics. Table 12.17

Table 12.1: McHenry County & Illinois Health Care Utilization Measures: 1997, 2001, 2004 & 2007

| | Percen | t of Popu | lation 18 | Years & | Older |
|---|----------------|-----------|-----------|---------|----------|
| | McHenry County | | | | Illinois |
| Indicator | 2007 | 2004 | 2001 | 1997 | 2007 |
| Have health coverage | 92.4% | 93.0% | 88.7% | 83.6% | 85.0% |
| Have usual person as health care provider | 84.8% | 84.4% | 83.4% | NA | 82.7% |
| Avoided doctor due to cost | 8.1% | 7.5% | 7.6% | 9.0% | 12.8% |

Source: Illinois Department of Public Health, Behavioral Risk Factor Surveillance Survey.

Table 12.2: McHenry County Medicare Enrollment: 2007

| Coverage Type | Number |
|-------------------------------|--------|
| Aged 65 Years & Older | |
| Health Insurance (Part A) | 28,346 |
| Supplemental Medical (Part B) | 26,729 |
| Part A and/or Part B | 28,455 |
| Disabled | |
| Health Insurance (Part A) | 4,211 |
| Supplemental Medical (Part B) | 3,644 |
| Part A and/or Part B | 4,211 |

Source: Center for Medicare and Medicaid Services, Medicare Enrollment Reports, Medicare County Enrollment as of July 1, 2007; U.S. Census Bureau, 2009 Estimates used for population denominator.

Table 12.3: McHenry County & U.S. Resident Hospital Discharge Rates by Age Groups and Gender: 2006 & 2009

| | McHenry 200 | U.S. 2006 | | |
|------------------------|---|--------------|---------|--|
| Age/Gender | ge/Gender Number ¹ Rate ² | | | |
| Total | 37,134 | 1,157.0 | 1,168.7 | |
| Gender | | | | |
| Female | 21,531 | 1,350.1 | 1,375.3 | |
| Male | 15,603 | 966.2 | 954.9 | |
| Age Group ³ | | | | |
| 0-17 years | 5,878 | 682.4 | 378.2 | |
| 18-44 years | 9,381 | 835.8 | 861.2 | |
| 45-64 years | 9,191 | 1,044.8 | 1,161.2 | |
| 65 years & older | 12,684 | 3,663.6 | 3,507.9 | |

¹Excludes newborns

Source: McHenry County rates computed using discharge data from Illinois Hospital Association, COMPdata and U.S. Census Bureau, Population Division, 2009 Census estimates. U.S. rates from National Health Statistics Reports (no. 5), 2006 National Hospital Discharge Survey, July 30, 2008.

Table 12.4: McHenry County & Illinois Resident Hospital Discharge Rates by Age groups and Gender: 2009

| | McHenry | Illinois | |
|------------------|---------------------|-------------------|-------------------|
| Age/Gender | Number ¹ | Rate ² | Rate ² |
| Total | 37,134 | 1,157.0 | 1,251.3 |
| Gender | | | |
| Female | 21,531 | 1,350.1 | 1,432.9 |
| Male | 15,603 | 966.2 | 1,064.1 |
| Age Group | | | |
| 0-4 years | 4,457 | 2,046.3 | 2,214.7 |
| 5-17 years | 1,421 | 220.8 | 254.8 |
| 18-44 years | 9,381 | 835.8 | 846.8 |
| 45-64 years | 9,191 | 1,044.8 | 1,196.6 |
| 65-74 years | 5,224 | 2,648.1 | 2,452.5 |
| 75 years & older | 7,460 | 5,008.4 | 4,611.5 |

¹Excludes newborns

Source: Rates computed using discharge data from Illinois Hospital Association, COMPdata and U.S. Census Bureau, Population Division, 2009 Census estimates.

²Rate per 10,000 population.

³Age groups for U.S. are 0-14 and 15-44 years old.

²Rate per 10,000 population.

Table 12.5: McHenry County

Leading Hospitalization Reasons, Average Stay and Average Charges: 2009

| | | | | Average | Charg | jes |
|-----|--|--|---|--|--|--|
| | | | | Stay | | |
| DRG | Description | Discharge | Days | (Days) | Total | Average |
| 795 | Normal newborn | 2,704 | 5,533 | | | |
| | | | | | | |
| | • | 1,737 | 14,271 | 8.2 | \$24,825,029 | \$14,292 |
| | | 1,050 | 3,459 | | | |
| | | 986 | | | | |
| 766 | Cesarean section without CC/MCC | 864 | | | | |
| 897 | Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC | 628 | 1,939 | 3.1 | \$5,741,066 | \$9,142 |
| | | 575 | 1,385 | | | |
| | | 509 | | | | |
| | | 484 | | | | |
| 641 | Nutritional and miscellaneous metabolic disorders without MCC | 438 | | | \$5,614,502 | \$12,818 |
| | | 407 | | | | |
| 765 | Cesarean section with CC/MCC | 395 | 1,824 | 4.6 | \$7,817,270 | \$19,791 |
| 287 | Circulatory disorders except acute myocardial infarction, with cardiac | | | | | |
| 201 | catheterization without MCC | 394 | | | \$9,553,169 | \$24,247 |
| 194 | Simple pneumonia and pleurisy with CC | 388 | | | \$7,745,480 | \$19,963 |
| | | | | | | |
| | | 367 | | | | |
| 291 | Heart failure and shock with MCC | 340 | 2,009 | 5.9 | \$11,208,344 | \$32,966 |
| | | 340 | 848 | | \$4,924,203 | \$14,483 |
| 603 | Cellulitis without MCC | | | | \$4,473,629 | \$13,434 |
| | | 316 | 891 | | | |
| | | 297 | | | | |
| 195 | Simple pneumonia and pleurisy without CC/MCC | 286 | 797 | 2.8 | \$3,759,059 | \$13,144 |
| 774 | Vaginal delivery with complicating diagnoses | 257 | 678 | 2.6 | \$2,722,052 | \$10,592 |
| 292 | Heart failure and shock with CC | 252 | 1,024 | 4.1 | \$4,806,576 | \$19,074 |
| | 795 775 885 470 392 766 897 794 313 945 641 247 765 287 194 743 552 291 310 603 690 312 195 774 | 795 Normal newborn 775 Vaginal delivery without complicating diagnoses 885 Psychoses 470 Major joint replacement or reattachment of lower extremity without MCC 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 766 Cesarean section without CC/MCC 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 794 Neonate with other significant problems 313 Chest pain 945 Rehabilitation with CC/MCC 641 Nutritional and miscellaneous metabolic disorders without MCC 247 Percutaneous cardiovascular procedure with drug-eluting stent without MCC 765 Cesarean section with CC/MCC 287 Circulatory disorders except acute myocardial infarction, with cardiac catheterization without MCC 194 Simple pneumonia and pleurisy with CC 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 552 Medical back problems without MCC 291 Heart failure and shock with MCC | DRGDescriptionDischarge795Normal newborn2,704775Vaginal delivery without complicating diagnoses2,074885Psychoses1,737470Major joint replacement or reattachment of lower extremity without MCC1,050392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC86466Cesarean section without CC/MCC864897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC628794Neonate with other significant problems575313Chest pain509945Rehabilitation with CC/MCC438641Nutritional and miscellaneous metabolic disorders without MCC438247Percutaneous cardiovascular procedure with drug-eluting stent without MCC407765Cesarean section with CC/MCC395287Circulatory disorders except acute myocardial infarction, with cardiac catheterization without MCC394194Simple pneumonia and pleurisy with CC38743Uterine and adnexa procedures for nonmalignancy without CC/MCC387552Medical back problems without MCC367291Heart failure and shock with MCC340310Cardiac arrhythmia and conduction disorders without CC/MCC340603Cellulitis without MCC316312Syncope and collapse297195Simple pneumonia and pleurisy without CC/MCC286774Vaginal delivery with complicating diagnoses257< | Description Discharge Patient Days | DRGDescriptionPatient DayStay (Days)795Normal newborn2,7045,5332.0775Vaginal delivery without complicating diagnoses2,0744,0612.0885Psychoses1,73714,2718.2470Major joint replacement or reattachment of lower extremity without MCC1,0503,4593.3392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC8642,7403.2897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC6281,9393.1794Neonate with other significant problems5751,3852.4313Chest pain5097611.5641Nutritional and miscellaneous metabolic disorders without MCC4846,16312.7641Nutritional and miscellaneous metabolic disorders without MCC4381,1912.7247Percutaneous cardiovascular procedure with drug-eluting stent without MCC4078372.1287Circulatory disorders except acute myocardial infarction, with cardiac cartheterization without MCC3949952.5194Simple pneumonia and pleurisy with CC3877922.0743Uterine and adnexa procedures for nonmalignancy without CC/MCC3877.0452.8891Heart failure and shock with MCC3408,0482.5310Cardiac arrhythmia and conduction disorders without CC/MCC3408,0482.5311Cardiac arrhythmia and | Patient Patient Patient Patient Discharge Days Total |

MCC/CC = (Major) Complications or Comorbid Conditions

Table 12.6: McHenry County Leading Hospitalization Reasons: 2008 & 2009

| DRG | Description | 2009 | 2008 | Percent Change |
|-----|--|-------|-------|-------------------|
| 795 | Normal newborn | 2,704 | 2,778 | -2.7% |
| 775 | Vaginal delivery without complicating diagnoses | 2,074 | 2,116 | -2.0% |
| 885 | Psychoses | 1,737 | 1,776 | -2.2% |
| 470 | Major joint replacement or reattachment of lower extremity without MCC | 1,050 | 1,079 | -2.7% |
| 392 | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 986 | 1,045 | -5.6% |
| 766 | Cesarean section without CC/MCC | 864 | 869 | -0.6% |
| 897 | Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC | 628 | 621 | +1.1% |
| 794 | Neonate with other significant problems | 575 | 565 | +1.8% |
| 313 | Chest pain | 509 | 688 | -26.0% |
| 945 | Rehabilitation with CC/MCC | 484 | 461 | +5.0% |
| 641 | Nutritional and miscellaneous metabolic disorders without MCC | 438 | 418 | +4.8% |
| 247 | Percutaneous cardiovascular procedure with drug-eluting stent without MCC | 407 | 378 | +7.7% |
| 765 | Cesarean section with CC/MCC | 395 | 418 | -5.5% |
| 287 | Circulatory disorders except acute myocardial infarction, with cardiac catheterization without MCC | 394 | 475 | -17.1% |
| 194 | Simple pneumonia and pleurisy with CC | 388 | 388 | 0.0% |
| 743 | Uterine and adnexa procedures for nonmalignancy without CC/MCC | 387 | 458 | -15.5% |
| 552 | Medical back problems without MCC | 367 | 436 | -15.8% |
| 291 | Heart failure and shock with MCC | 340 | 255 | +33.3% |
| 310 | Cardiac arrhythmia and conduction disorders without CC/MCC | 340 | 380 | -10.5% |
| 603 | Cellulitis without MCC | 333 | 386 | -13.7% |
| 690 | Kidney and urinary tract infections without MCC | 316 | 354 | -10.7% |
| 312 | Syncope and collapse | 297 | 298 | -0.3% |
| 195 | Simple pneumonia and pleurisy without CC/MCC | 286 | 322 | -11.2% |
| 774 | Vaginal delivery with complicating diagnoses | 257 | 283 | -9.2% |
| 292 | Heart failure and shock with CC | 252 | 236 | +6.8% |

MCC/CC = (Major) Complications or Comorbid Conditions

Table 12.7: McHenry County & Illinois Leading Hospital Discharge Rates by Reason: 2009

| | | | Ra | te ¹ |
|-----|--|-----------|---------|-----------------|
| | | | McHenry | |
| DRG | Description | Discharge | County | Illinois |
| 795 | Normal newborn | 2,704 | 84.2 | 102.2 |
| 775 | Vaginal delivery without complicating diagnoses | 2,074 | 64.6 | 83.2 |
| 885 | Psychoses | 1,737 | | 74.7 |
| | , , , | 1,050 | 32.7 | 31.2 |
| 392 | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 986 | 30.7 | 32.4 |
| 766 | Cesarean section without CC/MCC | 864 | 26.9 | 29.6 |
| 897 | Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC | 628 | 19.6 | 27.7 |
| 794 | Neonate with other significant problems | 575 | 17.9 | 25.6 |
| | | 509 | | 19.8 |
| 945 | Rehabilitation with CC/MCC | 484 | 15.1 | 17.4 |
| 641 | Nutritional and miscellaneous metabolic disorders without MCC | 438 | 13.6 | 17.0 |
| 247 | Percutaneous cardiovascular procedure with drug-eluting stent without MCC | 407 | 12.7 | 10.9 |
| 765 | Cesarean section with CC/MCC | 395 | 12.3 | 16.0 |
| 287 | Circulatory disorders except acute myocardial infarction, with cardiac catheterization without MCC | 394 | 12.3 | 12.2 |
| 194 | Simple pneumonia and pleurisy with CC | 388 | 12.1 | 16.5 |
| 743 | Uterine and adnexa procedures for nonmalignancy without CC/MCC | 387 | 12.1 | 13.6 |
| 552 | Medical back problems without MCC | 367 | 11.4 | 9.1 |
| 291 | Heart failure and shock with MCC | 340 | 10.6 | 14.8 |
| 310 | Cardiac arrhythmia and conduction disorders without CC/MCC | 340 | 10.6 | 10.8 |
| 603 | Cellulitis without MCC | 333 | 10.4 | 18.5 |
| 690 | Kidney and urinary tract infections without MCC | 316 | 9.8 | 16.3 |
| 312 | Syncope and collapse | 297 | 9.3 | 12.4 |
| 195 | Simple pneumonia and pleurisy without CC/MCC | 286 | 8.9 | 12.4 |

MCC/CC = (Major) Complications or Comorbid Conditions

¹Discharges per 10,000 population

Table 12.8: McHenry County
Top 25 Hospitalization Reasons for Females: 2009

| RankDRG | | Description | Discharge | Percent Within Gender |
|---------|-----|---|-----------|-----------------------------|
| FEM/ | λLE | | | |
| _ | - | All Reasons | 21,531 | 100.0% |
| 1 | 775 | Vaginal delivery without complicating diagnoses | 2,074 | 9.6% |
| 2 | 795 | Normal newborn | 1,337 | 6.2% |
| 3 | 885 | Psychoses | 921 | 4.3% |
| 4 | 766 | Cesarean section without CC/MCC | 864 | 4.0% |
| 5 | 470 | Major joint replacement or reattachment of lower extremity without MCC | 663 | 3.1% |
| 6 | 392 | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 630 | 2.9% |
| 7 | 765 | Cesarean section with CC/MCC | 395 | 1.8% |
| 8 | 743 | Uterine and adnexa procedures for nonmalignancy without CC/MCC | 387 | 1.8% |
| 9 | 641 | Nutritional and miscellaneous metabolic disorders without MCC | 287 | 1.3% |
| 10 | 945 | Rehabilitation with CC/MCC | 276 | 1.3% |
| 11 | 794 | Neonate with other significant problems | 274 | 1.3% |
| 12 | 774 | Vaginal delivery with complicating diagnoses | 257 | 1.2% |
| 13 | 313 | Chest pain | 253 | 1.2% |
| 14 | 897 | Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC | 247 | 1.1% |
| 15 | 690 | Kidney and urinary tract infections without MCC | 238 | 1.1% |
| 16 | 552 | Medical back problems without MCC | 212 | 1.0% |
| 17 | 194 | Simple pneumonia and pleurisy with CC | 203 | 0.9% |
| 18 | 603 | Cellulitis without MCC | 183 | 0.8% |
| T-19 | 291 | Heart failure and shock with MCC | 174 | 0.8% |
| T-19 | 310 | Cardiac arrhythmia and conduction disorders without CC/MCC | 174 | 0.8% |
| 21 | 312 | Syncope and collapse | 167 | 0.8% |
| 22 | 287 | Circulatory disorders except acute myocardial infarction, with cardiac catheterizations without MCC | 163 | 0.8% |
| 23 | 781 | Other antepartum diagnoses with medical complications | 158 | 0.7% |
| 24 | 191 | Chronic obstructive pulmonary disease with CC | 149 | 0.7% |
| 25 | 195 | Simple pneumonia and pleurisy without CC/MCC | 140 | 0.7% |

MCC/CC = (Major) Complications or Comorbid Conditions

Table 12.9: McHenry County
Top 25 Hospitalization Reasons for Males: 2009

| 1 795 2 885 3 470 | Description | Discharges | Percent Within Gender |
|-------------------------|---|------------|-----------------------------|
| 1 795 2 885 3 470 | | | |
| 2 885 3 470 | All Reasons | 15,603 | 72.5% |
| 3 470 | Normal newborn | 1,367 | 6.3% |
| | Psychoses | 816 | 3.8% |
| 4 007 | Major joint replacement or reattachment of lower extremity without MCC | 387 | 1.8% |
| 4 897 | Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC | 381 | 1.8% |
| 5 392 | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 356 | 1.7% |
| 6 794 | Neonate with other significant problems | 301 | 1.4% |
| 7 247 | Percutaneous cardiovascular procedure with drug-eluting stent without MCC | 282 | 1.3% |
| 8 313 | Chest pain | 256 | 1.2% |
| | Circulatory disorders except acute myocardial infarction, with cardiac catheterization with MCC | 231 | 1.1% |
| 10 945 | Rehabilitation with CC/MCC | 208 | 1.0% |
| 11 194 | Simple pneumonia and pleurisy with CC | 185 | 0.9% |
| T-12 310 | Cardiac arrhythmia and conduction disorders without CC/MCC | 166 | 0.8% |
| T-12 291 | Heart failure and shock with MCC | 166 | 0.8% |
| 14 552 | Medical back problems without MCC | 155 | 0.7% |
| | Nutritional and miscellaneous metabolic disorders without MCC | 151 | 0.7% |
| 16 603 | Cellulitis without MCC | 150 | 0.7% |
| 17 195 | Simple pneumonia and pleurisy without CC/MCC | 146 | 0.7% |
| 18 312 | Syncope and collapse | 130 | 0.6% |
| 19 292 | Heart failure and shock with CC | 127 | 0.6% |
| 20 871 | Septicemia or severe sepsis without mechanical ventilation 96+ hours with MCC | 125 | 0.6% |
| 21 203 | Bronchitis and asthma without CC/MCC | 106 | 0.5% |
| 22 918 | Poisoning and toxic effects of drugs without MCC | 100 | 0.5% |
| | Full term neonate with major problems | 98 | 0.5% |
| T-25 193 | Simple pneumonia and pleurisy with MCC | 97 | 0.5% |
| | Heart failure and shock without CC/MCC | 97 | 0.5% |

MCC/CC = (Major) Complications or Comorbid Conditions

Table 12.10: McHenry County Top 10 Hospitalization Reasons by Age Group: 2009

| Description | | | Top to Hospitalization Reasons by Age Group. 2009 | | | | | | |
|--|--------|-------|--|-------|--------|--|--|--|--|
| − All Reasons 4,457 100.0% 1 795 Normal newborn 2,704 60.7% 2 794 Neonate with other significant problems 574 12.9% 3 793 Full term neonate with major problems 174 3.9% 4 792 Prematurity without major problems 151 3.4% 5 791 Prematurity with major problems 151 3.4% 6 790 Extreme immaturity or respiratory distress syndrome, neonate 75 1.7% 7 203 Bronchitis and Asthma without CC/MCC 73 1.6% 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years - - - All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorde | Rank | | | | Age | | | | |
| 1 795 Normal newborn 2,704 60.7% 2 794 Neonate with other significant problems 574 12.9% 3 793 Full term neonate with major problems 174 3.9% 4 792 Prematurity without major problems 151 3.4% 5 791 Prematurity with major problems 102 2.3% 6 790 Extreme immaturity or respiratory distress syndrome, neonate 75 1.7% 7 203 Bronchitis and Asthma without CC/MCC 73 1.6% 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years - - All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 243 Appendectomy without complicating diagnoses 44 | 0-4 ye | ears | | | | | | | |
| 2 794 Neonate with other significant problems 574 12.9% 3 793 Full term neonate with major problems 174 3.9% 4 792 Prematurity without major problems 151 3.4% 5 791 Prematurity with major problems 102 2.3% 6 790 Extreme immaturity or respiratory distress syndrome, neonate 75 1.7% 7 203 Bronchitis and Asthma without CC/MCC 73 1.6% 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years - - All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous dige | _ | _ | All Reasons | 4,457 | 100.0% | | | | |
| 3 793 Full term neonate with major problems 174 3.9% 4 792 Prematurity without major problems 151 3.4% 5 791 Prematurity with major problems 102 2.3% 6 790 Extreme immaturity or respiratory distress syndrome, neonate 75 1.7% 7 203 Bronchitis and Asthma without CC/MCC 73 1.6% 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years — — All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 41 2.9% 6 203 Bronchitis and Asthma | 1 | 795 | Normal newborn | 2,704 | 60.7% | | | | |
| 3 793 Full term neonate with major problems 174 3.9% 4 792 Prematurity without major problems 151 3.4% 5 791 Prematurity with major problems 102 2.3% 6 790 Extreme immaturity or respiratory distress syndrome, neonate 75 1.7% 7 203 Bronchitis and Asthma without CC/MCC 73 1.6% 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years — — All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 41 2.9% 6 203 Bronchitis and Asthma | 2 | 794 | Neonate with other significant problems | 574 | 12.9% | | | | |
| 5 791 Prematurity with major problems 102 2.3% 6 790 Extreme immaturity or respiratory distress syndrome, neonate 75 1.7% 7 203 Bronchitis and Asthma without CC/MCC 73 1.6% 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years - — All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC <td>3</td> <td></td> <td></td> <td>174</td> <td>3.9%</td> | 3 | | | 174 | 3.9% | | | | |
| 5 791 Prematurity with major problems 102 2.3% 6 790 Extreme immaturity or respiratory distress syndrome, neonate 75 1.7% 7 203 Bronchitis and Asthma without CC/MCC 73 1.6% 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years - — All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC <td>4</td> <td>792</td> <td>Prematurity without major problems</td> <td>151</td> <td>3.4%</td> | 4 | 792 | Prematurity without major problems | 151 | 3.4% | | | | |
| 7 203 Bronchitis and Asthma without CC/MCC 8 789 Neonates, died or transferred to another acute care facility 9 641 Nutritional and miscellaneous metabolic disorders without MCC 10 195 Simple pneumonia and pleurisy without CC/MCC 5-17 Years All Reasons 1,421 100.0% 1 885 Psychoses 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 5 4,6% 3 775 Vaginal delivery without complicating diagnoses 4 4 3.1% 5 881 Depressive neuroses 6 203 Bronchitis and Asthma without CC/MCC 8 101 Seizures without MCC 8 195 Simple pneumonia and pleurisy without CC/MCC 8 195 Simple pneumonia and pleurisy without CC/MCC 8 195 Simple pneumonia and pleurisy without CC/MCC 8 196 Simple pneumonia and pleurisy without CC/MCC 9 194 Simple pneumonia and pleurisy with CC 10 641 Nutritional and miscellaneous metabolic disorders without MCC 11 Reasons 12 200 10 641 Nutritional and miscellaneous metabolic disorders without MCC 12 28 2.0% 13 885 Psychoses 14 2.0% 15 Vaginal delivery without complicating diagnoses 2 2.07 2 766 Cesarean section without CC/MCC 3 887 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 2 27 3.2% 3 887 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 2 27 2.9% 3 774 Vaginal delivery with complicating diagnoses 3 2.0% 3 745 Vaginal delivery with complicating diagnoses 3 2.0% 3 2.0% 3 2.0% 4 765 Cesarean section with CC/MCC 5 887 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 5 27 2.9% 5 774 Vaginal delivery with complicating diagnoses 3 2.0% 5 2.0% 6 196 Cesarean section with CC/MCC 5 176 Vaginal delivery with complicating diagnoses 3 2.0% 6 197 40 Vaginal delivery with complicating diagnoses 3 2.0% 6 198 Cesarean section with CC/MCC 6 176 1.9% 7 774 Vaginal delivery with complicating diagnoses 3 2.0% 7 774 Vaginal delivery with complicating diagnoses 3 2.0% 7 774 Vaginal delivery with complicating diagnoses | 5 | 791 | Prematurity with major problems | 102 | | | | | |
| 8 789 Neonates, died or transferred to another acute care facility 67 1.5% 9 641 Nutritional and miscellaneous metabolic disorders without MCC 52 1.2% 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years - — All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC 31 2.2% 8 195 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 10 641 Nutritional and miscella | 6 | 790 | Extreme immaturity or respiratory distress syndrome, neonate | 75 | 1.7% | | | | |
| 9 641 Nutritional and miscellaneous metabolic disorders without MCC 47 1.1% 5-17 Years - All Reasons 1,421 100.0% 382 26.9% 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 31 2.2% 8 195 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 9 194 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 9 194 Simple pneumonia and pleurisy with CC 25 1.8% 18-44 Years - All Reasons 9,381 100.0% 1775 Vaginal delivery without CC/MCC 386 9.1% 3 885 Psychoses 827 8.8% 4 765 Cesarean section without CC/MCC 366 9.1% 3885 Psychoses 827 8.8% 4 765 Cesarean section with CC/MCC 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 297 3.2% 6 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 297 3.2% 7 774 Vaginal delivery with complicating diagnoses 248 2.6% 8743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 176 1.9% 9 781 Other antepartum diagnoses with medical complications 147 1.6% | 7 | 203 | Bronchitis and Asthma without CC/MCC | 73 | 1.6% | | | | |
| 10 195 Simple pneumonia and pleurisy without CC/MCC 47 1.1% 5-17 Years — — All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC 31 2.2% 8 195 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 9 194 Simple pneumonia and pleurisy without Cisorders without MCC 28 2.0% 10 641 Nutritional and miscellaneous metabolic disorders without MCC 25 1.8% 1 775 Vaginal delivery without complicating diagnoses 9,381 100.0% 1 775 Vaginal delivery without complicating diagno | 8 | 789 | Neonates, died or transferred to another acute care facility | 67 | 1.5% | | | | |
| 5-17 Years - All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC 31 2.2% 8 195 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 9 194 Simple pneumonia and pleurisy with CC 28 2.0% 10 641 Nutritional and miscellaneous metabolic disorders without MCC 25 1.8% 18-44 Years - - All Reasons 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2,027 21.6% 2 766 Cesarean section with CC/MCC 856 9.1% 3 885 Psychoses 827 8.8% 4 765 Cesarean section with CC/MCC 392 4.2% 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 297 3.2% 6 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 274 2.9% | 9 | 641 | Nutritional and miscellaneous metabolic disorders without MCC | 52 | 1.2% | | | | |
| - All Reasons 1,421 100.0% 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC 31 2.2% 8 195 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 9 194 Simple pneumonia and pleurisy with CC 28 2.0% 10 641 Nutritional and miscellaneous metabolic disorders without MCC 25 1.8% 18-44 Years 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2,027 21.6% 2 766 Cesarean section without CC/MCC 856 9.1% 3 885 Psychoses 827 8.8% 4 765 Cesarean section with CC/MCC 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 297 3.2% 6 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 274 2.9% 7 774 Vaginal delivery with complicating diagnoses 248 2.6% 8 743 Uter | 10 | 195 | Simple pneumonia and pleurisy without CC/MCC | 47 | 1.1% | | | | |
| 1 885 Psychoses 382 26.9% 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC 31 2.2% 8 195 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 9 194 Simple pneumonia and pleurisy with CC 28 2.0% 10 641 Nutritional and miscellaneous metabolic disorders without MCC 25 1.8% 18-44 Years - All Reasons 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2,027 21.6% 2 766 Cesarean section without CC/MCC 856 9.1% 3 885 Psychoses 827 8.8% 4 765 Cesarean section with CC/MCC 392 4.2% 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 274 2.9% 6 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 274 2.9% 7 774 Vaginal delivery with complicating diagnoses 248 2.6% 8 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 176 1.9% 9 781 Other antepartum diagnoses with medical complications 147 1.6% | 5-17 ` | Years | | | | | | | |
| 2 343 Appendectomy without complicated principal diagnosis without CC/MCC 65 4.6% 3 775 Vaginal delivery without complicating diagnoses 44 3.1% 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 44 3.1% 5 881 Depressive neuroses 41 2.9% 6 203 Bronchitis and Asthma without CC/MCC 38 2.7% 7 101 Seizures without MCC 31 2.2% 8 195 Simple pneumonia and pleurisy without CC/MCC 30 2.1% 9 194 Simple pneumonia and pleurisy with CC 28 2.0% 10 641 Nutritional and miscellaneous metabolic disorders without MCC 25 1.8% 18-44 Years - All Reasons 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2,027 21.6% 2 766 Cesarean section without CC/MCC 856 91.9% 3 885 Psychoses 827 8.8% 4 765 Cesarean section with CC/MCC 392 4.2% 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 297 3.2% 6 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 274 2.9% 7 774 Vaginal delivery with complicating diagnoses 248 2.6% 8 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 176 1.9% 9 781 Other antepartum diagnoses with medical complications 147 1.6% | _ | _ | All Reasons | 1,421 | 100.0% | | | | |
| 3775Vaginal delivery without complicating diagnoses443.1%4392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC443.1%5881Depressive neuroses412.9%6203Bronchitis and Asthma without CC/MCC382.7%7101Seizures without MCC312.2%8195Simple pneumonia and pleurisy without CC/MCC302.1%9194Simple pneumonia and pleurisy with CC282.0%10641Nutritional and miscellaneous metabolic disorders without MCC251.8%18-44Years9,381100.0%1775Vaginal delivery without complicating diagnoses2,02721.6%2766Cesarean section without CC/MCC8569.1%3885Psychoses8278.8%4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2742.9%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | 1 | 885 | Psychoses | 382 | 26.9% | | | | |
| 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 5 881 Depressive neuroses 6 203 Bronchitis and Asthma without CC/MCC 7 101 Seizures without MCC 8 195 Simple pneumonia and pleurisy without CC/MCC 9 194 Simple pneumonia and pleurisy with CC 10 641 Nutritional and miscellaneous metabolic disorders without MCC 11 Vaginal delivery without complicating diagnoses 1 775 Vaginal delivery without CC/MCC 1 766 Cesarean section without CC/MCC 1 887 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 1 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 1 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 1 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 1 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 1 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 1 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 2 897 3.2% 3 892 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 3 774 Vaginal delivery with complicating diagnoses 3 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 3 781 Other antepartum diagnoses with medical complications 3 147 1.6% | 2 | 343 | Appendectomy without complicated principal diagnosis without CC/MCC | 65 | 4.6% | | | | |
| 4 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 5 881 Depressive neuroses 6 203 Bronchitis and Asthma without CC/MCC 7 101 Seizures without MCC 8 195 Simple pneumonia and pleurisy without CC/MCC 9 194 Simple pneumonia and pleurisy with CC 10 641 Nutritional and miscellaneous metabolic disorders without MCC 18-44 Years All Reasons 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2,027 21.6% 2 766 Cesarean section without CC/MCC 3 885 Psychoses 4 765 Cesarean section with CC/MCC 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 7 774 Vaginal delivery with complicating diagnoses 8 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 1 44 3.1% 2.9% 3 885 Psychoses 4 765 Cesarean section with CC/MCC 5 874 Vaginal delivery with complicating diagnoses 248 2.6% 8 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 176 1.9% 9 781 Other antepartum diagnoses with medical complications | 3 | | | 44 | 3.1% | | | | |
| 5881Depressive neuroses412.9%6203Bronchitis and Asthma without CC/MCC382.7%7101Seizures without MCC312.2%8195Simple pneumonia and pleurisy without CC/MCC302.1%9194Simple pneumonia and pleurisy with CC282.0%10641Nutritional and miscellaneous metabolic disorders without MCC251.8%18-44 Years-All Reasons9,381100.0%1775Vaginal delivery without complicating diagnoses2,02721.6%2766Cesarean section without CC/MCC8569.1%3885Psychoses8278.8%4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | 4 | 392 | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 44 | 3.1% | | | | |
| 7101Seizures without MCC312.2%8195Simple pneumonia and pleurisy without CC/MCC302.1%9194Simple pneumonia and pleurisy with CC282.0%10641Nutritional and miscellaneous metabolic disorders without MCC251.8%18-44Years-All Reasons9,381100.0%1775Vaginal delivery without complicating diagnoses2,02721.6%2766Cesarean section without CC/MCC8569.1%3885Psychoses8278.8%4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | 5 | | | 41 | 2.9% | | | | |
| 8 195 Simple pneumonia and pleurisy without CC/MCC 9 194 Simple pneumonia and pleurisy with CC 10 641 Nutritional and miscellaneous metabolic disorders without MCC 25 1.8% 18-44 Years - All Reasons 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2 766 Cesarean section without CC/MCC 3 885 Psychoses 4 765 Cesarean section with CC/MCC 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 6 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 7 774 Vaginal delivery with complicating diagnoses 8 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 9 781 Other antepartum diagnoses with medical complications 147 1.6% | 6 | 203 | Bronchitis and Asthma without CC/MCC | 38 | 2.7% | | | | |
| 9 194 Simple pneumonia and pleurisy with CC 10 641 Nutritional and miscellaneous metabolic disorders without MCC 18-44 Years All Reasons 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2 766 Cesarean section without CC/MCC 3 885 Psychoses 4 765 Cesarean section with CC/MCC 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 5 897 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 7 774 Vaginal delivery with complicating diagnoses 2 28 2.0% 2 1.8% 2 1.8% 2 100.0% 2 2 2.027 21.6% 2 856 9.1% 3 885 Psychoses 3 2 4.2% 3 827 8.8% 4 765 Cesarean section with CC/MCC 3 392 4.2% 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 2 297 3.2% 3 2.6% 4 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 4 1.9% 9 781 Other antepartum diagnoses with medical complications 1 47 1.6% | 7 | 101 | Seizures without MCC | 31 | 2.2% | | | | |
| 9 194 Simple pneumonia and pleurisy with CC 10 641 Nutritional and miscellaneous metabolic disorders without MCC 18-44 Years All Reasons 9,381 100.0% 1 775 Vaginal delivery without complicating diagnoses 2 766 Cesarean section without CC/MCC 3 885 Psychoses 4 765 Cesarean section with CC/MCC 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 5 897 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 7 774 Vaginal delivery with complicating diagnoses 2 28 2.0% 2 1.8% 2 1.8% 2 100.0% 2 2 2.027 21.6% 2 856 9.1% 3 885 Psychoses 3 2 4.2% 3 827 8.8% 4 765 Cesarean section with CC/MCC 3 392 4.2% 5 897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC 2 297 3.2% 3 2.6% 4 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 4 1.9% 9 781 Other antepartum diagnoses with medical complications 1 47 1.6% | 8 | 195 | Simple pneumonia and pleurisy without CC/MCC | 30 | 2.1% | | | | |
| 18-44 YearsAll Reasons9,381 100.0%1775 Vaginal delivery without complicating diagnoses2,027 21.6%2766 Cesarean section without CC/MCC856 9.1%3885 Psychoses827 8.8%4765 Cesarean section with CC/MCC392 4.2%5897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC297 3.2%6392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC274 2.9%7774 Vaginal delivery with complicating diagnoses248 2.6%8743 Uterine and adnexa procedures for nonmalignancy without CC/MCC176 1.9%9781 Other antepartum diagnoses with medical complications147 1.6% | 9 | 194 | Simple pneumonia and pleurisy with CC | 28 | 2.0% | | | | |
| All Reasons9,381 100.0%1775 Vaginal delivery without complicating diagnoses2,027 21.6%2766 Cesarean section without CC/MCC856 9.1%3885 Psychoses827 8.8%4765 Cesarean section with CC/MCC392 4.2%5897 Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC297 3.2%6392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC274 2.9%7774 Vaginal delivery with complicating diagnoses248 2.6%8743 Uterine and adnexa procedures for nonmalignancy without CC/MCC176 1.9%9781 Other antepartum diagnoses with medical complications147 1.6% | 10 | 641 | Nutritional and miscellaneous metabolic disorders without MCC | 25 | 1.8% | | | | |
| 1775Vaginal delivery without complicating diagnoses2,02721.6%2766Cesarean section without CC/MCC8569.1%3885Psychoses8278.8%4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | 18-44 | Year | 'S | | | | | | |
| 2766Cesarean section without CC/MCC8569.1%3885Psychoses8278.8%4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | _ | _ | All Reasons | 9,381 | 100.0% | | | | |
| 2766Cesarean section without CC/MCC8569.1%3885Psychoses8278.8%4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | 1 | 775 | Vaginal delivery without complicating diagnoses | 2,027 | 21.6% | | | | |
| 3885Psychoses8278.8%4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | 2 | | | | | | | | |
| 4765Cesarean section with CC/MCC3924.2%5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | | 885 | Psychoses | | | | | | |
| 5897Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC2973.2%6392Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC2742.9%7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | 4 | | , | 392 | | | | | |
| 6 392 Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC 274 2.9% 7 774 Vaginal delivery with complicating diagnoses 248 2.6% 8 743 Uterine and adnexa procedures for nonmalignancy without CC/MCC 176 1.9% 9 781 Other antepartum diagnoses with medical complications 147 1.6% | | | | | 3.2% | | | | |
| 7774Vaginal delivery with complicating diagnoses2482.6%8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | | | | | 2.9% | | | | |
| 8743Uterine and adnexa procedures for nonmalignancy without CC/MCC1761.9%9781Other antepartum diagnoses with medical complications1471.6% | | | | | | | | | |
| 9 781 Other antepartum diagnoses with medical complications 147 1.6% | 8 | 743 | | | | | | | |
| | | 781 | | 147 | 1.6% | | | | |
| | | 918 | | 107 | 1.1% | | | | |

| 107| 1.1%| Continued on next page

Table 12.10: McHenry County

Top 10 Hospitalization Reasons by Age Group: 2009 (continued)

| | I | Top 10 Hospitalization Reasons by Age Group: 2009 (continue | ,u <i>j</i> | Dansaat |
|-------|--------|--|-------------|-----------------------------------|
| Rank | DRG | Description | Discharges | Percent Within Age Group |
| 45-64 | Year | S | | |
| _ | - | All Reasons | 9,191 | 100.0% |
| 1 | 470 | Major joint replacement or reattachment of lower extremity without MCC | 449 | 4.9% |
| 2 | | Psychoses | 419 | 4.6% |
| 3 | | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 323 | 3.5% |
| 4 | 897 | Alcohol/Drug abuse or dependence without rehabilitation therapy without MCC | 285 | 3.1% |
| 5 | | Chest pain | 249 | 2.7% |
| 6 | 247 | Percutaneous cardiovascular procedure with drug-eluting stent without MCC | 204 | 2.2% |
| 7 | 743 | Uterine and adnexa procedures for nonmalignancy without CC/MCC | 188 | 2.0% |
| 8 | 287 | Circulatory disorders except acute myocardial infarction, with cardiac catheterization without MCC | 169 | 1.8% |
| 9 | 310 | Cardiac arrhythmia and conduction disorders without CC/MCC | 128 | 1.4% |
| T-10 | 603 | Cellulitis without MCC | 121 | 1.3% |
| T-10 | 552 | Medical back problems without MCC | 121 | 1.3% |
| 65-74 | Year | S | | |
| _ | - | All Reasons | 5,224 | 100.0% |
| 1 | 470 | Major joint replacement or reattachment of lower extremity without MCC | 331 | 6.3% |
| 2 | | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 132 | 2.5% |
| 3 | 945 | Rehabilitation with CC/MCC | 131 | 2.5% |
| 4 | 247 | Percutaneous cardiovascular procedure with drug-eluting stent without MCC | 110 | 2.1% |
| 5 | 287 | Circulatory disorders except acute myocardial infarction, with cardiac catheterization without MCC | 98 | 1.9% |
| 6 | 310 | Cardiac arrhythmia and conduction disorders without CC/MCC | 97 | 1.9% |
| 7 | 313 | Chest pain | 87 | 1.7% |
| T-8 | 190 | Chronic obstructive pulmonary disease with MCC | 77 | 1.5% |
| T-8 | 291 | Heart failure and shock with MCC | 77 | 1.5% |
| 10 | 191 | Chronic obstructive pulmonary disease with CC | 73 | 1.4% |
| 75 Ye | ears & | Older | | |
| | - | All Reasons | 7,460 | 100.0% |
| 1 | 470 | Major joint replacement or reattachment of lower extremity without MCC | 252 | 3.4% |
| 2 | 291 | Heart failure and shock with MCC | 223 | 3.0% |
| 3 | | Rehabilitation with CC/MCC | 217 | 2.9% |
| 4 | 392 | Esophagitis, gastroenteritis and miscellaneous digestive disorders without MCC | 177 | 2.4% |
| 5 | 641 | Nutritional and miscellaneous metabolic disorders without MCC | 163 | 2.2% |
| 6 | | Kidney and urinary tract infections without MCC | 161 | 2.2% |
| 7 | 292 | Heart failure and shock with CCC | 149 | 2.0% |
| 8 | | Syncope and collapse | 134 | 1.8% |
| 9 | | Simple pneumonia and pleurisy with CC | 133 | 1.8% |
| 10 | 293 | Heart failure and shock without CC/MCC | 125 | 1.7% |

MCC/CC = (Major) Complications or Comorbid Conditions

Table 12.11: McHenry County
Summary of Hospital Characteristics: 2009

| Indicator | McHenry County | Centegra Hospital- McHenry | Centegra Hospital - Woodstock | Centegra Specialty Hospital- Woodstock | Mercy Harvard Memorial Hospital |
|----------------------|-------------------|----------------------------------|-------------------------------------|---|---------------------------------------|
| Licensed beds | 287 | 181 | 106 | 84 ¹ | 65 ¹ |
| Staffed beds | 164 | 78 | 86 | 53 ¹ | 70 ¹ |
| Admissions | 20,766 | 11,225 | 7,169 | 1,621 | 751 |
| Patient days | 95,509 | 45,535 | 24,780 | 13,587 | 11,607 |
| Observation days | 6,871 | 3,944 | 2,764 | 0 | 163 |
| Average stay | 4.6 | 4.4 | 3.8 | 8.4 | 15.7 |
| Outpatient visits | 571,697 | 292,107 | 200,751 | 9,782 | 69,057 |
| Births | 2,027 | 922 | 1,105 | 0 | 0 |
| Inpatient surgeries | 4,014 | 2,130 | 1,640 | 0 | 244 |
| Outpatient surgeries | 10,273 | 5,676 | 3,648 | 0 | 949 |
| Emergency patients | 56,166 | 29,130 | 21,397 | 0 | 5,639 |
| CT scans | 47,243 | 28,126 | 17,295 | 0 | 1,822 |
| MRI scans | 12,197 | 7,026 | 4,820 | 0 | 351 |
| Ultrasound exams | 31,149 | 18,026 | 11,623 | 0 | 1,500 |
| PET scans | 592 | 592 | 0 | 0 | 0 |
| Mammographies | 38,171 | 23,710 | 13,844 | 0 | 617 |

¹Includes long-term care

Source: 2009 Annual Hospital Questionnaire, Illinois Department of Public Health, Health Systems Development.

Table 12.12: McHenry County Long-Term Care Facilities: 2009

| Long-Term Care Facility | Residents | Admissions | Discharges | Residents |
|---------------------------------------|-----------|------------|-------------|-----------|
| Long-renn care racinty | Jan. 1 | Admissions | Discriaryes | Dec. 31 |
| Total Residents | 845 | 2,875 | 2,859 | 861 |
| Alden Terrace of McHenry Rehab | 163 | 794 | 767 | 190 |
| Centegra Specialty Hospital Woodstock | 24 | 612 | 622 | 14 |
| Crystal Pines Rehab & HCC | 104 | 125 | 127 | 102 |
| Fair Oaks Health Care Center | 40 | 87 | 86 | 41 |
| Florence Nursing Home | 37 | 93 | 84 | 46 |
| Fountains at Crystal Lake | 68 | 657 | 669 | 56 |
| Hearthstone Manor | 105 | 172 | 176 | 101 |
| Mercy Harvard Hospital | 29 | 177 | 182 | 24 |
| Sheltered Village | 87 | 4 | 5 | 86 |
| Valley Hi Nursing Home | 125 | 55 | 57 | 123 |
| Woodstock Residence | 63 | 99 | 84 | 78 |

Source: Illinois Health Facilities and Services Review Board, 2009 Long-Term Care Facility Data Profiles.

Table 12.13: McHenry County Long-Term Care Residents by Primary Diagnosis: 2009

| Primary Diagnosis | Number | Percent |
|-------------------------------------|--------|---------|
| Neoplasms | 14 | 1.6% |
| Endocrine/Metabolic | 25 | 2.9% |
| Blood Disorders | 0 | 0.0% |
| Nervous System Non-Alzheimer | 86 | 10.0% |
| Alzheimer's Disease | 50 | 5.8% |
| Mental Illness | 116 | 13.5% |
| Developmental Disability | 94 | 10.9% |
| Circulatory System | 196 | 22.8% |
| Respiratory System | 35 | 4.1% |
| Digestive System | 27 | 3.1% |
| Genitourinary System Disorders | 22 | 2.6% |
| Skin Disorders | 7 | 0.8% |
| Musculo-skeletal Disorders | 65 | 7.6% |
| Injuries and Poisonings | 25 | 2.9% |
| Other Medical Conditions | 66 | 7.7% |
| Non-Medical Conditions | 32 | 3.7% |
| Total Diagnosed with Mental Illness | 177 | 20.6% |

Source: Illinois Health Facilities and Services Review Board, 2009 Long-Term Care Facility Data Profiles.

Table 12.14: McHenry County
Selected Characteristics of Long-Term Care Residents: 2009

| Total | | Nursing Care | | ICF/DD | | Sheltered Care | | |
|---------------------------|--------|--------------|--------|---------|--------|----------------|--------|---------|
| Characteristic | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| All Residents | 861 | 100.0% | 731 | 100.0% | 86 | 100.0% | 44 | 100.0% |
| Gender | Gender | | | | | | | |
| Male | 248 | 28.8% | 200 | 27.4% | 48 | 55.8% | 0 | 0.0% |
| Female | 613 | 71.2% | 531 | 72.6% | 38 | 44.2% | 44 | 100.0% |
| Age Group | • | | | | | - | | |
| <18 years | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| 18-44 years | 43 | 5.0% | 13 | 1.8% | 30 | 34.9% | 0 | 0.0% |
| 45-64 years | 41 | 4.8% | 33 | 4.5% | 7 | 8.1% | 1 | 2.3% |
| 65-74 years | 94 | 10.9% | 83 | 11.4% | 10 | 11.6% | 1 | 2.3% |
| 75-84 years | 213 | 24.7% | 198 | 27.1% | 7 | 8.1% | 8 | 18.2% |
| 85 years & older | 403 | 46.8% | 369 | 50.5% | 0 | 0.0% | 34 | 77.3% |
| Race | | | | | | - | | |
| Asian | 5 | 0.6% | 4 | 0.5% | 1 | 1.2% | 0 | 0.0% |
| American Indian | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Black | 10 | 1.2% | 3 | 0.4% | 7 | 8.1% | 0 | 0.0% |
| Hawaiian/Pacific Islander | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| White | 846 | 98.3% | 724 | 99.0% | 78 | 90.7% | 44 | 100.0% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Ethnicity | • | | | | | - | - | |
| Hispanic | 15 | 1.7% | 12 | 1.6% | 3 | 3.5% | 0 | 0.0% |
| non-Hispanic | 846 | 98.3% | 719 | 98.4% | 83 | 96.5% | 44 | 100.0% |
| Unknown | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| Payment Source | - | | | | | _ | - | |
| Medicare | 125 | 14.5% | 125 | 17.1% | 0 | 0.0% | 0 | 0.0% |
| Medicaid | 487 | 56.6% | 402 | 55.0% | 85 | 98.8% | 0 | 0.0% |
| Other public | 10 | 1.2% | 7 | 1.0% | 0 | 0.0% | 3 | 6.8% |
| Insurance | 17 | 2.0% | 17 | 2.3% | 0 | 0.0% | 0 | 0.0% |
| Private pay | 221 | 25.7% | 180 | 24.6% | 1 | 1.2% | 40 | 90.9% |
| Charity Care | 1 | 0.1% | 0 | 0.0% | | 0.0% | 1 | 2.3% |

ICF/DD: Intermediate care facilities for individuals with developmental disabilities.

Source: Illinois Health Facilities and Services Review Board, 2009 Long-Term Care Facility Data Profiles.

Table 12.15: McHenry County
Licensed Assisted Living and Shared Housing Facilities: December 2010

| | <u> </u> | | |
|-------------------------------|--------------|------------------------------------|---|
| Name | City | Total Number of Units ¹ | Number of Alzheimer's Disease Units ¹ |
| Autumn Leaves of Crystal Lake | Crystal Lake | 36 | 36 |
| Bickford-Crystal Lake Cottage | Crystal Lake | 66 | 16 |
| Fountains at Crystal Lake | Crystal Lake | 135 | 15 |
| Fox Point | McHenry | 97 | 0 |
| Fox Point Manor | McHenry | 40 | 40 |
| Hearthstone Manor | Woodstock | 74 | 0 |
| Sunrise of Crystal Lake | Crystal Lake | 58 | 13 |
| Total | | 506 | 120 |

¹Units may have up to 2 residents.

Source: Illinois Department of Public Health, Division of Assisted Living, Assisted Living/Shared Housing Licensed Establishments.

Table 12.16: McHenry County & U.S. Physicians and Population Per Physician: 2008¹

| i ilyololano ana i opananon i oi i ilyololani 2000 | | | | | | | |
|--|--------|---------------|----------------|--|--|--|--|
| | МсНе | enry County | U.S. | | | | |
| | | Population | Population Per | | | | |
| Physician Type | Number | Per Physician | Physician | | | | |
| Total Patient Care | 348 | 914.1 | 410.9 | | | | |
| Office-Based Practice | | | | | | | |
| Family medicine/general practice | 44 | 7,230.0 | 4,034.8 | | | | |
| Medical specialties | 128 | 2,485.3 | 1,461.5 | | | | |
| Surgical specialties | 74 | 4,298.9 | 2,434.8 | | | | |
| Other specialties | 73 | 4,357.8 | 2,055.6 | | | | |
| Hospital-Based Practice | 29 | 10,969.6 | 1,653.9 | | | | |

¹McHenry County Population of 318,118 based on U.S. Census 2008 estimate. American Medical Association physician counts for December 31, 2008.

Source: American Medical Association, *Physician Characteristics and Distribution in the U.S.* 2010 Edition.

Table 12.17: McHenry County
Number of Physicians by Specialty: May 2010

| ivui | IIDEI OI I | ilysicialis |
|--------------------------------------|------------|-------------|
| Specialty | Number | Percent |
| Total | 476 | 100.0% |
| Internal medicine | 93 | 19.5% |
| Family medicine | 65 | 13.7% |
| Pediatrics | 45 | 9.5% |
| Obstetrics & gynecology | 33 | 6.9% |
| Anesthesiology | 23 | 4.8% |
| Emergency medicine | 21 | 4.4% |
| General surgery | 21 | 4.4% |
| Unspecified | 16 | 3.4% |
| Orthopedic surgery | 15 | 3.2% |
| Psychiatry | 15 | 3.2% |
| Diagnostic radiology | 10 | 2.1% |
| General practice | 10 | 2.1% |
| Anatomic/Clinical pathology | 8 | 1.7% |
| Ophthalmology | 7 | 1.5% |
| Otolaryngology | 7 | 1.5% |
| Cardiovascular disease | 6 | 1.3% |
| Child & adolescent psychiatry | 6 | 1.3% |
| Internal medicine/Pediatrics | 6 | 1.3% |
| Neurology | 6 | 1.3% |
| Radiology | 5 | 1.1% |
| Plastic surgery | 4 | 0.8% |
| Radiation oncology | 4 | 0.8% |
| Urology | 4 | 0.8% |
| Dermatology | 3 | 0.6% |
| Gastroenterology | 3 | 0.6% |
| Hand surgery | 3 | 0.6% |
| Neurological surgery | 3 | 0.6% |
| Occupational medicine | 3 | 0.6% |
| Allergy | 2 | 0.4% |
| Endocrinology, diabetes & metabolism | 2 | 0.4% |
| Gynecology | 2 | 0.4% |
| Hematology/Oncology | 2 | 0.4% |
| Source: American Medical Ass | | |

| Specialty | Number | Percent |
|---|--------|---------|
| | | |
| Nephrology | 2 | 0.4% |
| Adult reconstructive orthopedics | 1 | 0.2% |
| Allergy and immunology | 1 | 0.2% |
| Child neurology | 1 | 0.2% |
| Clinical laboratory immunology (allergy & immunology) | 1 | 0.2% |
| Clinical neurophysiology | 1 | 0.2% |
| Clinical pathology | 1 | 0.2% |
| | | 0.2 /0 |
| Critical care medicine (anesthesiology) | 1 | 0.2% |
| Dermatologic surgery | 1 | 0.2% |
| Foot and ankle orthopedics | 1 | 0.2% |
| Hand surgery (orthopedics) | 1 | 0.2% |
| Infectious disease | 1 | 0.2% |
| Nueroradiology | 1 | 0.2% |
| Obstetrics | 1 | 0.2% |
| Other specialty | 1 | 0.2% |
| Pain management | 1 | 0.2% |
| Physical medicine and rehabilitation | 1 | 0.2% |
| Pulmonary & critical care medicine | 1 | 0.2% |
| Rheumatology | 1 | 0.2% |
| Sleep medicine | 1 | 0.2% |
| Sports medicine (orthopedic surgery) | 1 | 0.2% |
| Urgent care medicine | 1 | 0.2% |

Source: American Medical Association, Physicians by specialty within county

Chapter 13: Environment

| | Onapter 13. Environment | |
|---|--|---|
| • | The warmest month on average between 1999 and 2009 in McHenry County was July with an average high of $81.6^{\circ F}$, while the coolest month on average was January with an average high of $29.6^{\circ F}$ and an average low of $13.5^{\circ F}$. | Tables & Figures Table 13.1 Figure 13.1 |
| • | On average between 1999 and 2009 in McHenry County, June was the wettest month with 4.88 inches of precipitation and January was the driest with 1.32 inches. December had the highest monthly average snowfall with 12.21 inches of snow and ice closely followed by January with 11.77 inches of snow and ice. | Table 13.2 Figure 13.2 |
| • | The Environmental Protection Agency (EPA) regulates 56 facilities in McHenry County that produce and release air pollutants, 10 facilities reported toxic releases, 123 reported hazardous waste activities and 2 waste sites that are part of an existing Superfund. No facilities were regulated for radioactivity. | Table 13.3 |
| • | There are 35 community water systems that serve homes and 34 water systems that serve the same population but not year round, such as schools. There are 288 water systems that serve different people, such as retail stores and restaurants. | Table 13.3 |
| • | In 2009, 125,868 pounds of toxic chemicals were released in McHenry County, and 48.7% of those were released into the air and 13.2% were released on-site to land. The total weight of toxic agents released has decreased since 2004. | Table 13.4 Figure 13.3 |
| • | In 2008, 83.9% of days had good air quality and 16.1% had moderate air quality in McHenry County. On average from 1998 to 2008, 85.1% of days during a year were of good air quality, 13.3% were of moderate air quality and 1.6% of days were unhealthy for sensitive groups, such as those with lung disease, older adults, and children. | Table 13.5 Figure 13.4 |
| • | Based on data from 1998 to 2008, the main air pollutant was ozone (O_3) on 80.1% of days and particulate matter <2.5 μ m ($PM_{2.5}$) was the main air pollutant on the remaining 19.9% of days on average. The percent of days when ozone was the main pollutant generally decreased from 1998 to 2008 and the percent of days where $PM_{2.5}$ was the main pollutant has increased. | Table 13.6 Figure 13.5 |
| • | The most common point source emission released in McHenry County was volatile organic compounds (VOCs) for every year from 1990 to 2002. In 2002, there were 609 tons of VOCs emitted. | Table 13.7 Figure 13.6 |

• Of the 1,154 homes that have been tested for radon from 2003 to 2006, 345 (29.9%) had levels of 4pCi/L or more (U.S. EPA's action level for radon in the home). Among zip codes with more than 5 homes tested, the 60081 zip code (includes the village of Spring Grove) had the highest percent of homes with high levels of radon at 52.9%. Zip codes 60013 (includes the city of Cary) and 60014 (includes part of the City of Crystal Lake) had the most mitigation systems with 39 and 26, respectively, during 2005-2006.

Table 13.8 Figure 13.7


Table 13.1: McHenry Stratton Lock & Dam

Average Monthly Temperature (°F): 1999-2009

| Average Low | Average High | | | | | |
|----------------|--|--|--|--|--|--|
| 13.5 | 29.6 | | | | | |
| 16.4 | 33.4 | | | | | |
| 25.9 | 43.2 | | | | | |
| 37.5 | 58.6 | | | | | |
| 44.8 | 67.9 | | | | | |
| 57.1 | 77.5 | | | | | |
| 61.3 | 81.6 | | | | | |
| 59.8 | 80.1 | | | | | |
| 51.2 | 74.2 | | | | | |
| 39.5 | 60.3 | | | | | |
| 31.3 | 48.8 | | | | | |
| 16.9 | 32.7 | | | | | |
| | 13.5 16.4 25.9 37.5 44.8 57.1 61.3 59.8 51.2 39.5 31.3 | | | | | |

Source: Illinois Department of Natural Resources.

Figure 13.1: McHenry Stratton Lock & Dam Average Monthly High & Low Temperatures: 1999-2009



Source: Illinois Department of Natural Resources.


Table 13.2: McHenry Stratton Lock & Dam Average Monthly Precipitation & Snow Fall: 1999-2009

| | Monthly Ave | erage (Inches) |
|-----------|---------------|----------------|
| Month | Precipitation | Snow & Ice |
| January | 1.32 | 11.77 |
| February | 1.58 | 7.59 |
| March | 2.10 | 4.80 |
| April | 3.40 | 0.87 |
| May | 4.52 | 0.00 |
| June | 4.88 | 0.00 |
| July | 3.24 | 0.00 |
| August | 4.27 | 0.00 |
| September | 3.60 | 0.00 |
| October | 3.06 | 0.00 |
| November | 2.00 | 0.57 |
| December | 2.12 | 12.21 |

Source: Illinois Department of Natural

Resources.

Figure 13.2: McHenry Stratton Lock & Dam Average Monthly Precipitation & Snow Fall: 1999-2009



Source: Illinois Department of Natural Resources.

Table 13.3: McHenry County EPA Regulated Facilities Summary

| Characteristic | Number |
|--|--------|
| AIR | |
| Facilities that produce and release air pollutants | 56 |
| AIR Minor | 53 |
| AIR Major | 1 |
| AIR Synthetic Minor | 2 |
| TOXICS | |
| Facilities that reported toxic releases | 10 |
| WASTE | |
| Facilities reported hazardous waste activities | 123 |
| Other Hazardous Waste Activities | 1 |
| Conditionally Exempt Small Quantity Generators (CESQGs) | 31 |
| Unspecified Universe | 21 |
| Small Quantity Generators (SQGs) | 31 |
| Sites with generation, management, and minimization of hazardous waste | 0 |
| Potential hazardous waste sites that are part of Superfund that exist | 2 |
| Superfund National Priorities List (NPL) | 1 |
| Superfund | 1 |
| RADIATION | |
| Facilities regulated for radiation and radioactivity | 0 |
| WATER | |
| Facilities issued permits to discharge to waters of the U.S. | 22 |
| National Pollutant Discharge Elimination System (NPDES) Non-majors | 20 |
| National Pollutant Discharge Elimination System (NPDES) Majors | 2 |
| Water Systems | 357 |
| Transient non-community water systems that do not consistently serve the same people (e.g. rest stops, gas stations) | 288 |
| Community water systems that serve same people year-round (e.g. homes) | 35 |
| Non-transient non-community water systems that serves the same people, but not year-round (e.g. schools) | 34 |

Source: U.S. Environmental Protection Agency, Envirofacts. Last Updated on Oct 09, 2010.

Table 13.4: McHenry County


Toxic Agents¹ Disposed or Released for All Facilities (In Pounds): 2001-2009

| Discharge/Release | 2009 | 2008 | 2007 | 2006 | 2005 | 2004 | 2003 | 2002 | 2001 |
|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Total Chemicals Released | 125,868.7 | 198,837.2 | 209,067.1 | 215,422.9 | 226,180.1 | 247,747.4 | 236,705.9 | 225,972.5 | 216,880.5 |
| On-site releases | 78,721.5 | 135,900.0 | 152,938.8 | 149,046.9 | 160,212.0 | 153,228.3 | 161,556.9 | 172,751.9 | 153,664.0 |
| Into Air | 61,288.5 | 109,034.7 | 128,678.8 | 119,193.6 | 127,055.4 | 151,028.1 | 158,979.9 | 170,229.9 | 150,979.0 |
| Discharge to surface water | 775.0 | 2,071.0 | 2,185.0 | 2,534.0 | 3,158.6 | 1,489.2 | 2,067.0 | 2,022.0 | 2,185.0 |
| Underground injection | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Released to land | 16,658.0 | 24,794.3 | 22,075.0 | 27,319.2 | 29,998.0 | 711.0 | 510.0 | 500.0 | 500.0 |
| Off-site releases | 47,147.2 | 62,937.2 | 56,128.3 | 66,376.0 | 65,968.1 | 94,519.1 | 75,149.0 | 53,220.6 | 63,216.5 |

¹2001 core chemicals

Source: U.S. Environmental Protection Agency, Toxic Release Inventory On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), Trend Report for Facilities in All Industries, for 2001 Core Chemicals, McHenry County, Illinois, 2001-2009.

Figure 13.3: McHenry County
Toxic Agents Disposed or Released: 2001-2009



Source: U.S. Environmental Protection Agency, Toxic Release Inventory On-site and Off-site Reported Disposed of or Otherwise Released (in pounds), Trend Report for Facilities in All Industries for 2001 Core Chemicals, McHenry County, Illinois, 2001 - 2009.

Table 13.5: McHenry County Air Quality Index: 1998-2008

| | Percent of Days When Air Quality Was: | | | | |
|---------|---------------------------------------|----------|--------------------------------------|-----------|--|
| Year | Good | Moderate | Unhealthy for Sensitive Groups | Unhealthy | |
| 2008 | 83.9% | 16.1% | 0.0% | 0.0% | |
| 2007 | 76.4% | 22.7% | 0.8% | 0.0% | |
| 2006 | 92.1% | 7.9% | 0.0% | 0.0% | |
| 2005 | 79.5% | 17.3% | 3.3% | 0.0% | |
| 2004 | 89.2% | 10.8% | 0.0% | 0.0% | |
| 2003 | 88.2% | 10.2% | 1.6% | 0.0% | |
| 2002 | 81.3% | 14.3% | 4.4% | 0.0% | |
| 2001 | 81.8% | 16.3% | 1.9% | 0.0% | |
| 2000 | 84.4% | 14.5% | 1.1% | 0.0% | |
| 1999 | 88.4% | 8.0% | 3.3% | 0.3% | |
| 1998 | 90.7% | 7.9% | 1.4% | 0.0% | |
| Average | 85.1% | | 1.6% | 0.0% | |

Source: U.S. Environmental Protection Agency, Air

Quality Index Report.

Understanding the Air Quality Index

| Rating | Index Score | Interpretation | | |
|--------------------------------|-------------|---|--|--|
| Good | 0-50 | Air quality is considered satisfactory, and air pollution poses little or no risk | | |
| Moderate | 51-100 | Air quality is acceptable; however, for some pollutants there may be a moderate health concern for a very small number of people. | | |
| Unhealthy for sensitive groups | 101-150 | Although general public is not likely to be affected at this AQI range, people with lung disease, older adults and children are at a greater risk from exposure to ozone, whereas people with heart and lung disease, older adults and children are at a greater risk form the presence of particles in the air | | |
| Unhealthy | 151-200 | Everyone may begin to experience some adverse health effects, and members of the sensitive groups may experience more serious effects. | | |
| Very Unhealthy | 201-300 | This would trigger a health alert signifying that everyone may experience more serious health effects. | | |
| Hazardous | >300 | This would trigger health warnings of emergency conditions. The entire population is more likely to be affected. | | |

Source: U.S. Environmental Protection Agency.




Figure 13.4: McHenry County
Percent of Days by Air Quality Index Classification: 1998-2008


^{*}Sensitive groups include but are not limited to people with lung disease, older adults, and children. Source: U.S. Environmental Protection Agency, Air Quality Index Report.

Table 13.6: McHenry County
Percent of Days by Main Air Pollutant
According to Air Quality Index: 1998-2008

| 710001 amig to 7th Quality mack. 1000 2000 | | | | | | | |
|--|-------------------|--------------------------------|-------|--|--|--|--|
| | | Particulate Matter < 2.5 µm | | | | | |
| Year | (O ₃) | (PM _{2.5}) | Other | | | | |
| 2008 | 61.8% | 38.2% | 0.0% | | | | |
| 2007 | 44.4% | 55.6% | 0.0% | | | | |
| 2006 | 80.5% | 19.5% | 0.0% | | | | |
| 2005 | 83.0% | 17.0% | 0.0% | | | | |
| 2004 | 83.3% | 16.7% | 0.0% | | | | |
| 2003 | 79.7% | 20.3% | 0.0% | | | | |
| 2002 | 83.8% | 16.2% | 0.0% | | | | |
| 2001 | 83.2% | 16.8% | 0.0% | | | | |
| 2000 | 80.9% | 19.1% | 0.0% | | | | |
| 1999 | 100.0% | 0.0% | 0.0% | | | | |
| 1998 | 100.0% | 0.0% | 0.0% | | | | |
| Average Days | 80.1% | 19.9% | 0.0% | | | | |

Source: U.S. Environmental Protection Agency, Air Quality Index Report.

Figure 13.5: McHenry County
Percent of Days by Main Air Pollutant According to Air Quality Index: 1998-2008




Source: U.S. Environmental Protection Agency, Air Quality Index Report.

Table 13.7: McHenry County
Point Source Emissions (In Tons): 1990-2002

| Pollutant | 2002 | 2001 | 2000 | 1999 | 1998 | 1997 | 1996 | 1990 |
|-----------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| Ammonia (NH ₃) | 2.2 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.9 |
| Carbon Monoxide (CO) | 549 | 372 | 367 | 366 | 234 | 237 | 232 | 30.0 |
| Nitrogen Oxide (NO _x) | 252 | 1,044 | 1,042 | 1,033 | 510 | 521 | 511 | 136 |
| Particulate matter | 500 | 763 | 729 | 707 | 1,333 | 1,332 | 1,279 | 393 |
| Sulfur Dioxide (SO ₂) | 10.0 | 161.0 | 153.0 | 147.0 | 57.1 | 66.2 | 66.3 | 122.0 |
| Volatile Organic Compounds (VOCs) | 609 | 1,166 | 1,116 | 1,120 | 1,674 | 1,690 | 1,625 | 656 |

Source: U.S. Environmental Protection Agency, National Emission Inventory database.

Figure 13.6: McHenry County
Point Source Emissions by Pollutant: 1990-2002



Source: U.S. Environmental Protection Agency, National Emission Inventory database.


Table 13.8: McHenry County Zip Codes Number of Homes Tested for Radon Exposure and Number of

Mitigation Systems: 2003-2006

| | ntigation | 2005-2006 | | |
|--|---------------------------------|---|--|------------------------------------|
| Zip Code (Major community in zip code) | Number of Homes Tested | Number of Homes Tested ≥4pCi/L | Percent of Homes Tested ≥4pCi/L | Number of Mitigation Systems |
| 60012 (Crystal Lake) | 91 | 39 | 42.9% | 13 |
| 60013 (Cary) | 156 | 60 | 38.5% | 39 |
| 60014 (Crystal Lake) | 223 | 47 | 21.1% | 26 |
| 60021 (Fox River Grove) | 41 | 16 | 39.0% | 7 |
| 60033 (Harvard) | 12 | 5 | 41.7% | 3 |
| 60034 (Hebron) | 3 | 2 | 66.7% | 0 |
| 60050 (McHenry) | 54 | 23 | 42.6% | 12 |
| 60051 (McHenry) | 26 | 11 | 42.3% | 3 |
| 60071 (Richmond) | 4 | 1 | 25.0% | 0 |
| 60072 (McHenry) | 3 | 0 | 0.0% | 0 |
| 60081 (Spring Grove) | 34 | 18 | 52.9% | 10 |
| 60097 (Wonder Lake) | 16 | 7 | 43.8% | 2 |
| 60098 (Woodstock) | 79 | 25 | 31.6% | 9 |
| 60102 (Algonquin) | 189 | 39 | 20.6% | 19 |
| 60142 (Huntley) | 57 | 17 | 29.8% | 3 |
| 60152 (Marengo) | 17 | 7 | 41.2% | 1 |
| 60156 (Lake In The Hills) | 146 | 27 | 18.5% | 10 |
| 60180 (Union) | 3 | 1 | 33.3% | 0 |
| Total | 1,154 | 345 | 29.9% | 157 |

Source: Illinois Emergency Management Agency (IEMA), Radon in Your County.

Figure 13.7: McHenry County Zip Codes
Percent of Homes Tested With High Levels of Radon: 2003-2006



Source: Illinois Emergency Management Agency, Radon in Your County.

Glossary

Age-adjusted cancer incidence rate: Weighted average of the age-specific cancer incidence rate, where the weights are the proportions of the people in the corresponding age groups of a standard population. For this report, we use the 2000 U.S. Standard population. This adjustment is done in order to eliminate the effect of different age distributions in the population over time or between different populations.

Age-adjusted death (or mortality) rate: A weighted average of the age-specific death rate, where the weights are proportions of people in the corresponding age groups of a standard million population. Age-adjusted death rates in this report use the 2000 U.S. Standard population. This adjustment is done in order to eliminate the effect of different age distributions in the population over time or between different populations.

Age-specific fertility rate: Number of live births by mothers within a specific age group divided by the number of females within the same age group within a given population and time period.

Assisted Living Facility: A home, building, residence or any other place where sleeping accommodations are provided for at least three unrelated adults, at least 80% of whom are 55 years of age or older and where units are homelike and assistance with daily living activities are provided. Assisted living facilities are licensed under the Assisted Living and Shared Housing Act (210 ILCS 9/).

At risk for acute/binge drinking: The Behavioral Risk Factor Surveillance System defines at risk for acute/binge drinking as consuming four or more alcoholic drinks per occasion for women and five or more for men during the past 30 days.

Average (or mean): The sum of a group of numbers divided by the quantity of numbers

Birth rate: Number of births per population, usually per 100,000 population, for a given period of time.

Cancer incidence rate: Number of new cancers of specific site/type occurring in a specified population during a given period of time, usually expressed as the number of cancers per 100,000 population.

Comorbid (or comorbidity): presence of one or more conditions or diseases in addition to the primary disease or conditions.

Death (or mortality) rate: Number of deaths per population, usually per 100,000 population, for a given period of time.

DRG (Diagnosis Related Groups): A classification system which uses diagnosis information to establish hospital payments under Medicare.

Ethnicity: A social group characterized by distinctive social and cultural traditions, maintained within the group from generation to generation. For reporting purposes, this is typically kept separate from race. Currently, the U.S. Census tracks Hispanic/non-Hispanic

Family: The U.S. Census Bureau defines family as a group of two or more people who reside together and who are related by birth, marriage, or adoption.

Fertility rate: Number of live births divided by the number of females of child-bearing age (15-44 years) within a given population and time period.

Frequency: Number of events in a given population in a specified period of time.

Group Quarters: The U.S. Census Bureau classifies all people not living in households as living in group quarters. There are two types of group quarters: institutional (i.e. correctional facilities, nursing homes and mental hospitals) and non-institutional (i.e. college dormitories, group homes, shelters).

Household: The U.S. Census Bureau defines a household all the people who occupy a housing unit as their usual place of residence.

Householder: The U.S. Census Bureau defines a householder as the person whose name the home is owned, being bought or rented.

Housing unit: The U.S. Census Bureau defines a housing unit as a house, an apartment, a mobile home or trailer, a group of rooms, or a single room occupied as a separate living quarters, or if vacant, intended for occupancy as separate living quarters. Separate living quarters are those in which the occupants live separately from any other individuals in the building and which have direct access from outside the building or through a common hall. For vacant units, the criteria of separateness and direct access are applied to the intended occupants whenever possible.

Incidence: The number of new cases during a given period in a specified population.

Income to poverty ratio: People and families are classified as being poverty if their income is less than the poverty threshold. If their income is less than half the poverty threshold, they are below 50% (or 0.50) of poverty. The greater the ratio of income to poverty, the more people fall under the category because higher ratios include more people with higher incomes.

Intermediate care for developmentally disabled (ICF/DD): According to the Illinois Department of Public Health, Office of Health Care Regulation, a facility of three or more people or a distinct part serving residents of which more than 50 percent are developmentally disabled is classified as ICF/DD.

Kessner Index: An index of adequacy of prenatal care based on trimester of entry, number of prenatal visits and gestational age of infant at birth.

Kotelchuck Index: An index of adequacy of prenatal care utilization based on month of entry, number of prenatal visits and gestational age of infant birth. Index categories are based on the ratio of observed to expected visits based on gestational age and month of entry. Index categories are as follows: Inadequate-received less than 50% of expected visits; intermediate (50-79%); adequate (80-109%); and adequate plus (110% or more).

Linguistically Isolated Household: A household is linguistically isolated if all adults speak a language other than English and none speaks English "very well".

2010 McHenry County Healthy Community Study **Long-Term Care Facility**: A private home, institution, building, residence or any other place, or a county home for the infirm and chronically ill, which provides personal care, sheltered care, or nursing for 3 or more people, not related to the owner by blood or marriage. It includes skilled nursing facilities and intermediate care facilities, homes, institutions or other places operated by or under the authority of the Illinois Department of Veterans Affairs. Long-term care facilities are licensed under the Nursing Home Care Act (210 ILCS 45/).

Median: The middle value of an ordered set of values.

Medicaid: A Federal and state-funded program that provides health insurance to certain low-income individuals and families who fit into an eligibility group that is recognized by federal and state law.

Medicare: Federal government administered health insurance for people age 65 years or older, under the age of 65 years with certain disabilities and people of any age with End-Stage Renal Disease.

Mortality: Number of deaths during a specified time period in a specified population

Natality: Number of births during a specified time period in a specified population

Nursing care (skilled nursing care): According to the Illinois Department of Public Health, Office of Health Care Regulation, a skilled nursing facility provides skilled nursing care, continuous skilled nursing observations, restorative nursing and other services under professional direction with frequent medical supervision. Such facilities are provided for patients who need the type of care and treatment required during the post acute phase of illness or during recurrences of symptoms in long-term illness.

Per capita personal income (PCPI): The personal income of the residents, which is the total income received by people from participation in production, transfer payments and government interest, of an area divided by the population of the area for a given period of time, normally one year.

Percent change: Difference between a final value and an initial or reference value divided by the initial or reference value. A positive percent change corresponds to an increasing trend; a negative percent change corresponds to a decreasing trend.

Poverty: The U.S. Census Bureau calculates poverty status by using a set of dollar value thresholds (poverty thresholds) that vary by family size and composition to determine who is in poverty. If a family's total income is less than the dollar value of the appropriate threshold, then that family and every individual in that family are considered to be in poverty.

Poverty rate: the percentage of people (or families) whose income falls at or below the official poverty threshold amount set by the .U.S Census Bureau.

Prevalence: The proportion of people in a population who have a particular disease or attribute at a specified point in time (point prevalence) or over specified period of time (period prevalence).

Race: Current U.S. Census includes African American, Asian and Pacific Islander, Native American and Native Alaskan, Hawaiian, White, and Other as race categories. Ethnicity is reported separately. Individuals self-report their race category.

Rate (or crude rate): The frequency with which an event occurs in a defined population in a specified period of time.

Sheltered care: According to the Illinois Department of Public Health, Office of Health Care Regulation, a facility which provides maintenance (i.e. food, shelter, laundry services) and personal care (i.e. assistance with meals, dressing, bathing, and general supervision and oversight) is classified as a sheltered care facility.

Site-specific cancer mortality: Number of deaths due to cancer localized to a specific anatomical location, or site.

Statistical significance: A mathematical measure comparing groups or relationships. A difference or relationship is said to be statistically significant if it is large enough or strong enough not to be due to chance alone.

Years of Potential Life Lost (YPLL): A measure of impact of premature mortality on a population. It is calculated as the sum of the differences between some predetermined minimum or desired life span and the age of death for individuals who died earlier than that predetermined age. The desired age is usually set at 65 years.